

# DELETE

```
411      "lastName": "Fay",
412      "managerId": 201,
413      "phoneNumber": "603.123.6666",
414      "salary": 6000
415    },
416  },
417  {
418    "departmentId": 4,
419    "email": "susan.mavris@sqltutorial.org",
420    "employeeId": 203,
421    "firstName": "Susan",
422    "hireDate": "1994-06-07",
423    "jobId": 8,
424    "lastName": "Mavris",
425    "managerId": 101,
426    "phoneNumber": "515.123.7777",
427    "salary": 6500
428  },
429  {
430    "departmentId": 7,
431    "email": "hermann.baer@sqltutorial.org",
432    "employeeId": 204,
433    "firstName": "Hermann",
434    "hireDate": "1994-06-07",
435    "jobId": 12,
436    "lastName": "Baer",
437    "managerId": 101,
438    "phoneNumber": "515.123.8888",
439    "salary": 10000
440  },
441  {
442    "departmentId": 11,
443    "email": "shelley.higgins@sqltutorial.org",
444    "employeeId": 205,
445    "firstName": "Shelley",
446    "hireDate": "1994-06-07",
447    "jobId": 2,
448    "lastName": "Higgins",
449    "managerId": 101,
450    "phoneNumber": "515.123.8080",
451    "salary": 12000
452  },
453  {
454    "departmentId": 11,
455    "email": "william.gietz@sqltutorial.org",
456    "employeeId": 206,
457    "firstName": "William",
458    "hireDate": "1994-06-07",
459    "jobId": 1,
460    "lastName": "Gietz",
461    "managerId": 205,
462    "phoneNumber": "515.123.8181",
463    "salary": 8300
464  }
465 }
```

My Workspace

History Collections APIs

Sign in to create APIs

APIs define related collections and environments under a consistent schema.

Sign in to create APIs

Untitled Request

DELETE http://dev-1261.mshome.net:8888/Api\_HW/webapi/employees/206

Send Save

Params Authorization Headers (9) Body Pre-request Script Tests Settings

Query Params

KEY	VALUE	DESCRIPTION
-----	-------	-------------

Body Cookies (1) Headers (2) Test Results

Status: 204 No Content Time: 655 ms Size: 90 B

Save Response

Pretty Raw Preview Visualize Text

1

```
411      "last_name": "Fay",
412      "manager_id": 201,
413      "phone_number": "603.123.6666",
414      "salary": 6000
415    },
416  },
417  {
418    "department_id": 4,
419    "email": "susan.mavris@sqltutorial.org",
420    "employee_id": 203,
421    "first_name": "Susan",
422    "hire_date": "1994-06-07",
423    "job_id": 8,
424    "last_name": "Mavris",
425    "manager_id": 101,
426    "phone_number": "515.123.7777",
427    "salary": 6500
428  },
429  {
430    "department_id": 7,
431    "email": "hermann.baer@sqltutorial.org",
432    "employee_id": 204,
433    "first_name": "Hermann",
434    "hire_date": "1994-06-07",
435    "job_id": 12,
436    "last_name": "Baer",
437    "manager_id": 101,
438    "phone_number": "515.123.8888",
439    "salary": 10000
440  },
441  {
442    "department_id": 11,
443    "email": "shelley.higgins@sqltutorial.org",
444    "employee_id": 205,
445    "first_name": "Shelley",
446    "hire_date": "1994-06-07",
447    "job_id": 2,
448    "last_name": "Higgins",
449    "manager_id": 101,
450    "phone_number": "515.123.8080",
451    "salary": 12000
452  },
453  {
454    "department_id": 9,
455    "email": "wadhwa.baer@sqltutorial.org",
456    "employee_id": 300,
457    "first_name": "Wadhwa",
458    "hire_date": "2001-06-13",
459    "job_id": 19,
460    "last_name": "Aun",
461    "manager_id": 101,
462    "phone_number": "5666666666",
463    "salary": 100000
464  }
465 }
```

# Get

The screenshot shows the Postman interface with a workspace named "My Workspace". The "APIs" tab is selected, and a new API is being created. The "Untitled Request" is a GET request to the endpoint `http://DEV-1261.mshome.net:8888/api_HW/webapi/employees/205`. The request is sent, and the response is displayed in the "Body" tab. The response status is 200 OK, with a time of 30 ms and a size of 360 B. The response body is a JSON object containing employee details.

Sign in to create APIs

APIs define related collections and environments under a consistent schema.

Sign in to create APIs

GET `http://DEV-1261.mshome.net:8888/api_HW/webapi/employees/205`

Status: 200 OK Time: 30 ms Size: 360 B Save Response

```
{
  "department_id": 11,
  "email": "shelley.higgins@sqltutorial.org",
  "employee_id": 205,
  "first_name": "Shelley",
  "hire_date": "1994-06-07",
  "job_id": 3,
  "last_name": "Higgins",
  "manager_id": 101,
  "phone_number": "515.123.8000",
  "salary": 12000.0
}
```

The screenshot shows the Postman interface with a workspace named "My Workspace". The "APIs" tab is selected, and a new API is being created. The "Untitled Request" is a GET request to the endpoint `http://dev-1261.mshome.net:8888/api_HW/webapi/employees`. The request is sent, and the response is displayed in the "Body" tab. The response status is 200 OK, with a time of 620 ms and a size of 8.11 KB. The response body is a JSON array containing two employee objects.

Sign in to create APIs

APIs define related collections and environments under a consistent schema.



Sign in to create APIs

GET `http://dev-1261.mshome.net:8888/api_HW/webapi/employees`

Status: 200 OK Time: 620 ms Size: 8.11 KB Save Response

```
[
  {
    "departmentId": 9,
    "email": "steven.king@sqltutorial.org",
    "employeeId": 100,
    "firstName": "Steven",
    "hireDate": "1987-06-17",
    "jobId": 4,
    "lastName": "King",
    "managerId": 0,
    "phoneNumber": "515.123.4567",
    "salary": 24000.0
  },
  {
    "departmentId": 9,
    "email": "neena.kochhar@sqltutorial.org",
    "employeeId": 101,
    "firstName": "Neena",
    "hireDate": "1989-09-21",
    "jobId": 5,
    "lastName": "Kochhar",
    "managerId": 100,
    "phoneNumber": "515.123.4568",
    "salary": 28000.0
  }
]
```

# Post



# Put

```
← ↻ ⚠ Not secure | dev-1261.mshome.net:8888/Api_HW/webapi/employees/300

WebSphere Local

1 {
2   "department_id": 9,
3   "email": "Wadha.baer@sqltutorial.org",
4   "employee_id": 300,
5   "first_name": "Wadha",
6   "hire_date": "2001-06-13",
7   "job_id": 18,
8   "last_name": "Awn",
9   "manager_id": 101,
10  "phone_number": "5666666666",
11  "salary": 100000
12 }
```

My Workspace Invite

Filter

History Collections **APIs**

+ New API

Sign in to create APIs

APIs define related collections and environments under a consistent schema.

Sign in to create APIs

Untitled Request

PUT http://dev-1261.mshome.net:8888/Api\_HW/webapi/employees/300

Send Save

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings

none form-data x-www-form-urlencoded **raw** binary GraphQL JSON

```
1 {
2   "department_id": 10,
3   "email": "Wadha.baer@sqltutorial.org",
4   "first_name": "Wadha",
5   "hire_date": "2024-06-07",
6   "job_id": 2,
7   "last_name": " Bindun",
8   "manager_id": 111,
9   "phone_number": "515.123.0000",
10  "salary": 200.000
11 }
12
13
```

Body Cookies Headers (2) Test Results

Status: 204 No Content Time: 419 ms Size: 90 B Save Response

Pretty Raw Preview Visualize **Text**

```
1
```

My Workspace Invite

Filter

History Collections **APIs**

+ New API

Sign in to create APIs

APIs define related collections and environments under a consistent schema.

Sign in to create APIs

Untitled Request

GET http://dev-1261.mshome.net:8888/Api\_HW/webapi/employees/300

Send Save

Params Authorization Headers (7) **Body** Pre-request Script Tests Settings

Query Params

KEY	VALUE	DESCRIPTION
Key	Value	Description

Body Cookies Headers (4) Test Results

Status: 200 OK Time: 13 ms Size: 351 B Save Response

Pretty Raw Preview Visualize **JSON**

```
1 {
2   "department_id": 10,
3   "email": "Wadha.baer@sqltutorial.org",
4   "employee_id": 300,
5   "first_name": "Wadha",
6   "hire_date": "2024-06-07",
7   "job_id": 200,
8   "last_name": " Bindun",
9   "manager_id": 300,
10  "phone_number": "515.123.0000",
11  "salary": 2.0
12 }
```

Activate Windows  
Go to Settings to activate Windows.

