

# Instagram Backend API

## 1) Create an User

http://localhost:4000/users

POST

http://localhost:4000/users

Params

Authorization


Headers (8)

Body

Pre-request Script

Tests


Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** 

```
1  {
2    "ID": 1,
3    "Name": "S",
4    "Email": "s@gmail.com",
5    "Password": "123"
6  }
7  }
```

2)Get a user using id


<http://localhost:4000/users/1>

**GET**  <http://localhost:4000/users/1>

Params


Authorization


Headers (8)


**Body** 


Pre-request Script


Test


 none

 form-data

 x-www-form-urlencoded

 **raw**

 binary

 C

```
1 {
2   ... "ID": 1,
3   ... "Name": "S",
4   ... "Email": "s@gmail.com",
5   ... "Password": "123"
6 }
7 }
```

3)Get a post using id

http://localhost:4000/users/1/1

GET



http://localhost:4000/users/1/1

Params

Authorization

Headers (8)

Body ●

Pre-request Script

Tests



none



form-data



x-www-form-urlencoded



raw



binary



Gra

```
1 {  
2   ... "Name": "S"  
3 }
```