Stylebot Experiment

Wafa Johal

October 7, 2016


1 Interviews

Table 1: Summary statistics of activities metadata


Statistic	N	Mean	St. Dev.	Min	Max
ordre	16	8.500	4.761	1	16
age	16	8.688	1.014	7	11
p_robot	16	3.125	1.258	1	5
p_videogame	16	3.500	1.414	1	5
p_bike	16	2.375	1.310	1	5
p_book	16	2.312	1.138	1	4
p_clothes	16	3.688	1.537	1	5
p_homeworks	16	3.375	1.147	1	4
p_play	16	3.562	0.892	1	4
p_teach	16	3.938	0.250	3	4
p_phone	15	1.867	1.302	1	4
$p_{webbrowser}$	15	2.067	1.335	1	4
$prefered_session$	14	1.643	0.497	1	2
e_robot	13	1.077	0.277	1	2
$e_{videogame}$	13	2.615	1.193	1	5
e_bike	12	3.250	0.965	2	5
e_book	12	3.417	1.379	1	5
$e_clothes$	13	4.308	0.751	3	5
$e_homeworks$	13	3.115	0.650	2.000	4.000
$e_{-}play$	13	3.115	0.618	2.000	4.000
e_rules	12	3.167	0.577	2	4
e_learn	13	3.500	0.577	2.500	4.000
e_sport	12	3.000	0.603	2	4
e_{-} teach	12	3.500	0.674	2	4
$e_outside$	12	2.917	0.900	1	4
e_mood	12	3.375	0.569	2.500	4.000
e_{-} phone	13	2.308	1.109	1	4
e_{-} webbrowser	13	2.500	0.957	1.000	4.000

1.1 General


1.1.1 Gender




1.1.2 Age




1.1.3 order



1.1.4 Preferred style parent




1.1.5 Preferred style children




1.2 COIRS - CHILD ORIENTAION IN INTERACTING WITH ROBOT

The following plot shows the average ranking for children for each of the object (1: first in the child's wish list)




The following plot shows the average ranking for parents for each of the object (1: first in the parent's wish list as




objet ₱ robot ₱ bike ₱ book ₱ clothes ₱ videogame


a gift for thei child)





1.2.1 Child-parent correlation in object ranking


Next graphs show the correlation between parent and children ranking for each of the child subject













1.3 Functionality preferences

The following plot shows the average preference of children for each functionality (4: very preferred, 1: not preferred)



The following plot shows the average preference of parents for each functionality (4: very preferred, 1: not preferred)



objet


homeworks

teach

play


phone

webbrowser





1.3.1 Child-parent correlation in functionality preferrence


Next graphs show the correlation between parent and children ranking for each of the child subject












2 Features

2.1 Static Features

2.1.1 Body Volume

We filtered the data as follow



Child

Error: session

Df Sum Sq Mean Sq factor(child) 1 49.97 49.97

Error: style

 $\begin{array}{c} \text{Df Sum Sq Mean Sq} \\ \text{factor(child)} & 1 \text{ 0.5028} & 0.5028 \end{array}$

Error: session:style

Df Sum Sq Mean Sq factor(child) 1 91.12 91.12


Error: Within

factor(child)


Df Sum Sq Mean Sq F value Pr(>F)
9 152.5 16.941 7978 <2e-16 ***

Residuals 138529 294.2 0.002


Signif. codes: 0 âĂŸ***âĂŹ 0.001 âĂŸ**âĂŹ 0.01 âĂŸ*âĂŹ 0.05 âĂŸ.âĂŹ 0.1 âĂŸ âĂŹ 1




Age



Signif. codes: 0 âĂŸ***âĂŹ 0.001 âĂŸ**âĂŹ 0.01 âĂŸ*âĂŹ 0.05 âĂŸ.âĂŹ 0.1 âĂŸ âĂŹ 1 15181 observations deleted due to missingness




Gender




Df Sum Sq Mean Sq F value Pr(>F)
factor(gender) 1 22.5 22.472 5503 <2e-16 ***
Residuals 138540 565.8 0.004


Signif. codes: 0 âĂŸ***âĂŹ 0.001 âĂŸ**âĂŹ 0.01 âĂŸ*âĂŹ 0.05 âĂŸ.âĂŹ 0.1 âĂŸ âĂŹ 1 15181 observations deleted due to missingness




Versatility



Signif. codes: 0 âĂŸ***âĂŹ 0.001 âĂŸ**âĂŹ 0.01 âĂŸ*âĂŹ 0.05 âĂŸ.âĂŹ 0.1 âĂŸ âĂŹ 1 15181 observations deleted due to missingness



Session



Error: child

Df Sum Sq Mean Sq F value Pr(>F)

factor(session) 1 124.1 124.1 7.131 0.0256 *

Residuals 9 156.6 17.4


Signif. codes: 0 $a \ddot{A} \ddot{Y} * * * a \ddot{A} \acute{Z}$ 0.001 $a \ddot{A} \ddot{Y} * * a \ddot{A} \acute{Z}$ 0.01 $a \ddot{A} \ddot{Y} * a \ddot{A} \acute{Z}$ 0.05 $a \ddot{A} \ddot{Y} . a \ddot{A} \acute{Z}$ 0.1 $a \ddot{A} \ddot{Y}$ $a \ddot{A} \acute{Z}$ 1

Error: Within


Df Sum Sq Mean Sq F value Pr(>F)

factor(session) 1 13.29 13.287 6256 <2e-16 ***

Residuals 138530 294.22 0.002



Style



Error: child

Df Sum Sq Mean Sq F value Pr(>F)

factor(style) 1 0.47 0.473 0.015 0.905

Residuals 9 280.26 31.140


Error: Within

Df Sum Sq Mean Sq F value Pr(>F)

factor(style) 1 0.02 0.02324 10.47 0.00121 **

Residuals 138530 307.48 0.00222

2.1.2 Distance



Child

Error: session

Df Sum Sq Mean Sq factor(child) 1 60.39 60.39

Error: style

Df Sum Sq Mean Sq factor(child) 1 35.92 35.92

Error: session:style


Df Sum Sq Mean Sq factor(child) 1 626.8 626.8

Error: Within


factor(child)


Df Sum Sq Mean Sq F value Pr(>F)
9 882.9 98.10 9457 <2e-16 ***

Residuals 153710 1594.5 0.01




Age






Gender





Df Sum Sq Mean Sq F value Pr(>F)
factor(gender) 1 5 5.478 263.6 <2e-16 ***
Residuals 153721 3195 0.021

Signif. codes: 0 $a \bar{A} \ddot{Y} * * * a \bar{A} \acute{Z}$ 0.001 $a \bar{A} \ddot{Y} * * a \bar{A} \acute{Z}$ 0.01 $a \bar{A} \ddot{Y} * a \bar{A} \acute{Z}$ 0.05 $a \bar{A} \ddot{Y} . a \bar{A} \acute{Z}$ 0.1 $a \bar{A} \ddot{Y}$ $a \bar{A} \acute{Z}$ 1




Versatility





Session



Error: child

Df Sum Sq Mean Sq F value Pr(>F)

factor(session) 1 59.1 59.08 0.368 0.559

Residuals 9 1446.0 160.67


Error: Within

Df Sum Sq Mean Sq F value Pr(>F)


factor(session) 1 33.3 33.33 3082 <2e-16 ***

Residuals 153711 1662.1 0.01

Signif. codes: 0 $a \ddot{A} \ddot{Y} * * * a \ddot{A} \acute{Z}$ 0.001 $a \ddot{A} \ddot{Y} * * a \ddot{A} \acute{Z}$ 0.01 $a \ddot{A} \ddot{Y} * a \ddot{A} \acute{Z}$ 0.05 $a \ddot{A} \ddot{Y} . a \ddot{A} \acute{Z}$ 0.1 $a \ddot{A} \ddot{Y}$ $a \ddot{A} \acute{Z}$ 1



Style



Error: child

Df Sum Sq Mean Sq F value Pr(>F)

factor(style) 1 64.1 64.12 0.4 0.543

Residuals 9 1441.0 160.11


Error: Within

Df Sum Sq Mean Sq F value Pr(>F)

factor(style) 1 52.5 52.47 4909 <2e-16 ***

Residuals 153711 1642.9 0.01

- 2.1.3 Center of Mass
- 2.1.4 Center of Mass Displacement
- 2.1.5 Distance Covered
- 2.1.6 Hand Relationship
- 2.1.7 Shoulder Angle
- 2.1.8 Elbow Flexion
- 2.1.9 Feet Relationship
- 2.1.10 Torso Neck Orientation
- 2.1.11 Body lean angle Frontal



Child

Error: session

Df Sum Sq Mean Sq factor(child) 1 1307 1307

Error: style

Df Sum Sq Mean Sq factor(child) 1 6.239 6.239


Error: session:style

Df Sum Sq Mean Sq factor(child) 1 343.9 343.9

Error: Within

Df Sum Sq Mean Sq F value Pr(>F)
factor(child) 9 1728 192.03 3762 <2e-16 ***

Residuals 153710 7845 0.05




Age

Df Sum Sq Mean Sq F value Pr(>F)

factor(age) 743 185.85 2724 <2e-16 *** Residuals 153718 10487 0.07

Signif. codes: 0 âĂŸ***âĂŹ 0.001 âĂŸ**âĂŹ 0.01 âĂŸ*âĂŹ 0.05 âĂŸ.âĂŹ 0.1 âĂŸ âĂŹ 1




Gender

Df Sum Sq Mean Sq F value Pr(>F)

554.9 <2e-16 *** factor(gender) 1 40 40.39

Residuals 153721 11190 0.07




Versatility

Df Sum Sq Mean Sq F value Pr(>F) factor(versatility) 1 258 258.37 3620 <2e-16 ***

Residuals 153721 10972 0.07

Signif. codes: 0 $\hat{a}\ddot{A}\ddot{Y}***\hat{a}\ddot{A}\acute{Z}$ 0.001 $\hat{a}\ddot{A}\ddot{Y}**\hat{a}\ddot{A}\acute{Z}$ 0.01 $\hat{a}\ddot{A}\ddot{Y}*\hat{a}\ddot{A}\acute{Z}$ 0.05 $\hat{a}\ddot{A}\ddot{Y}.\hat{a}\ddot{A}\acute{Z}$ 0.1 $\hat{a}\ddot{A}\ddot{Y}$ $\hat{a}\ddot{A}\acute{Z}$ 1



Session

Error: child

Df Sum Sq Mean Sq F value Pr(>F)

factor(session) 1 166.6 166.6 0.727 0.416


Residuals 9 2061.7 229.1

Error: Within


Df Sum Sq Mean Sq F value Pr(>F)

factor(session) 1 1146 1145.9 22420 <2e-16 ***

Residuals 153711 7856 0.1



Style



Error: child

Df Sum Sq Mean Sq F value Pr(>F)

factor(style) 1 64.1 64.12 0.4 0.543

Residuals 9 1441.0 160.11

Error: Within

Df Sum Sq Mean Sq F value Pr(>F)

factor(style) 1 52.5 52.47 4909 <2e-16 ***

Residuals 153711 1642.9 0.01

2.1.12 Hands Status

2.2 Dynamic Features

3 Postures

Table 2: Summary statistics of activities metadata

Statistic	N	Mean	St. Dev.	Min	Max
ordre	16	8.500	4.761	1	16
age	16	8.688	1.014	7	11
p_robot	16	3.125	1.258	1	5
p_videogame	16	3.500	1.414	1	5
p_bike	16	2.375	1.310	1	5
p_book	16	2.312	1.138	1	4
$p_clothes$	16	3.688	1.537	1	5
p_homeworks	16	3.375	1.147	1	4
p_play	16	3.562	0.892	1	4
p_teach	16	3.938	0.250	3	4
p_phone	15	1.867	1.302	1	4
p_{-} webbrowser	15	2.067	1.335	1	4
$prefered_session$	14	1.643	0.497	1	2
e_robot	13	1.077	0.277	1	2
$e_{videogame}$	13	2.615	1.193	1	5
e_bike	12	3.250	0.965	2	5
e_book	12	3.417	1.379	1	5
$e_clothes$	13	4.308	0.751	3	5
e_homeworks	13	3.115	0.650	2.000	4.000
e_play	13	3.115	0.618	2.000	4.000
e_rules	12	3.167	0.577	2	4
e _learn	13	3.500	0.577	2.500	4.000
e_sport	12	3.000	0.603	2	4
e_{-} teach	12	3.500	0.674	2	4
$e_{outside}$	12	2.917	0.900	1	4
e_mood	12	3.375	0.569	2.500	4.000
e_phone	13	2.308	1.109	1	4
e_webbrowser	13	2.500	0.957	1.000	4.000