

# Deep Learning Based Classification of Nigerian Traditional Attire

Naziru Abdussalam Ibrahim      Ahmad Saad  
Abdulwasiiu Bamidele Popoola      Taiwo Soffiyah Abass  
Ayodeji Akande      Shamsu Abdullahi      Abubakar Sadiq Sulaiman  
Yahya Abdurrazaq

2025-06-01

This study presents a deep learning approach to classify images of Nigerian traditional attire into their respective ethnic categories. Utilizing Convolutional Neuraetworks (CNNs), specifically ResNet34 and EfficientNet-B0 architectures, the project aims to automate the identification of cultural garments, thereby contributing to the preservation and appreciation of Nigeria’s rich cultural heritage.

## Introduction

The culture of Nigeria is shaped by Nigeria’s multiple ethnic groups. The country has over 50 languages and over 250 dialects and ethnic groups “Culture – MFA Press Center” ([n.d.](#)) . The three major ethnic groups are the Hausa-Fulani who are predominant in the north, the Yoruba who are predominant in the southwest, and the Igbo who are predominant in the south-east. In an effort to promote the rich cultural heritage of the country, the Ministry of Information, Culture and Tourism was created in the year 2015.

Nigeria’s over 250 diverse ethnic groups are distinguished by unique traditional attires that embody their cultural identities (“[Culture – MFA Press Center](#)” [n.d.](#)). Manual classification of these garments can be time-consuming and subjective. This project explores the application of deep learning techniques to accurately classify images of traditional Nigerian clothing, facilitating cultural education and digital archiving.

## Methodology

### Data Collection

Images representing various Nigerian ethnic attires were collected using custom Python scripts (`download_attire.py` and `download_attire_extended.py`). The dataset includes categories such as Yoruba, Hausa, Igbo, and others, with images depicting traditional garments in various settings.

### Data Preprocessing

The collected images underwent preprocessing steps, including resizing, normalization, and data augmentation, to enhance model generalization. The dataset was then split into training, validation, and test sets.

### Model Architectures

Two CNN architectures were employed Tan and Le (2019):

- **ResNet34:** A 34-layer residual network known for its ability to mitigate vanishing gradient issues.
- **EfficientNet-B0:** A model that scales depth, width, and resolution uniformly using a compound coefficient, achieving high accuracy with fewer parameters.

Both models were fine-tuned on the dataset, leveraging transfer learning from pre-trained weights.

### Training and Evaluation

Training was conducted using standard practices, including the use of cross-entropy loss and optimization via stochastic gradient descent. Model performance was evaluated based on accuracy, precision, recall, and F1-score on the validation and test sets.

## Results

Both models demonstrated strong performance in classifying traditional Nigerian attires:

- **ResNet34:** Achieved an accuracy of approximately 85% on the test set.
- **EfficientNet-B0:** Outperformed ResNet34 with an accuracy of around 90%, indicating better generalization capabilities.

Confusion matrices and classification reports further highlighted the models' proficiency in distinguishing between different ethnic attires.




Figure 1: Loss over Epochs and Validation Accuracy over Epochs

## Discussion

The superior performance of EfficientNet-B0 suggests its suitability for image classification tasks involving cultural garments. The results affirm the potential of deep learning models in automating the recognition of traditional attires, which can be instrumental in cultural preservation efforts.

## Conclusion

This project successfully demonstrates the application of deep learning techniques in classifying Nigerian traditional attire. The developed models can serve as foundational tools for cultural education platforms, virtual museums, and fashion industry applications. Future work may involve expanding the dataset to include more ethnic groups and exploring real-time classification systems.




Figure 2: Confusion matrix

## Acknowledgment

The authors wish to acknowledge the efforts of the entire team at Arewa Data Science

## References

- “Culture – MFA Press Center.” n.d. Accessed May 31, 2025. <https://foreignaffairs.gov.ng/nigeria/nigeria-culture/>.
- Ebby. 2024. “The Traditional Attires Of Nigerian Tribes.” *Inspiration with Lois| Lifestyle | Nigeria*. <https://loinspiration.com/2024/06/17/the-traditional-attires-of-nigerian-tribes/>.
- He, Kaiming, Xiangyu Zhang, Shaoqing Ren, and Jian Sun. 2016. “Deep Residual Learning for Image Recognition.” In *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 770–78. Las Vegas, NV, USA: IEEE. <https://doi.org/10.1109/CVPR.2016.90>.
- Tan, Mingxing, and Quoc V. Le. 2019. “EfficientNet: Rethinking Model Scaling for Convolutional Neural Networks.” <https://doi.org/10.48550/ARXIV.1905.11946>.