

1	Means the average of all values. Median is the middle value when data is arranged in order, and Mode is the value that occurs and most often Example:- For marks 10, 20, 20, 30, 40, the mean is 24, median is 20, and mode is 20.
2	Variance measures how far data values are spread from the mean by using squared differences. Standard deviation is easier to understand because it has the same unit as the original data.
3	A normal distribution is a bell-shaped distribution where most values are near the mean and fewer values are far from it. It is symmetric around the mean. A practical example is the distribution of students' heights or measurement errors.
4	A Normal Distribution is a bell-shaped distribution where most values are near the mean and fewer values are far from it. It is symmetric around the mean. A practical example is the distribution of students' heights or measurement errors.
5	A Normal Distribution is a bell-shaped distribution where most values are near the mean and fewer values are far from it. It is symmetric around the mean. A practical example is the distribution of students' heights or measurement errors.
6	A Normal Distribution is a bell-shaped distribution where most values are near the mean and fewer values are far from it. It is symmetric around the mean. A practical example is the distribution of students' heights or measurement errors.
7	A Normal Distribution is a bell-shaped distribution where most values are near the mean and fewer values are far from it. It is symmetric around the mean. A practical example is the distribution of students' heights or measurement errors.
8	A Normal Distribution is a bell-shaped distribution where most values are near the mean and fewer values are far from it. It is symmetric around the mean. A practical example is the distribution of students' heights or measurement errors.