

Chapter 7

INTERFACES

Overview

- Interface types
 - Highlight the main design and research considerations for each of the different interfaces
- Consider which interface is best for a given application or activity


20 interface types covered

1. Command
2. Graphical
3. Multimedia
4. Virtual reality
5. Web
6. Mobile
7. Appliance
8. Voice
9. Pen
10. Touch
11. Gesture
12. Haptic
13. Multimodal
14. Shareable
15. Tangible
16. Augmented Reality
17. Wearables
18. Robots and drones
19. Brain-computer interaction
20. Smart

Command line interfaces

- Commands such as abbreviations (for instance, `ls`) typed in at the prompt to which the system responds (for example, by listing current files)
- Some are hard wired at keyboard, while others can be assigned to keys
- Efficient, precise, and fast
- Large overhead to learning set of commands

Second Life command line-based interface for visually-impaired users



Research and design considerations

- Form, name types and structure are key research questions
- Consistency is most important design principle
 - For example, always use first letter of command
- Command interfaces popular for web scripting

Graphical user interfaces (GUIs)

- Xerox Star first WIMP gave rise to GUIs
- Windows
 - Sections of the screen that can be scrolled, stretched, overlapped, opened, closed, and moved around the screen using the mouse
- Icons
 - Pictograms that represent applications, objects, commands, and tools that were opened when clicked on
- Menus
 - Lists of options that can be scrolled through and selected
- Pointing device
 - A mouse controlling the cursor as a point of entry to the windows, menus, and icons on the screen

Example of first generation GUI



Simple smartwatch menus with 1, 2, or 3 options



One Action



Two Actions




Three Actions


Window design

- Windows were invented to overcome the physical constraints of a computer display
 - They enable more information to be viewed and tasks to be performed
- Scroll bars within windows enable more information to be viewed
- Multiple windows can make it difficult to find desired one
 - Listing, tabbing, and thumbnails are techniques that can help

Window design: Thumbnails of top websites visited and suggested highlights



Selecting a country from a scrolling window



Is this method any better?

F	G	H	I	J
Fiji	Gabon	Haiti	Iceland	Jamaica
Finland	Germany	Holland	India	Japan
France	Gibraltar	Honduras	Indonesia	Jordan
French Guyana	Greece	Hong Kong	Iran	
French Polynesia	Greenland	Hungary	Ireland	
	Guadeloupe		Israel	
	Guam		Italy	
	Guatemala		Ivory Coast	

Menu styles

Flat list: Good for showing large number of options at the same time when display is small

Drop down: Shows more options on same screen (for example, cascading)

Pop-up: When pressed, command key for relevant options

Contextual: Provides access to often-used commands associated with a particular item

Collapsible: Toggles between + and – icons on a header to expand or contract its contents


Mega: All options shown using 2D drop-down layout

Template for a collapsible menu

Section 1



Section 2



Section 1


Section 2

Section 3

Section 4

Section 5

A mega menu



Research and design considerations

- Window management
 - Enables users to move fluidly between different windows (and monitors)
- How to switch attention between windows without getting distracted
- Design principles of spacing, grouping, and simplicity should be used
- Which terms to use for menu options (for example, “front” versus “bring to front”)
- Mega menus easier to navigate than drop-down ones

Icon design

- Icons are assumed to be easier to learn and remember than commands
- Icons can be designed to be compact and variably positioned on a screen
- Now pervasive in every interface
 - For example, they represent desktop objects, tools (for example, a paintbrush), applications (for instance, a web browser), and operations (such as cut, paste, next, accept, and change)


Icons

- Since the Xerox Star days, icons have changed in their look and feel:
 - black and white  Color, shadowing, photorealistic images, 3D rendering, and animation
- Many designed to be very detailed and animated making them both visually attractive and informative
- Can be highly inviting, emotionally appealing, and feel alive


Icon forms

- The mapping between the representation and underlying referent can be:
 - Similar (for example, a picture of a file to represent the object file)
 - Analogical (for instance, a picture of a pair of scissors to represent ‘cut’)
 - Arbitrary (such as the use of an X to represent ‘delete’)
- The most effective icons are similar ones
- Many operations are actions making it more difficult to represent them
 - Use a combination of objects and symbols that capture the salient part of an action

2 types of icon styles



Flat 2D icons for a smartphone and a smartwatch



Activity

- Sketch simple icons to represent the following operations to appear on a digital camera screen:
 - Turn image 90-degrees sideways
 - Auto-enhance the image
 - Crop the image
 - More options
- Show them to someone else and see if they can understand what each represents

Iconography



TEST TUBE



TAPE MEASURE



ON TAP



SPY




SECURITY CAMERA



SATELITE



SACKS OF HOPS



KEG



MAD SCIENTIST



METAL SHELF



MICROPHONE



MOON



RICKITY SHELVING



ROCKET AND ROLL



JKUBOX



HIGH 5



HAMMER



FORK LIFT



FORK LIFT



FINGER PRINT



DIGITS



GEM



BOTTLE OPENER



BOTTLES



BROKEN PIPES



BUTTON 01



BUTTON 02



DISCO

Research and design considerations

- There is a wealth of resources for creating icons
 - Guidelines, style guides, icon builders, libraries, online tutorials
- Text labels can be used alongside icons to help identification for small icon sets
- For large icon sets (for instance, photo editing or word processing) can use the hover function

Multimedia

- Combines different media within a single interface with various forms of interactivity
 - Graphics, text, video, sound, and animation
- Users click on links in an image or text
 - Another part of the program
 - An animation or a video clip is played
 - Users can return to where they were or move on to another place
- Can provide better ways of presenting information than a single media can

Pros and cons

- Facilitates rapid access to multiple representations of information
- Can provide better ways of presenting information than can any media alone
- Can enable easier learning, better understanding, more engagement, and more pleasure
- Can encourage users to explore different parts of a game or story
- Tendency to play video clips and animations while skimming through accompanying text or diagrams

Multimedia learning app – Extensible and contextual UI



Research and design considerations

- How to design multimedia to help users explore, keep track of, and integrate the multiple representations
 - Provide hands-on interactivities and simulations that the user has to complete to solve a task
 - Provide quizzes, electronic notebooks, and games
- Multimedia good for supporting certain activities, such as browsing, but less optimal for reading at length

End of part 1

Virtual reality

- Computer-generated graphical simulations providing:
 - “the illusion of participation in a synthetic environment rather than external observation of such an environment” (Gigante, 1993)
- Provide new kinds of experience, enabling users to interact with objects and navigate in 3D space
- Create highly-engaging user experiences

Pros and cons

- Can have a higher level of fidelity with objects that they represent compared to multimedia
- Induces a sense of presence where someone is totally engrossed\immersed by\in the experience
 - “a state of consciousness, the (psychological) sense of being in the virtual environment” (Slater and Wilbur, 1999)
- Provides different viewpoints: first and third person
- Early head-mounted displays were uncomfortable to wear and could cause motion sickness and disorientation
- Lighter VR headsets are now available (Oculus, PICO, HTC etc) with advanced tracking sensors for heads, body, hands, motion, cognitive loads, etc.

Application areas

- Video games
- Arcade games for social groups
- Therapy for fears
- Experience how others feel emotions
 - For example, empathy and compassion
- Enrich user's planning experience for travel destinations
- Architecture, design, and education

Polygon graphics used to represent avatars for the “We Wait VR” experience



<https://www.wearvr.com/apps/we-wait>

Research and design considerations

- Much research on how to design safe and realistic VRs to facilitate training
 - For example, flying simulators
 - Help people overcome phobias (for example, spiders or talking in public)
- Design issues
 - How best to navigate through them (for instance, first versus third person)
 - How to control interactions and movements (for example, by using head and body movements)
 - How best to interact with information (for instance by using keypads, pointing, and joystick buttons)
 - Level of realism to aim for to engender a sense of presence

Web Interface

- Early websites were largely text-based, providing hyperlinks
- Concern was with how best to structure information to enable users to navigate and access them easily and quickly
- Nowadays, more emphasis is on making pages distinctive, striking, and aesthetically pleasing
- Need to think of how to design information for multiple platforms—keyboard or touch?
 - For example, smartphones, tablets, and PCs


Usability versus aesthetics?

- Vanilla or multi-flavor design?
 - Ease of finding something versus aesthetic and enjoyable experience
- Web designers are:
 - “thinking great literature”
- Users read the web like a:
 - “billboard going by at 60 miles an hour” (Krug, 2014)
- Need to determine how to brand a web page to catch and keep ‘eyeballs’

Breadcrumbs for navigation

Breadcrumbs are category labels:

- Enable users to look at other pages without losing track of where they have come from
- Very usable
- Enable one-click access to higher site levels
- Attract first time visitors to continue to browse a website having viewed the landing page



In your face Web ads

- Web advertising is often intrusive and pervasive
- Flashing, aggressive, persistent, and annoying
- Often requires action to get rid of
- What is the alternative?
 - Use of ad blockers


Research and design considerations

- Many books and guidelines on website design
- Veen's (2001) three core questions to consider when designing any website:
 1. Where am I?
 2. Where can I go?
 3. What's here?

Mobile interfaces

- Handheld devices intended to be used while on the move
- Have become pervasive, increasingly used in all aspects of everyday and working life
 - For example, phones, fitness trackers, and smartwatches
- Larger-sized tablets used in mobile settings
 - Including those used by flight attendants, marketing professionals, and at car rental returns

QR codes and smartphones



Research and design considerations

- Mobile interfaces can be cumbersome to use for those with poor manual dexterity or ‘fat’ fingers
- Key concern is hit area:
 - Area on the phone display that the user touches to make something happen, such as a key, an icon, a button, or an app
 - Space needs to be big enough for all fingers to press accurately
 - If too small, the user may accidentally press the wrong key
 - Fitts’ law can be used to help design right spacing
 - Minimum tappable areas should be 44 points x 44 points for all controls

Appliances

- Everyday devices in home, public places, or car
 - For example, washing machines, remotes, toasters, printers, and navigation systems)
- And personal devices
 - For instance, digital clock and digital camera
- Used for short periods
 - For example, starting the washing machine, watching a program, buying a ticket, changing the time, or taking a snapshot
- Need to be usable with minimal, if any, learning

Simple toaster control




Research and design considerations

- Need to design as transient interfaces with short interactions
- Simple interfaces
- Consider trade-off between soft and hard controls
 - For example, use of buttons or keys, dials, or scrolling

Voice User Interfaces

- Involves a person talking with a spoken language app, for example, timetable, travel planner, or phone service
- Used most for inquiring about specific information, for example, flight times or to perform a transaction, such as buying a ticket
- Also used by people with visual impairments
 - For example, speech recognition word processors, page scanners, web readers, and home control systems

Siri Frustrations!



Modeling human conversations

- People often interrupt each other in a conversation
 - Especially when ordering in a restaurant, rather than let the waiter go through all of the options
- Speech technology has a similar feature called ‘barge-in’
 - Users can choose an option before the system has finished listing all of the options available

Structuring VUI dialogs

- Directed dialogs are where the system is in control of the conversation
 - Where it asks specific questions and requires specific responses
- More flexible systems allow the user to take the initiative:
 - For example, “I’d like to go to Paris next Monday for two weeks.”
- But more chance of error, since caller might assume that the system is like a human
- Guided prompts can help callers back on track
 - For example, “Sorry I did not get all that. Did you say you wanted to fly next Monday?”

Voice assistants (for example, Alexa)

- Have become popular in many homes
- Allow all to use rather than being single use
- Support families playing games, interactive storytelling, jokes, and so forth
- Can encourage social and emotional bonding
- Young children (under 4), however, find it difficult to be understood by the voice assistants
 - Frustrating for them

Research and design considerations


- How to design systems that can keep conversation on track
 - Help people navigate efficiently through a menu system
 - Enable them to recover easily from errors
 - Guide those who are vague, or ambiguous in their requests for information or services
- Type of voice actor (for example, male, female, neutral, or dialect)
 - Do people prefer to listen to and are more patient with a female or male voice? Would accent influence such decision?

End of part 2

Pen-based devices

- Enable people to write, draw, select, and move objects at an interface using light pens or styluses
 - Capitalize on the well-honed drawing skills developed from childhood
- Digital ink, for example, Anoto, use a combination of ordinary ink pen with digital camera that digitally records everything written with the pen on special paper

The Anoto pen being used and its internal components




Advantages

- Allows users to annotate existing documents quickly and easily
- Can be used to fill in paper-based forms that can readily be converted to a digital record using standard typeface
- Can be used by remote teams to communicate and work on the same documents

Touchscreens

- Single touchscreens are used in walk-up kiosks (such as ticket machines and ATMs) to detect the presence and location of a person's touch on the display
- Multi-touch surfaces support a range of more dynamic fingertip actions, for example, swiping, flicking, pinching, pushing, and tapping
- They do so by registering touches at multiple locations using a grid
- Now used for many kinds of displays, such as smartphones, iPods, tablets, and tabletops
 - Supports one and two hand gestures, including tapping, zooming, stretching, flicking, dwelling, and dragging

A multi-touch surface



Research and design considerations

- Provides fluid and direct styles of interaction involving freehand and pen-based gestures for certain tasks
- Core design concerns include whether size, orientation, and shape of touch displays effect collaboration
 - Much faster to scroll through wheels, carousels, and bars of thumbnail images or lists of options by finger flicking
 - Gestures need to be learned for multi-touch, so a small set of gestures for common commands is preferable
 - More cumbersome, error-prone, and slower to type using a virtual keyboard on a touch display than using a physical keyboard

Gesture-based systems

- Gestures involve moving arms and hands to communicate
- Uses camera recognition, sensor, and computer vision techniques
 - Recognize people's arm and hand gestures in a room
 - Gestures need to be presented sequentially to be understood (compare with the way sentences are constructed)

Gestures used in the operating theater



Recognizes core gestures for manipulating MRI or CT images using Microsoft Kinect

Research and design considerations

- How does computer recognize and delineate user's gestures?
 - Start and end points?
 - Difference between deictic and hand waving
- How realistic must the mirrored graphical representation of the user be in order for them to be believable?

Haptic interfaces

- Provide tactile feedback
 - By applying vibration and forces to a person's body, using actuators that are embedded in their clothing or a device they are carrying, such as a smartphone
- Vibrotactile feedback can be used to simulate the sense of touch between remote people who want to communicate
- Ultrahaptics creates the illusion of touch in midair using ultrasound to make the illusion of 3D shapes

Realtime vibrotactile feedback

- Provides nudges when playing violin incorrectly
- Uses motion capture to sense arm movements that deviate from model
- Nudges are short vibrations on arms and hands

Exoskeleton with artificial muscles that uses bubble haptic feedback



Wearable Soft Robotics for Independent Living

THE RIGHT TROUSERS

The Right Trousers of the Future

Easy Dressing Waistband
Automatically loosens or tightens for easy dressing and undressing.

Artificial Muscles
Powerful artificial muscles that help you stand up and move around.

Foot Straps
Foot straps keep the clothing in place and make sure it provides assistance comfortably.

Power and Electronics
Small and light, using the latest technology. You control how much assistance the clothing gives.

Active-Stiffening Brace
Provides support at the knee to help you stand up for longer.

IMU Sensors
Inertial Measurement Units sense your posture, allowing the clothing to help you move and prevent falls.

FES Arrays
Functional Electrical Stimulation arrays can stimulate your muscles to help with rehabilitation and let you move with your own strength.


Research and design considerations

- Where best to place actuators on body
- Whether to use single or sequence of ‘touches’
- When to buzz and how intense
- How does the wearer feel it in different contexts?
- What kind of new smartphone/smartwatch apps can use vibrotactile creatively?
 - For example, slow tapping to feel like water drops meant to indicate that it is about to rain, and heavy tapping to indicate a thunderstorm is looming

Multimodal Interfaces

- Provide enriched user experiences
 - By multiplying how information is experienced and detected using different modalities, such as touch, sight, sound, and speech
 - Support more flexible, efficient, and expressive means of human-computer interaction
 - Most common is speech and vision
- Can be combined with multi-sensor input to enable other aspects of the human body to be tracked
 - For example, eye gaze, facial expression, and lip movements
 - Provides input for customizing user interfaces

Tracking a person's movements



- Kinect camera can detect multimodal input in real time using RGA camera for facial recognition and gestures, depth camera for movement tracking, and microphones for voice recognition
- Used to build model of person and represented as avatar on display programmed to move just like them

Research and design considerations

- Need to recognize and analyze user behavior, for example, speech, gesture, handwriting, or eye gaze
- Much harder to calibrate these than single modality systems
- What is gained from combining different input and outputs
- Is talking and gesturing, as humans do with other humans, a natural way of interacting

..

-

Shareable interfaces

Designed for more than one person to use:

- Provide multiple inputs and sometimes allow simultaneous input by co-located groups
- Large wall displays where people use their own pens or gestures
- Interactive tabletops where small groups interact with information using their fingertips
 - For example, DiamondTouch, Smart Table, and Surface

A smartboard and an interactive tabletop interface



(a)



(b)

Benefits

- Provide a large interactional space that can support flexible group working
- Can be used by multiple users
 - Can point to and touch information being displayed
 - Simultaneously view the interactions and have the same shared point of reference as others
- Can support more equitable participation compared with groups using single PC

Research and design considerations

- Core design concerns include whether size, orientation, and shape of the display have an effect on collaboration
- Horizontal surfaces compared with vertical ones support more turn-taking and collaborative working in co-located groups
- Providing larger-sized tabletops does not improve group working but encourages more division of labor
- Having both personal and shared spaces enables groups to work on their own and in a group
 - Cross-device systems have been developed to support seamless switching between these, for example, SurfaceConstellations

End of part 3

Tangible Interfaces

- Type of sensor-based interaction, where physical objects, for example, bricks, are coupled with digital representations
- When a person manipulates the physical object/s, it causes a digital effect to occur, for example, an animation
- Digital effects can take place in a number of media and places, or they can be embedded in the physical object

Examples

- Flow Blocks
 - Depict changing numbers and lights embedded in the blocks
 - Vary depending on how they are connected together
- Urp
 - Physical models of buildings moved around on tabletop
 - Used in combination with tokens for wind and shadows
Digital shadows surrounding them to change over time
- MagicCubes
 - Connect physical electronic components and sensors to make digital events occur (for example, change color depending on how much shaken)

Learning to code and create with the tangible MagicCubes




Benefits

- Can be held in one or both hands and combined and manipulated in ways not possible using other interfaces
 - Allows for more than one person to explore the interface together
 - Objects can be placed on top of each other, beside each other, and inside each other
 - Encourages different ways of representing and exploring a problem space
- People are able to see and understand situations differently
 - Can lead to greater insight, learning, and problem-solving than with other kinds of interfaces
 - Can facilitate creativity and reflection

VoxBox

A tangible system that gathers opinions at events through playful and engaging interaction (Goldstein et al., 2015)



Research and design considerations

- What kinds of conceptual frameworks to use to help identify novel and specific features
- What kind of coupling to use between the physical action and digital effect
 - If it is to support learning, then an explicit mapping between action and effect is critical
 - If it is for entertainment, then it can be better to design it to be more implicit and unexpected
- What kind of physical artifact to use
 - Bricks, cubes, and other component sets are most commonly used because of flexibility and simplicity
 - Stickies and cardboard tokens can also be used for placing material onto a surface
- With what kinds of digital outputs should tangible interfaces be combined?

Augmented Reality

- Augmented reality: Virtual representations are superimposed on physical devices and objects
- Pokémon Go made it a household game
 - Used smartphone camera and GPS to place virtual characters onto objects in the environment as if they really are there
- Many other applications including medicine, navigation, air traffic control, games, and everyday exploring

Other examples

In medicine

- Virtual objects, for example, x-rays and scans, are overlaid on part of a patient's body
- Aid the physician's understanding of what is being examined or operated

In air traffic control

- Dynamic information about aircraft overlaid on a video screen showing the real planes, and so on landing, taking off, and taxiing
- Helps identify planes difficult to make out

Augmented reality overlay on a car windshield




AR that uses forward facing camera

- Enables virtual try-ons (for example, Snapchat filters)
- AT mirrors set up in retail stores for trying on make-up, sunglasses, jewelry
 - Convenient, engaging, and easy to compare more choices
 - But cannot feel the weight, texture, or smell of what is being tried on
- Can be used to enable users to step into a character (for example, David Bowie, Queen Victoria)

Singers trying on the virtual look of two characters from the opera Akhnaten



(a)



(b)

Research and design considerations

- What kind of digital augmentation?
 - When and where in physical environment?
 - Needs to stand out but not distract from ongoing task
 - Needs to be able to align with real world objects
 - What happens if the AR is slightly off?
- What kind of device?
 - Smartphone, tablet, head up display or other?

Wearables

- First developments were head- and eyewear-mounted cameras that enabled user to record what was seen and to access digital information
- Since then, jewelry, head-mounted caps, smart fabrics, glasses, shoes, and jackets have all been used
 - Provides the user with a means of interacting with digital information while on the move
- Applications include automatic diaries, tour guides, cycle indicators, and fashion clothing

Google Glass (2014)



Why was there so much excitement and concern about people filming what they could see right in front of them?

Nreal MR glasses 2020



Research and design considerations

- **Comfort**
 - Needs to be light, small, not get in the way, fashionable, and preferably hidden in the clothing
- **Hygiene**
 - Is it possible to wash or clean the clothing once worn?
- **Ease of wear**
 - How easy is it to remove the electronic gadgetry and replace it?
- **Usability**
 - How does the user control the devices that are embedded in the clothing?

Robots

Main types

- Remote robots used in hazardous settings
 - Can be controlled to investigate bombs and other dangerous materials
- Domestic robots helping around the house
 - Can pick up objects and do daily chores like vacuuming
- Pet robots as human companions
 - Have therapeutic qualities, helping to reduce stress and loneliness
- Sociable robots that work collaboratively with humans
 - Encourage social behaviors

Social robots: Mel and Paro

- Cute and cuddly
- Can open and close eyes and make sounds and movements



Source: Images courtesy of Mitsubishi Electric Research Labs.

Drones

- Unmanned aircraft that are controlled remotely and used in a number of contexts
 - For example, entertainment, such as carrying drinks and food to people at festivals and parties
 - Agricultural applications, such as flying them over vineyards and fields to collect data about crops, which is useful to farmers
 - Helping to track poachers in wildlife parks in Africa
- Can fly low and stream photos to a ground station where images can be stitched together into maps
- Can be used to determine the health of a crop, or when it is the best time to harvest the crop

Drone being used to survey the state of a vineyard




Research and design considerations

- How do humans react to physical robots designed to exhibit behaviors (for example, making facial expressions) compared with virtual ones?
- Should robots be designed to be human-like or look like and behave like robots that serve a clearly-defined purpose?
- Should the interaction be designed to enable people to interact with the robot as if it was another human being or more human-computer-like (for example, pressing buttons to issue commands)?
- Is it acceptable to use unmanned drones to take a series of images or videos of fields, towns, and private property without permission or people knowing what is happening?

Brain-computer interfaces

- Brain-computer interfaces (BCI) provide a communication pathway between a person's brain waves and an external device, such as a cursor on a screen
- Person is trained to concentrate on the task, for example, moving the cursor
- BCIs work through detecting changes in the neural functioning in the brain
- BCIs apps:
 - Games (for example, Brain Ball)
 - Enable people who are paralyzed to control robots

A brain-computer interface being used by a woman who is paralyzed to select letters on the screen



Smart interfaces

- Smart: phones, speakers, watches, cars, buildings, cities
- Smart refers to having some intelligence and connected to the internet and other devices
- Context-aware
 - Understand what is happening around them and execute appropriate actions, for example, a Nest thermostat
- Human-building interaction
 - Buildings are designed to sense and act on behalf of the inhabitants but also allow them to have some control and interaction with the automated systems

Which interface?

- Which interface to use will depend on task, users, context, cost, robustness, and so on
- Is multimedia better than tangible interfaces for learning?
- Is speech as effective as a command-based interface?
- Is a multimodal interface more effective than a mono-modal interface?
- Will wearable interfaces be better than mobile interfaces for helping people to find information in foreign cities?
- Are virtual environments the ultimate interface for playing games?
- Are shareable interfaces better at supporting communication and collaboration compared with using networked desktop PCs?

Summary

- Many innovative interfaces have emerged in last 30 years, including speech, wearable, mobile, brain, and tangible
- This raises many design and research questions as to decide which to use
 - For example, how best to represent information to the user so that they can carry out ongoing activity or task
- New smart interfaces that are context-aware and monitor people
 - Raising new ethical issues concerned with what data is being collected and what it is used for