Jezero Crater - Values Tables

Numbers only. Spreadsheet-style tables for the developer: every value, percent, elevation, size, count and date needed to build Jezero Crater - no narrative, no images. The main research PDF stays as it is; this book is the copy-from file that sits beside it.

13
tables, T1 to T13

wt %
rock chemistry is in weight percent, as published

210 ppm
H2O in the Mars atmosphere - NASA NSSDC (Table T5)

0
invented values - see the last page for values NASA does not publish

How to read every table

Column	Meaning
Item	What was measured. Copy the name exactly as written - it is the label to use in the build.
Value	The number exactly as the source publishes it. A range (3-9) is a published range, not an error. Plus-minus (+/-) is the published uncertainty.
Unit	wt % = weight percent. ppm = parts per million. vol % = percent by volume. m = metres. sol = one Mars day of the mission.
Zone / Applies to	Where the value belongs. A value placed in the wrong zone is a factual error.
Source	[V1] to [V7] - full links on the last page. [R1] to [R31] are the references of the main research pack, kept so both files cross-check.

About H2O - read this first. There is no single NASA number for "H2O % in Jezero rock", and this book does not invent one. Water appears in this book only where NASA actually measured a number: **H2O = 210 ppm** in the atmosphere (T5), hydration detected on **92%** of SuperCam points (T10), Fe-Mg carbonate **under 5%** in Seitah (T10), and the MEDA weather numbers at Jezero (T6). The last page lists every "does not exist" value in one place.

Sources: NASA first. Labelled supplements (mission-team journal tables built from Perseverance data, archived on NASA's Planetary Data System) are marked "Supplement" wherever they appear. Prepared for the team developer - companion to: Jezero Crater, Mars - NASA Research Data Pack (28 pages).

T1 - Site and geometry values

Item	Value	Unit	Zone / Applies to	Source
Crater diameter (design value)	45	km (28 miles)	Whole crater	[R1][R2]
Crater diameter (PIA26140 caption value - do not use for scale)	47	km (29 miles)	Whole crater	[R4]
Centre latitude (THEMIS image centre)	18.449	degrees N	Map centre	[R4]
Centre longitude (THEMIS image centre)	77.436	degrees E	Map centre	[R4]
Landing site latitude - Octavia E. Butler	18.4446	degrees N	Z6	[R26]
Landing site longitude - Octavia E. Butler	77.4509	degrees E	Z6	[R26]
Age of ancient lake (minimum)	3.5 billion	years ago	Whole crater	[R1]
Crater age range	3.7 - 4.1 billion	years	Whole crater	[R26]
Broom Point rock stack age (minimum)	3.9 billion	years	Z5	[R23]
Landing date	2021-02-18	date	Z6	[R1]
Candidate landing sites NASA examined	60+	sites	Mission selection	[R1]
Mars 2020 IAU sphere radius (DTM datum)	3,396,190	m	All elevation data	[R24]
CTX mosaic coverage - latitude	18.211 to 18.7212	degrees N	Build extent	[R9]
CTX mosaic coverage - longitude	77.1605 to 77.6992	degrees E	Build extent	[R9]
Ancient lake depth (supplement - DLR/HRSC)	250+	m deep	Whole crater	[R27]
Ancient lake area (supplement - DLR/HRSC)	about 1,340	sq km	Whole crater	[R27]

T2 - Elevation and topography values

Item	Value	Unit	Zone / Applies to	Source
Crater floor, general elevation	about -2,600	m (below areoid)	Z1	[R14]
Landing site elevation (reported)	-2,570	m	Z6	[V2]
Rochette, South Seitah elevation (reported low point)	-2,583	m	Z1	[V2]
Crater-floor traverse variation	about 13	m total	Z1 to Z6	[R14]
Margin Unit explored elevation span	265	m	Z3	[R11]
Rim climb gain to Aurora Park	+300	m	Z5	[R15]
Maximum slope on rim climb	23	degrees	Z5	[R15]
Rover driver slope limit	30	degrees	All driving	[R15]
Rim wall height above delta base	610	m (2,000 ft)	Z2 / Z5	[R16]
Lookout Hill - total relief above lowest traverse point	800	m	Z5	[R22]
True-scale relief ratio (computed: 800 m / 45 km)	under 2	%	Whole model	Computed

T1-T2 sources are the main pack references [R1]-[R27] and [V2] Wiens et al. 2022 (elevations -2,570 m at the landing site to -2,583 m at Rochette, sol 168). Full links, last page.

T3 - Image and data product values

Product	Key value	Value	Unit	Date / Sol	Source
PIA23239 - base map, CRISM + CTX, MRO	Published	2019-05-15	date	-	[R3]
PIA24814 - Kodiak and scarps, HiRISE, MRO	Published	2021-10-07	date	-	[R5]
PIA26140 - false colour, THEMIS VIS, Mars Odyssey	Orbit number	95046	orbit	Captured 2023-05-19 09:28	[R4]
PIA26140	Filters combined	5	VIS filters	Published 2023-09-29	[R4]
PIA24379 - possible-path perspective, CTX mosaic	Resolution	6	m / pixel	Published 2021-01-27	[R16]
PIA25673 - Delta Top Campaign map	Scale bar	0 - 1,000	m	Published 2022-12-15	[R17]
CTX image mosaic (TRN)	Resolution	about 6	m / pixel	Published 2020-07-24	[R9]
CTX DTM mosaic	Posting / grid	20	m / pixel	-	[R24]
CTX DTM mosaic	Vertical registration between DTMs	3.8	m	-	[R24]
HiRISE image mosaic	Resolution	25	cm / pixel	-	[R25]
HiRISE DTM	Posting / grid	1	m	-	[R10]
HiRISE DTM mosaic	Horizontal alignment (99th percentile)	better than 0.9	m	-	[R10]
HiRISE DTM mosaic	Vertical offset (99th percentile, except rim)	under 2.3	m	-	[R10]
HiRISE DTM mosaic	Download size - mosaic / individual images	5.3 / 13.2	GB	Published 2025-02-28	[R10]
PIA26336 - Neretva Vallis view, Navcam	Sol taken	1172	sol	2024-06-06	[R18]
PIA26368 - Cheyava Falls close-up, WATSON	Sol taken	1212	sol	2024-07-18	[R19]
PIA26369 - Bright Angel panorama, Mastcam-Z	Images stitched	346	images	Sol 1178, 2024-06-12	[R20]
PIA26369 - full-resolution panorama	Size	53,970 x 13,199	pixels	-	[R20]
PIA26369	Cheyava Falls distance from rover	about 110	m	Sol 1178	[R20]
PIA26639 - SHERLOC spectra, Bright Angel	Targets measured	4	targets	Published 2025-09-10	[R21]
Texture budget (computed)	Whole crater at CTX 6 m/pixel	7,500	pixels across	45,000 / 6	Computed
Texture budget (computed)	Whole crater at HiRISE 25 cm/pixel	180,000	pixels across	45,000 / 0.25	Computed

T4 - Zone values (one row per zone, numbers only)

Zone	Elevation (m)	Defining size	Value	Unit	Source
Z1 Crater floor - Seitah / Maaz	about -2,600	Traverse variation; Seitah domes above Maaz	about 13 / up to 17	m / m	[R14]
Z2 Western delta + Kodiak	Fan top above floor	Distance scarps / Kodiak from rover in PIA24814; largest boulders	about 2.2 / up to 1.5	km / m	[R5][R6]
Z3 Margin Unit	265 m span	SuperCam bedrock targets analysed	185+	targets	[R11]
Z4 Neretva Vallis + Bright Angel	Channel floor below rim	Channel width; northern Bright Angel exposure length	400 / 1.2+	m / km	[R12][R30]
Z5 Rim + Broom Point	+300 to +800	Rim wall; Broom Point stack thickness; rock types in stack; strata tilt	610 / 75 / 6 / 80+	m / m / types / degrees	[R16][R23]
Z6 Octavia E. Butler Landing	-2,570	Distance east of delta remnants	about 1.9	km	[R26][R31]

PIA numbers are the NASA Photojournal identifiers - cite them exactly in the project credits. "Computed" rows are arithmetic from the values above them, not new NASA measurements.

T5 - Atmosphere composition values - Mars (applies at Jezero)

NASA National Space Science Data Center (NSSDC), Mars Fact Sheet, last updated 19 May 2025 [V1]. Composition by volume. This is the Mars-wide atmosphere Perseverance and MOXIE work in - it is not a Jezero-only measurement.

Gas	Formula	Value	Unit	Value in % (converted)	Notes
Carbon dioxide	CO2	95.1	vol %	95.1	Major gas
Nitrogen	N2	2.59	vol %	2.59	Major gas
Argon	Ar	1.94	vol %	1.94	Major gas
Oxygen	O2	0.16	vol %	0.16	Major gas
Carbon monoxide	CO	0.06	vol %	0.06	Major gas
Water	**H2O**	**210**	**ppm**	**0.021**	**Minor gas - the H2O value, exactly as NASA publishes it**
Nitrogen oxide	NO	100	ppm	0.010	Minor gas
Neon	Ne	2.5	ppm	0.00025	Minor gas
Hydrogen-deuterium-oxygen	HDO	0.85	ppm	0.000085	Minor gas - heavy water form
Krypton	Kr	0.3	ppm	0.00003	Minor gas
Xenon	Xe	0.08	ppm	0.000008	Minor gas

Conversion rule used above: 10,000 ppm = 1%. So H2O 210 ppm = 210 / 10,000 = **0.021%**. The ppm column is NASA's published value; the % column is that same value converted - no new data. Note: an older NSSDC printing lists CO2 95.32%, N2 2.7%, Ar 1.6%, O2 0.13%, CO 0.08% with the same H2O 210 ppm. Use one version in the build - this table uses the current (2025) printing.

T6 - Jezero weather values - MEDA, Perseverance (NASA first weather report)

Item	Value	Unit	When	Source
Surface temperature at first switch-on	just below -20	degrees C (-4 F)	2021-02-19, first 30 min	[V3]
Surface temperature 30 minutes later	-25.6	degrees C (-14 F)	2021-02-19	[V3]
Air pressure measured	718	Pascals	First report, Feb 2021	[V3]
Air pressure predicted range for that time	705 - 735	Pascals	Model range	[V3]
Temperature high	-22	degrees C (-7.6 F)	Sols 43-44 (2021-04-03/04)	[V3]
Temperature low	-83	degrees C (-117.4 F)	Sols 43-44	[V3]
Wind gust measured	10 (22 mph)	m / second	Sols 43-44	[V3]
MEDA instrument weight	5.5	kg (12 lb)	-	[V3]
MEDA temperature sensor heights	0.84 / 1.45 / 30	m above surface	-	[V3]
Atmospheric conditions MEDA records	6	conditions	Wind, pressure, humidity, air temp, ground temp, radiation	[V3]

[V1] NASA NSSDC Mars Fact Sheet. [V3] NASA - NASA's First Weather Report from Jezero Crater on Mars (MEDA). Full links, last page.

T7 - Rock chemistry, crater floor - SuperCam mean oxide wt % (as measured)

Supplement - mission-team journal table. Wiens et al. 2022, Science Advances, Table 1 [V2]: SuperCam LIBS mean compositions, first 286 sols. Numbers in the source are mean wt % with the standard error in brackets; totals are under 100 because SuperCam LIBS does not quantify S, C, H and Cl in these means. N = number of observation points. Use this table for in-game / in-model rock labels.

Oxide	Formula	Maaz (wt %)	Artuby (wt %)	Seitah (wt %)	Content mb (wt %)	Zone
Silica	SiO2	49.6	43.5	45.1	51.8	Z1
Titania	TiO2	0.57	0.90	0.24	0.49	Z1
Alumina	Al2O3	9.4	6.9	4.1	12.1	Z1
Iron oxide (total)	FeOT	18.4	22.2	23.0	15.9	Z1
Magnesia	MgO	2.7	3.9	21.4	3.2	Z1
Lime	CaO	5.1	7.0	3.8	4.5	Z1
Soda	Na2O	2.9	2.4	1.3	4.0	Z1
Potash	K2O	1.07	0.53	0.21	1.39	Z1
Total (8 oxides)	**-**	**89.8**	**87.4**	**99.8**	**93.3**	**Z1**
Observation points (N)	-	438	179	344	47	Sols: Maaz under 177; Artuby 177-201; Seitah 202-286

Abrasion patches - same instrument, single cleaned spots (wt %)

Oxide	Guillaumes (Maaz)	Bellegarde (Artuby)	Garde (Seitah)	Dourbes (Seitah)	Points (N)
SiO2	44.4	44.6	42.0	41.4	23 / 31 / 22 / 23
TiO2	0.42	0.92	0.12	0.10	-
Al2O3	8.1	7.0	4.2	2.8	-
FeOT	22.7	25.9	21.9	25.6	-
MgO	2.0	2.0	17.5	21.0	-
CaO	6.5	5.7	3.1	5.1	-
Na2O	2.7	2.6	0.9	0.7	-
K2O	0.56	0.69	0.13	0.01	-
Total	**87.5**	**89.4**	**89.9**	**96.6**	**-**

Read the contrast: Seitah MgO = **21.4 wt %** against Maaz MgO = **2.7 wt %** - that one number is why Seitah is the olivine cumulate and Maaz is not. Any material or colour split between Z1's two formations should follow this row.

[V2] Wiens et al. (2022), Science Advances 8, eabo3399, Tables 1-2 - SuperCam Team, Perseverance data archived on NASA PDS. Full link, last page.

T8 - Rock chemistry, normalized oxides + mineral percent (CIPW norm)

Supplement - same source as T7, Table 2 [V2]. Oxides here are normalized to 100 wt % (Fe2+ / total Fe = 0.95), so T8 numbers differ from T7 on purpose - do not mix the two tables in one display. The lower half is the calculated mineral mix (CIPW norm) in wt % - this is the "this rock is X % olivine" table.

Oxide (normalized)	Maaz (wt %)	Artuby (wt %)	Seitah (wt %)
SiO2	54.2	49.7	44.8
TiO2	0.6	0.9	0.2
Al2O3	10.5	7.4	3.9
FeOT	20.2	25.3	22.6
MgO	2.7	3.8	21.4
CaO	5.5	7.7	3.6
Na2O	3.3	2.7	1.3
K2O	1.2	0.6	0.2

Mineral (CIPW norm)	Maaz (wt %)	Artuby (wt %)	Seitah (wt %)	Use in build
Quartz	5.6	0.0	0.0	Maaz only
Plagioclase (feldspar)	37.9	30.0	15.2	Light mineral fraction
Orthoclase	7.1	3.6	1.2	-
Diopside (pyroxene)	4.8	16.7	1.5	Artuby peak
Hypersthene (pyroxene)	37.9	41.5	34.7	-
Olivine	**0.0**	**0.9**	**41.1**	**Seitah defining value**
Ilmenite	1.1	1.7	0.4	-
Magnetite	1.6	2.0	1.8	-
Plagioclase An number	25.3	22.7	26.5	Index, not a %
Mg number - Mg#	19.3	21.1	62.8	Index, not a %
Rock density	3.10 +/- 0.02	3.27 +/- 0.03	3.37 +/- 0.01	g / cm3
Olivine composition in Seitah	-	-	Fo54 to Fo72	Forsterite range
Olivine grain size in Seitah	-	-	1.5 (mean 1.45 +/- 0.20)	mm
Pyroxene in Artuby (normative, text value)	-	up to 58	-	wt % (diopside + hypersthene)

[V2] Wiens et al. (2022), Science Advances, Table 2 and text. CIPW norm = mineral percent calculated from the oxide chemistry - it is a calculated mix, not a point-by-point mineral count.

T9 - Margin Unit chemistry - PIXL oxide wt % (Eastern vs Western)

Supplement - mission-team supplementary table [V4]: PIXL X-ray fluorescence averages of abraded targets. Eastern Margin = Amherst Point and Bills Bay. Western Margin = Castle Geyser and Old Faithful Geyser. Values are average wt % +/- uncertainty. Zone Z3.

Oxide	Eastern Margin (wt %)	Western Margin (wt %)	Instrument error (RMSEP, wt %)
SiO2	37 +/- 18	40 +/- 18	6.1
TiO2	0.10 +/- 0.21	0.17 +/- 0.26	0.3
Al2O3	3.9 +/- 1.7	3.7 +/- 2.1	1.8
FeOT	25 +/- 10	22 +/- 8.1	3.1
MgO	21 +/- 10	26 +/- 12	1.1
CaO	2.7 +/- 1.8	2.4 +/- 1.5	1.3
Na2O	1.6 +/- 0.76	1.6 +/- 0.83	0.5
K2O	0.69 +/- 0.57	0.59 +/- 0.49	0.6
Total	**92 +/- 12**	**96 +/- 12**	**-**
Mg# (%)	57 +/- 11	65 +/- 9.0	-
Points (N)	437	817	-

T10 - Carbonate, alteration and detection percent

Item	Value	Unit	Zone	Source
Carbonate mineral - Upper Fan (western delta)	**3 - 9**	**wt % (estimated)**	**Z2**	**[V5]**
Carbonate mineral - Margin Unit	**6 - 16**	**wt % (estimated, up to)**	**Z3**	**[V5]**
Fe-Mg carbonate - Seitah	under 5 (likely)	% of composition	Z1	[V2]
Other elements at altered points (S, C, H, Cl - not quantified by LIBS)	up to 20+	wt % at occasional points	Z1	[V2]
Hydration band (about 1.9 micrometre) - SuperCam points over threshold	92	% of points	Z1	[V2]
Fe(III) phyllosilicate signal (2.28 micrometre) - points over 0.02 band depth	20	% of points	Z1 (Maaz)	[V2]
Same signal - points over 0.01 band depth	40	% of points	Z1 (Maaz)	[V2]
SuperCam chemistry observations, first 286 sols	1,450+	observations	Z1	[V2]
SuperCam targets, first 286 sols	180+	targets	Z1	[V2]
Carbonate-bearing LIBS point - detection threshold used in [V5]	55+	wt % carbonate at the point	Z2 / Z3	[V5]

How to use T10 in the build: carbonate is a minority mineral everywhere - paint it at **3-9%** strength in Z2 and **6-16%** in Z3, never as a solid carbonate rock layer. In Z1 keep it **under 5%** and patchy.

[V4] Carbonated ultramafic igneous rocks in Jezero Crater, Science (2026), supplementary PIXL table S2 - Perseverance data on NASA PDS. [V5] Clave et al. (2026), JGR Planets, SuperCam carbonation study. Full links, last page.

T11 - Chemical and mineral inventory - single values

Mineral / chemical	Item	Value	Unit	Zone	Source
Olivine - (Mg,Fe)2SiO4	Grain size, Seitah	1.5	mm	Z1 / Z3	[V2][R11]
Carbonate (Mg-Fe)	Form - low Margin Unit	Fracture-fill ridges	form	Z3	[R11]
Silica - SiO2	Position rule	More below the old waterline	rule	Z3 low	[R11]
Calcium sulfate - CaSO4	Vein thickness (with fluorite)	about 25 (10 in)	cm thick	Z3 east only	[R11]
Fluorite - CaF2	Vein thickness (same veins)	about 25	cm thick	Z3 east only	[R11]
Calcium sulfate - CaSO4	Veins in Cheyava Falls rock	Run the length of the rock	form	Z4	[R19]
Cheyava Falls rock	Size	1.0 x 0.6 (3.2 x 2 ft)	m	Z4	[R12][R19]
Leopard spots (vivianite + greigite)	Spot size	millimetre-scale	mm	Z4, Cheyava Falls	[R19]
Water events recorded in Margin Unit	Count	3	separate events	Z3	[R11]
SuperCam laser reach	Maximum distance	6.5 (21 ft)	m	Instrument	[R11]
Broom Point stack	Rock types / thickness / tilt	6 / 75 / 80+	types / m / degrees	Z5	[R23]
Rim map quadrants (HiRISE)	Count	36	quadrants	Z5	[R28]

T13 - MOXIE oxygen values and mission counts

Item	Value	Unit	Source
MOXIE - total oxygen made (16 runs, 2021-2023)	122	grams	[V6]
MOXIE - peak production rate	12	grams / hour	[V6]
MOXIE - oxygen purity	98 or better	%	[V6]
MOXIE - final (16th) run output, 2023-08-07	9.8	grams	[V6]
MOXIE - runs completed	16	runs over 1 full Mars year	[V6]
Sample tubes carried - sample / witness	38 / 5 (43 total)	tubes	[V7]
Samples collected (NASA page count)	30 of 38	sample tubes	[V7]
Witness tubes sealed	3	tubes - sols 160, 499, 586	[V7]
Rock cores collected at Sapphire Canyon announcement (2025-09)	27	cores since landing	[R12]
Depot samples at Three Forks (2022-12-21 to 2023-01-28)	10	tubes deposited	[V7]

[V6] NASA - MOXIE Completes Mars Mission (2023-09-06). [V7] NASA Science - Mars Rock Samples page. T12 (next page) gives the per-sample numbers behind these counts.

T12 - Sample values - Perseverance tubes (selected, NASA sample list)

From NASA's Mars Rock Samples list [V7]. Height = length of material in the tube. Only rows published in that list are shown - the full list (30 samples) is at the link on the last page.

No.	Sample name	Feature / Location	Sol sealed	Date sealed	Type	Height (cm)	Height (in)	Rock type / Zone
1	Roubion	Roubion / Polygon Valley	164	2021-08-06	Atmospheric	n/a	n/a	n/a
2	Montdenier	Rochette / Artuby Ridge	194	2021-09-06	Rock core	5.98	2.35	Igneous - Z1
3	Montagnac	Rochette / Artuby Ridge	196	2021-09-08	Rock core	6.14	2.42	Igneous - Z1
14	Shuyak	Amalik / Delta Front	575	2022-10-02	Rock core	5.55	2.19	Sedimentary - Z2
24	Comet Geyser	Bunsen Peak / Margin Unit	1088	2024-03-12	Rock core	5.78	2.28	Silica-cemented carbonate - Z3
25	**Sapphire Canyon**	**Cheyava Falls / Neretva Vallis**	**1215**	**2024-07-21**	**Rock core**	**6.2**	**2.44**	**Sedimentary - Z4 (potential biosignature)**
26	Silver Mountain	Shallow Bay / Crater Rim, Witch Hazel Hill	1401	2025-01-28	Rock core	2.91	1.14	Igneous / impactite - Z5
27	Green Gardens	Tablelands / Crater Rim, Witch Hazel Hill	1433	2025-03-02	Rock core	7.19	2.83	Serpentinite - Z5
28	Main River	Broom Point / Crater Rim	1441	2025-03-10	Rock core	4.32	1.70	Igneous / impactite - Z5
29	Bell Island	Pine Pond / Crater Rim	TBD in list	TBD in list	Rock core	Est. 5-7	Est. 2-2.8	Igneous / impactite - Z5
30	Gallants	Salmon Point / Crater Rim, Krokodillen	TBD in list	TBD in list	Rock core	1.91	0.75	Igneous or sedimentary - Z5

Note on Sapphire Canyon sol: NASA's sample list gives sol sealed **1215** (cored 2024-07-21); the main research pack records the Cheyava Falls rock itself as found / imaged on sol **1212** (2024-07-18, WATSON close-up, PIA26368). Both numbers are correct - 1212 is the rock, 1215 is the sealed tube.

Sample-system values

Item	Value	Unit	Source
Tubes carried in total	43	tubes (38 sample + 5 witness)	[V7]
Sapphire Canyon - sample number in rover's core count at coring	22nd	rock sample	[R19]
Cheyava Falls targets in SHERLOC spectra (PIA26639)	4	targets: Apollo Temple, Cheyava Falls, Walhalla Glades, Malgosa Crest	[R21]

[V7] NASA Science - Mars Rock Samples: https://science.nasa.gov/mission/mars-2020-perseverance/mars-rock-samples/ - check this page for samples 4-13 and 15-23 and for any tubes sealed after this book was made.

Values that do not exist - do not fill these in

Value a developer might want	Status	What to use instead
H2O wt % in Jezero rock (single number)	NOT PUBLISHED in the NASA / mission sources used here	T5: H2O 210 ppm in air. T10: hydration on 92% of points; carbonate and alteration % by zone.
Exact % of clay, silica or hematite per zone	Detected and placed by zone in the main pack, but no zone % is published in the sources used	Use T8 / T10 mineral % where they exist (olivine, plagioclase, carbonate). Leave the rest as presence / absence.
Chemical formulas for vivianite and greigite	NASA pages consulted name the minerals but do not print formulas	Label the minerals by name only, as NASA does (main pack, Section 3.1).
Age of each of the 3 Margin Unit water events	Sequence is known; ages are NOT determined (NASA)	Show the order 1-2-3 only (main pack, Section 3.3).
Life on Mars - yes / no	Sapphire Canyon = POTENTIAL biosignature only	Every label must say "potential biosignature" [R12].

References for the values in this book

Ref	Source	Used for
[V1]	NASA NSSDC - Mars Fact Sheet https://nssdc.gsfc.nasa.gov/planetary/factsheet/marsfact.html	T5 atmosphere % and ppm
[V2]	Wiens et al. (2022) - Compositionally and density stratified igneous terrain in Jezero crater, Mars, Science Advances 8, eabo3399 (SuperCam Team; Perseverance data on NASA PDS) - Supplement https://authors.library.caltech.edu/records/khd5g-e1h98/files/sciadv.abo3399.pdf	T1 elevations (landing area), T7, T8, T10, T11
[V3]	NASA - NASA's First Weather Report from Jezero Crater on Mars (MEDA) https://www.nasa.gov/directorates/stmd/nasas-first-weather-report-from-jezero-crater-on-mars/	T6 weather values
[V4]	Carbonated ultramafic igneous rocks in Jezero crater, Mars, Science (2026), supplementary materials (PIXL, Perseverance data on NASA PDS) - Supplement https://authors.library.caltech.edu/records/xwe3n-s1e12/files/science.adu8264_sm.pdf	T9 Margin Unit PIXL wt %
[V5]	Clave et al. (2026) - In Situ Carbonation of Sedimentary and Igneous Rocks of Ultramafic Composition in Jezero Crater, Mars, JGR Planets, doi 10.1029/2025JE009107 (SuperCam) - Supplement https://agupubs.onlinelibrary.wiley.com/doi/10.1029/2025JE009107	T10 carbonate wt %
[V6]	NASA - NASA's Oxygen-Generating Experiment MOXIE Completes Mars Mission (2023-09-06) https://www.nasa.gov/missions/mars-2020-perseverance/perseverance-rover/nasas-oxygen-generating-experiment-moxie-completes-mars-mission/	T13 MOXIE values
[V7]	NASA Science - Mars Rock Samples (Perseverance) https://science.nasa.gov/mission/mars-2020-perseverance/mars-rock-samples/	T12, T13 sample values
[R*]	Main research pack references [R1]-[R31] - Jezero Crater, Mars: NASA Research Data Pack, Section 4 (NASA Photojournal PIA pages, NASA mission pages, USGS-hosted NASA MRO products, DLR supplement)	T1-T4, T11 - every [R] value is copied from that pack, unchanged

End of values book. Companion file - do not delete the main pack: Jezero Crater, Mars - NASA Research Data Pack (28 pages) carries the images, zone build sheets and the full [R1]-[R31] reference list that these tables point to.