



## LABORATORY REPORT

Name	:	File. No.	:
Age/Sex	:	Referral Doctor	:
Lab No.	:	Referral Clinic	: <b>Al Farabi Laboratory-AI Wajh</b>
Request Date	:	Clinic File No	:
Report Status	: <b>Final Report</b>	ID No.	:

Test Name	Result	Flag	Units	Ref. Range
Hemoglobin A1C (Glycated Hemoglobin)	5.1		%	Non-diabetics: 4.1-6.2 Diabetics: 4.0-6.2 (Good Control) 6.3-7.9 (Satisfactory Control) >7.9 (Unsatisfactory Control)
Ionized Calcium	4.70		mg/dL	4.4-5.2
Estimated Glomerular Filtration Rate (eGFR)	90.5		mL/min	>= 90 : Normal 60 - 89 : Mild Decrease 30 - 59 : Moderate Decrease 15 - 29 : Severe Decrease < 15 : Kidney Failure
VLDL	9.8		mg/dL	<30 : desirable
Total Lipids	406.00		mg/dL	400 - 800
Total Cholesterol/HDL Ratio	2.30		Ratio	0-5
LDL/HDL Cholesterol Ratio	1.20		Ratio	0.5-3



Hathim Salah

Collected On : 02-03-2024 19:37:00 Received On : 02-03-2024 19:36:00  
Verified On : 07-03-2024 12:02:05 Released On : 07-03-2024 12:02:05  
Performed by : Al Farabi Laboratory, Al Wajh