NOTES AND REFERENCES

- 1. Lapworth A, Hann ACO (1902) J Chem Soc 1902;1508-1519 http://dx.doi.org/10.1039/CT9028101508
- 2. J Elguero, C Marzin, AR Katritzky, P Linda, The Tautomerism of Heterocycles, Academic Press, New York, 1976: (a) p.xi, (b) p.69, (c) p.20 et seq., (d) p.71 et seq., (e) p.365, (f) p.249 et seq., (g) p.368, (h) p.226, (i) p.236, (j) p.248, (k) p.241, (t) p.247, (m) p.243, (n) p.356, (o) p.190, (p) p.254, (q) pp.406-11, (r) p. 260, (s) p.545, (t) p.454, (u) p.555, (v) pp.76-81, (w) p.199, (x) p.116, (v) pp.108-113, (z) pp. 451-453, (aa) p.231, (bb) p.239, (cc) p.244, (dd) p.225, (ee) p.304, (ff) pp.332-336, (gg) p.484, (hh) p.395, (ii) pp. 459-460, (jj) p.218, (kk) pp.258-264 (ll) p.179, (mm) p.461, (nn) p.449, (oo) p.89, (pp) p.157, (qq) p.492, (rr) p.232, (ss) p.143, (tt) p.500, (uu) p.405, (vv) p.392, (ww) p.287, (xx) p.528, (yy) p.520, (zz) p.517, (aaa) pp.279-80, (bbb) pp.291-3, (ccc) p.138, (ddd) p.122, (eee) p.502, (fff) p.543, (ggg) p.360, (hhh) p.131, (iii) p.150, Ujj) p.'135, (kkk) pp.538-541, (lll) pp.370-380, (mmm) p.339, (nnn) pp.460-471, (ooo) pp.300-310, (ppp) p.204, (qqq) p.144, (rrr) pp.151-2, (sss) p.148, (ttt) pp.163-168, (uuu) pp. 416-427, (vvv) pp. 431-441, (www) pp. 127-9, (xxx) pp. 158-60, (yyy) p.540, (zzz) p.329.
- 3. Hansch C (1969) Quantitative approach to biochemical structure-activity relationships. Acc Chem Res 2:232-239 https://doi.org/10.1021/ar50020a002
- Albert A, Phillips JN (1956) Ionization constants of heterocyclic substances. Part II. Hydroxy-derivatives of nitrogenous six-membered ring-compounds. J Chem Soc 1956:1294-1304. https://dx.doi.org/10.1039/JR9560001294
- 5. Angyal SJ, Angyal CL (1952) The tautomerism of N-hetero-aromatic amines. Part I. J Chem Soc 1952:1461-1466. https://dx.doi.org/10.1039/JR9520001461
- 6. Leo A, Hansch C, Elkins D (1971) Partition coefficients and their uses. Chem Rev 71:525-616. https://doi.org/10.1021/cr60274a001
- Leahy DE, Taylor PJ, Wait AR (1989) Model Solvent Systems for QSAR Part I. Propylene Glycol Dipelargonate (PGDP). A new Standard Solvent for use in Partition Coefficient Determination. Quant Struct-Act Relat 8:17-31. https://doi.org/10.1002/qsar.19890080104
- 8. Lewis SJ, Mirrlees MS, Taylor PJ (1983) Rationalisations among Heterocyclic Partition Coefficients Part 2: The Azines. Quant Struct-Act Relat 2:100-111. https://doi.org/10.1002/qsar.19830020303
- 9. Albert A, Taylor PJ (1989) The tautomerism of 1,2,3-triazole in aqueous solution. J Chem Soc Perkin Trans 2 1989:1903-1905. https://dx.doi.org/10.1039/P29890001903
- 10. Schilf W, Stefaniak L, Witanowski M, Webb GA (1985) A study of the tautomeric equilibria of 3 unsubstituted benzazoles by means of nitrogen NMR. Bull Pol Acad Sci Chem 33:437.
- 11. Abraham MH, Leo AJ (1995) Partition between phases of a solute that exists as two interconverting species. J Chem Soc Perkin Trans 2 1995:1839-1842. https://dx.doi.org/10.1039/P29950001839
- 12. Kamlet MJ, Abboud J-LM, Abraham MH, Taft RW (1983) Linear solvation energy relationships. 23. A comprehensive collection of the solvatochromic parameters, π^* , α and β , and some methods for simplifying the generalized solvatochromic equation. J Org Chem 48:2877-2887. https://doi.org/10.1021/jo00165a018
- 13. Exner O (1993)The reactivity—selectivity principle: redefinition and reexamination on an experimental. J Chem Soc Perkin Trans 2 1993:973-979. https://dx.doi.org/10.1039/P29930000973
- 14. Beak P (1977) Energies and alkylations of tautomeric heterocyclic compounds: old problems new answers. Acc Chem Res 1977, 186-192. https://doi.org/10.1021/ar50113a006
- 15. Katritzky AR, Karelson M, Harris PA (1991) Prototropic tautomerism of heteroaromatic compounds. Heterocycles, 32:329-369. https://dx.doi.org/10.3987/REV-90-421
- 16. Catalan J, Pérez P, Elguero J (1993) Structure of benzotriazole in the gas phase: a UV experimental study. J Org Chem 59:5276-5277. https://doi.org/10.1021/jo00071a046
- 17. Kresge AJ (1990) Flash photolytic generation and study of reactive species: from enols to ynols. Acc Chem Res 23:43-48. https://doi.org/10.1021/ar00170a005 (b) Toullec J, in The Chemistry of Enols, ed Rappoport Z,

- Wiley, New York, 1990, Ch. 6, p.323; J. R. Keefe JR, Kresge AJ, Ch. 7, p.399 (c) Kresge AJ (1996) Ingold Lecture. Reactive intermediates: carboxylic acid enols and other unstable species. Chem Soc Rev 25:275-280. https://dx.doi.org/10.1039/CS9962500275
- 18. Mason SF (1958) The tautomerism of N-heteroaromatic hydroxy-compounds. Part III. Ionisation constants J Chem Soc 1958:674-685. https://dx.doi.org/10.1039/JR9580000674
- Ebert L (1926) Zur Abschätzung der Zwitterionenmenge in Ampholytlösungen. Z Phys Chem 121:385-400 https://doi.org/10.1515/zpch-1926-12128; J. T. Edsall JT, Blanchard MH (1933) The Activity Ratio of Zwitterions and Uncharged Molecules in Ampholyte Solutions. The Dissociation Constants of Amino Acid Esters. J Am Chem Soc 55:2537-2353. https://doi.org/10.1021/ja01333a019
- Spinner E, Yeoh GB (1971) Pyridone–pyridol tautomerism in 2-hydroxypyridines with [5,6]-annelated rings and oxygen at the [6]-position: 2,3-dihydro-6-hydroxy-4-methylfuro[2,3-b]pyridine and 3,4-dihydro-7hydroxy-5-methylpyrano-[2,3-b]pyridine. J Chem Soc B 1971:279-289. http://dx.doi.org/10.1039/J29710000279
- 21. Parchment OG, Green DVS, Taylor PJ, Hillier IH (1993) The prediction of tautomer equilibria in hydrated 3-hydroxypyrazole: a challenge to theory. J Am Chem Soc 115:2352-2356. https://doi.org/10.1021/ja00059a033
- 22. Bruneau P, Taylor PJ, Wilkinson AJ (1996) The tautomerism of indazolinone in aqueous solution. A note on the 'principle of vinylogy'. J Chem Soc Perkin Trans 2 1996:2263-2269. https://dx.doi.org/10.1039/P29960002263
- 23. Reese CB (1958) The tautomerism and steric properties of 9-substituted phenanthridines. J Chem Soc 1958:895-899. https://dx.doi.org/10.1039/JR9580000895
- 24. For the first in this new series, see: Elguero J, Katritzky AR, Denisko OV (2000) Prototropic Tautomerism of Heterocycles: Heteroaromatic Tautomerism—General Overview and Methodology. Adv Het Chem, 2000, 76:1-84. https://doi.org/10.1016/S0065-2725(00)76003-X
- For comprehensive reviews, see: (a) Jones PR (1963) Ring-Chain Tautomerism. Chem Rev 1963, 63:461-487. https://doi.org/10.1021/cr60225a002;
 (b) Valters RE, Flitsch W, Ring-Chain Tautomerism, Plenum Press, New York, 1985.
- Bowden K, Malik FP (1993) Ring-chain tautomerism. Part 7. Substituted benzil-2-carboxylic and 2-phenylacetylbenzoic acids and their methyl esters. J Chem Soc Perkin Trans 2, 1993:635-639. https://dx.doi.org/10.1039/P29930000635
- 27. Nakamura A, Kamiya S (1970) Studies on prototropic tautomerism in nitrogen heterocyclic compounds. 3. A stereospecificity in the ring-chain tautomerism including lactam-NH of a phthalic hydrazide ring. J Pharm Soc Japan 70:1069-1075. https://doi.org/10.1248/yakushi1947.90.9 1069
- 28. See, e.g., Milstein S, Cohen LA (1970) Concurrent general-acid and general-base catalysis of esterification. J Am Chem Soc, 92:4377-4382. https://doi.org/10.1021/ja00717a039; Hillery PS, Cohen LA (1983) Stereopopulation control. 9. Rate and equilibrium enhancement in the lactonization of (ohydroxyphenyl)acetic acids. J Org Chem 48:3465-4371. https://doi.org/10.1021/jo00168a018; Bruice TC, Pandit UK (1960) The Effect of Geminal Substitution Ring Size and Rotamer Distribution on the Intramolecular Nucleophilic Catalysis of the Hydrolysis of Monophenyl Esters of Dibasic Acids and the Solvolysis of the Intermediate Anhydrides. J Am Chem Soc 85:5858-5865. https://doi.org/10.1021/ja01507a023
- 29. Katritzky AR, Popp FD, Waring AJ (1966) Potentially tautomeric azines. Part VI. The fine structure of "4,6 dihydroxypyrimidines" J Chem Soc B 1966:565. http://dx.doi.org/10.1039/J29660000565
- 30. Short LN, Thompson HW (1952) Infra-red spectra of derivatives of pyrimidine. J Chem Soc 1952:169-187. https://dx.doi.org/10.1039/JR9520000168
- 31. Button RG, Taylor PJ (1973) The decarboxylation of some heterocyclic acetic acids. Part II. Direct and indirect evidence for the zwitterionic mechanism. J Chem Soc Perkin Trans 2 1973:557-567. https://dx.doi.org/10.1039/P29730000557
- 32. Rydzkowski R, Blondeau D, Sliwa H, Cazé C (1986)J Chem Res S 1986:50.

- 33. Mason SF (1957) The tautomerism of N-heteroaromatic hydroxy-compounds. Part II. Ultraviolet spectra. J Chem Soc 1957;5010-5017. https://dx.doi.org/10.1039/JR9570005010
- 34. These virtually exhaust the candidates for Z. The very small amount of information existing on Se indicates that selenoamides closely resemble thioamides while calculation suggests that selenoketones should enolise still more readily than their sulfur equivalents.
- 35. Sklenak S, Apeloig Y, Rappoport Z (2000) Equilibria of simple thioenol/thiocarbonyl pairs. Comparison with the oxygen analogs and with the parent selenium and tellurium systems. A theoretical study. J Chem Soc Perkin Trans 2 2000:2269-2279. https://dx.doi.org/10.1039/B004289G
- 36. Neither this observation nor the basic distinction 'C-type' and 'N-type' tautomerism is original; both are to be found in the very first treatment of heteroaromatic tautomerism by Katritzky et al (Katritzky AR, Lagowski, JM (1963) Prototropic Tautomerism of Heteroaromatic Compounds: I. General Discussion and Methods of Study. Adv Het Chem 1:311-338 https://doi.org/10.1016/S0065-2725(08)60528-0) and later in their discussion of S-membered ring oxoheterocycles (ref. 2d). However, we believe this to be the first time it has been used as the central organising principle.
- 37. Aguilar-Parrilla F, Cativiela C, Diaz de Villegas MD, J. Elguero J, Foces-Foces C, Laureiro JIG, Cano FH, Limbach HH, Smith JAS, Toiron C (1992) The tautomerism of 3(5)-phenylpyrazoles: an experimental (1H, 13C, 15N NMR and X-ray crystallography) study. J Chem Soc Perkin Trans 2, 1992:1737-1742. https://dx.doi.org/10.1039/P29920001737
- 38. Hine J, Skoglund MJ (1982) Structural effects on rates and equilibriums. 26. Effects of 57 substituents on the stabilities of carbon-carbon double bonds. J Org Chem 47:4766-4770. https://doi.org/10.1021/jo00145a031
- Charton M (1987) A General Treatment of Electrical Effects. Prog Phys Org Chem 16:287-317. https://doi.org/10.1002/9780470171950.ch6; Charton M (1981) Electrical Effect Substituent Constants for Correlation Analysis. Prog Phys Org Chem (1981), 13:119-251. (the earlier DSP approach). https://doi.org/10.1002/9780470171929.ch3
- 40. Hine J, Kanagasabapathy VM, Ng P (1982) Structural effects on rates and equilibriums. 24. Double bond-stabilizing abilities of formyl, carbo-tert-butoxy, and carbomethoxy substituents. J Org Chem 1982 47:2745-2748. https://doi.org/10.1021/jo00135a011
- 41. An attempt to analyse the data of Table 1 using Charton's triparametric approach39 has proved an interesting failure. of the three parameters of (= oi), 06 (=oR under conditions of minimal electronic demand), and oe, a second resonance term which adjusts for varying substituent sensitivity to electronic demand, oe proved much the most significant, with 12 x 50% little improved by adding of and/or of. This strongly suggests polarisibility as a major influence, but other factors are clearly important, perhaps including planarity and bulk. Hence this analysis has not been pursued.
- 42. Baker JT, Sifniades S (1979) Synthesis and properties of pyrrolin-2-ones. J Org Chem 4:2798-2800 https://doi.org/10.1021/jo01329a045
- 43. Mondelli R, Bocchi V, Gardini CP, Chierici L (1971) NMR spectra of Δ3- and Δ4-pyrrolin-2-one. Org Magn Res 3:7-22. https://doi.org/10.1002/mrc.1270030103
- 44. Nineham AW, Raphael RA (1949) Compounds related to penicillic acid. Part IV. Synthesis of a phenyl analogue. J Chem Soc 1949:118-121. https://dx.doi.org/10.1039/JR9490000118
- 45. Rio G, Hardy JC (1970) 3, 4, 5-Triphenyl (5-H) furan-2-one, cis-3-benzoyl-2,3-diphenyl acrylic acid and derivatives. Bull Soc Chim. Fr., 1970, 3572.
- 46. (a) Friedrichsen W, unpublished, quoted in: (b) Friedrichsen W, Traulsen T, Elguero J, Katritzky AR (2000) Tautomerism of Heterocycles: Five-Membered Rings with One Heteroatom. Adv Het Chem 76:85-156. https://doi.org/10.1016/S0065-2725(00)76004-1
- 47. Jakobsen HJ, Larsen EH, Lawesson S-O (1963) Thiophene chemistry—IX: Preparation and dealkylation of 5-substituted 2-t-butoxythiophenes. Tetrahedron, 9:1867-1882. https://doi.org/10.1016/0040-4020(63)85002-4

- 48. Degani JI, Fochi R, Spunta G (1971) ETHERO-AROMATIC CATIONS. 14. 2 NEW TRINUCLEAR THIAPYRYLIUM CATIONS-1-THIAANTHRACENIUM AND 2-THIAANTHRACENIUM. Ann Chim 61:662.
- Meth-Cohn O, Gronowitz S (1966) Acta Chem, Scand., 1966, 20, 1733-1742.
 https://dx.doi.org/10.3891/acta.chem.scand.20-1733; Skramstad J (1972) Cyclopenta-thiophenes. IV. Synthesis and Tautomeric Properties of 5-Nitro-4H- and 6H-Cyclopenta[b]thiophenes. Acta Chem Scand 26:556-564. https://dx.doi.org/10.3891/acta.chem.scand.26-0556
- 50. Whalen DL, Weimaster JF, Ross AM, Radhe R (1976) Mechanism of the acid- and general-base-catalyzed conjugation of 3-cyclopentenone and 3-cyclohexenone; electrostatic effects in the conjugation of β,γ-unsaturated ketones. J Am Chem Soc 98:7319-7324. https://doi.org/10.1021/ja00439a035
- 51. Brown HC, Brewster JH, Schechter H (1954) An Interpretation of the Chemical Behavior of Five- and Six-membered Ring Compounds. J Am Chem Soc 76:467-474. https://doi.org/10.1021/ja01631a041
- 52. Mills WH, Nixon I (1930) Stereochemical influences on aromatic substitution. Substitution derivatives of 5-hydroxyhydrindene. J Chem Soc 1930:2510-2524. https://dx.doi.org/10.1039/JR9300002510
- 53. These values are corrected (Appendix 1).
- 54. Castro A, Martinez A (1994) Tautomerism of benzo- and cyclopenta-[1,2,6]thiadiazine S,S-dioxides. J Chem Soc Perkin Trans 2 1994:1561-1564. https://dx.doi.org/10.1039/P29940001561
- 55. Bigley DB, May RW (1970) The kinetics of acid-catalysed equilibrations of endo- and exo-cyclic olefins. J Chem Soc B 1970:1761-1766. https://dx.doi.org/10.1039/J29700001761
- 56. Baranton F, Fontaine G, Maitte P (1968) Bull Soc Chim Fr 1968:4203.
- 57. Schuijl-Laros D, Schuijl PJW, Brandsma L (1972) Formation of 2H-thiopyrans and thiophenes by thermal rearrangement of propargyl vinyl sulfide or its homologues and 2-alkynyl thienyl sulfides. Rec Trav Chim Pays-Bas 91:785-798. https://doi.org/10.1002/recl.19720910705
- 58. Balasubramanian KK, Venugopalan B (1974) Studies in Claisen rearragement a novel depropargylative cyclisation of N-propargyl-2-(propargylthio)-benzimidazole. Tetrahedron Lett 15:2645-2648. https://doi.org/10.1016/S0040-4039(01)92316-0
- 59. Duus F (1986) The enol-enethiol tautomerism of simple nonaromatic β-thioxo ketones. An approach to quantitative description based upon proton NMR and UV spectral parameters and the adaptation of these into a simplified model of the tautomeric equilibrium. J Am Chem Soc 108:630-638. https://doi.org/10.1021/ja00264a012
- 60. Mills SG, Beak P (1985) Solvent effects on keto-enol equilibria: tests of quantitative models. J Org Chem 50:1216-1224. https://doi.org/10.1021/jo00208a014
- 61. Bates GS, Ramaswamy S (1993) Enamines of 2,2-bis(ethylthio)ethanal: a convenient route to γ-keto crotonate derivatives. Can J Chem 61:2466-2475. https://doi.org/10.1139/v83-426
- 62. (a) Keeffe JR, Kresge AJ, Yin Y (1988) 2-Indanone and its enol. The effect of a conjugated phenyl group on enol and enolate stability. J Am Chem Soc 110:8201. https://doi.org/10.1021/ja00232a038 (b) Jefferson EA, Keeffe JR, Kresge AJ (1995) Characterization of the indan-1-one keto—enol system. J Chem Soc Perkin Trans 2 1995:2041-2046. https://dx.doi.org/10.1039/P29950002041 (c) Chiang Y, Griesbeck AG, Heckroth H, Hellrung B, Kresge AJ, Meng O, O'Donoghue AC, Richard JP, Wirz J (2001) Keto-Enol/Enolate Equilibria in the N-Acetylamino-p-methylacetophenone System. Effect of a β-Nitrogen Substituent. J Am Chem Soc 123:8979-8984. https://doi.org/10.1021/ja0107529
- 63. Hehre WJ, Latham WA (1972) Ab initio molecular orbital study of the effects of α-substitution on keto–enol tautomerism. J Chem Soc Chem Commun 1972:771-772. http://dx.doi.org/10.1039/C39720000771
- 64. Nugiel DA, Rappoport Z (1985) Stable simple enols. 11. Equilibrium constants for the 1-alkyl-2,2-dimesitylethenol/1-alkyl-2,2-dimesitylethanone systems in hexane. The predominance of steric effects on Kenol values J Am Chem Soc 107:3669-3676. https://doi.org/10.1021/ja00298a042

- 65. Harcourt MP, O'Ferrall RAM (1995) Keto-enol tautomerism and hydration of 9-acylfluorenes. J Chem Soc Perkin Trans 2 1995:1415-1425. http://dx.doi.org/10.1039/P29950001415
- 66. Blake AJ, McNab H, Monahan LC (1988 3-Hydroxypyrroles and 1H-pyrrol-3(2H)-ones. Part 5. Tautomerism of 1-substituted and 1,2-disubstituted derivatives in the solid state and in solution: X-ray crystal and molecular structure of 1-phenyl-1H-pyrrol-3(2H)-one. J Chem Soc Perkin Trans. 2, 1988:1455-1458. http://dx.doi.org/10.1039/P29880001455
- 67. (a) Capon B, Kwok FC (1989) Tautomerism of the monohydroxy derivatives of five-membered oxygen, nitrogen and sulfur heterocycles. J Am Chem Soc 111:5346-5356. https://doi.org/10.1021/ja00196a046 (b) Capon B, Kwok FC (1986) The tautomerism of hydroxy derivatives of five-membered oxygen, nitrogen, and sulfur heterocycles. Tetrahedron Lett 27:3275-3278. https://doi.org/10.1016/S0040-4039(00)84773-5
- 68. Bauer H (1968) Tetramethylpyrrole-indigo. Angew Chem Int Ed Engl 7:734-734. https://doi.org/10.1002/anie.196807341
- 69. Steglich W, Höfle G, Wilschowitz L, Barrett GC (1970) Tautomerie bei Δ2-thiazolinonen-(5). Tetrahedron Lett 1970, 11:169-172. https://doi.org/10.1016/S0040-4039(01)97667-1
- (a) Jensen KA, Crossland I (1963) Studies of Thioacids and Their Derivatives. VII. On 2-Phenyl-4(5H)-Thiazolone. Acta Chem Scand 17:144-162. https://dx.doi.org/10.3891/acta.chem.scand.17-0144 (b) Gronowitz S, Mathiasson B, Dahlbom R, Holmberg B, Jensen KA (1965) Nuclear Magnetic Resonance Studies on 2-Phenyl-4-thiazolone and Some Related Compounds. Acta Chem Scand 19:1215-1220. https://dx.doi.org/10.3891/acta.chem.scand.19-1215
- 71. Hino T, Suzuki T, Nakayama M (1974) 2-Indolinethiones. Tautomerism and Oxidation to the Disulfides. Chem Pharm Bull Japan 22:1053-1060. https://doi.org/10.1248/cpb.22.1053
- 72. Abraham MH, Duce PP, Prior DV, Barratt DG, Morris JJ, Taylor PJ (1989) Hydrogen bonding. Part 9. Solute proton donor and proton acceptor scales for use in drug design. J Chem Soc Perkin Trans 2 1989:1355-1375. https://dx.doi.org/10.1039/P29890001355
- 73. Koffer H (1975) Kinetics of protolytic and keto–enol reactions of some 5-monosubstituted barbituric acids. J Chem Soc Perkin Trans 2 1975:819-821. https://dx.doi.org/10.1039/P29750000819
- 74. See Appendix 2. Mills and Beak (ref. 60) give differing LSER equations for (55, R H, R' = Me) and (55, R Me, R' H), but inspection of the raw data reveals that, leaving out one manifestly corrupt value the two series run in parallel: $\Delta \log K_E = 0.79 \pm 0.12$ (n = 6).
- 75. Sammes MP, Maini PM (1987) ¹³C NMR chemical shift assignments for some 2-substituted cyclic 1,3-diketones. Magn Reson Chem 25:372-374. https://doi.org/10.1002/mrc.1260250422
- 76. Slesarev VI, Ivin BI (1974) Study of pyrimidine series. 14. Tautomeric conversions of barbituric acids. Z Org Khim 10:113-118.
- 77. It will be noted that the data of Table 7 for (54, R = H) agree neither with one another nor with the definitive log K_E value of 1.89 obtained by Eigen and co-workers.78 All result from slightly different experimental techniques so each is retained as a reference point for its own data set.
- 78. Eigen M, Ilgenfritz G, Kruse W (1965) Eine kinetische Methode zur Untersuchung schneller prototroper Tautomerisierungsreaktionen. Chem Ber 98:1623-1638. https://doi.org/10.1002/cber.19650980539
- 79. Emsley J, Ma LYY, Bates PA, Motevalli M, Hurtshouse MB (1989) β-Diketone interactions. Part 8. The hydrogen bonding of the enol tautomers of some 3-substituted pentane-2,4-diones. J Chem Soc Perkin Trans. 2 1989:527-533. https://dx.doi.org/10.1039/P29890000527
- 80. Chapman DD (1966) Tautomerism of 3-alkoxycarbonylmethylene-2-oxo-1,2,3,4-tetrahydroquinoxaline derivatives. J Chem Soc C 1966:806-807. https://dx.doi.org/10.1039/J39660000806
- 81. Greenhill JV, Loghmani-Khovzani H, Maitland DJ (1991) Tautomerism in ketomethylquinolines. Part 2. Further results on 2-ketomethylquinolines. J Chem Soc Perkin Trans 1 1991:2831-2840. https://doi.org/10.1039/P19910002831

- 82. Douglass JE, Michelena E, Ataei A, Dotson DL, Lo H-H (1992) Tautomerism in quinaldyl ketones. J Heterocyclic Chem 29, 1361-1363. https://doi.org/10.1002/jhet.5570290552
- 83. Douglass JE, Gobhart MA (1990) Tautomerism in some quinaldyl sulfones. J Heterocyclic Chem 27:1433-1435. https://doi.org/10.1002/jhet.5570270546
- 84. Evans DA, Smith GF, Wahid MA (1967) The tautomerism of 3-hydroxyisoquinolines. J Chem Soc B 1967:590-595. https://doi.org/10.1039/J29670000590
- 85. Katritzky AR, Øksne S, Boulton AJ (1962) The tautomerism of heteroaromatic compounds with five-membered rings—III: Further isoxazol-5-ones. Tetrahedron 18:777. https://doi.org/10.1016/S0040-4020(01)92728-0
- 86. At first sight this value appears anomalous, since O-membered ring and open-chain compounds are in principle strain-free so tend to possess similar properties. We have suggested previously that compression of the CCC bond angle in cyclohexanone may be responsible (Button RG, Taylor PJ (1992) The reversible cyclisation of a chalcone, 1-(2-hydroxy-4,6-dimethoxyphenyl)-3-(4-ethoxyphenyl)prop-2-en-1-one: a kinetic and mechanistic study. J Chem Soc Perkin Trans 2 1992:1571-1580. https://doi.org/10.1039/P29920001571) which reports a similar case).
- 87. Feraud PF, Le Hénaff P (1968) Study of some condensation reactions of formol with amino acids. Bull Soc Chim France Series 5 1968:4687.
- 88. Kohlehmainen E, Osmialowski B, Nissinen M, Kauppinen R, Gawinecki R (2000) Substituent and temperature controlled tautomerism of 2-phenacylpyridine: the hydrogen bond as a configurational lock of (Z)-2-(2-hydroxy-2-phenylvinyl)pyridine. J Chem Soc Perkin Trans 2 2000:2185-2191. https://doi.org/10.1039/B006879I
- 89. Fontana A, O'Ferrall RAM (1994) Equilibrium constants for ionisation and enolisation of 2-phenylacetylfuran. J Chem Soc Perkin Trans 2 1994:2453-2459. https://doi.org/10.1039/P29940002453; De Maria P, Fontana A, Cerichelli G (1997) Keto—enol interconversion of 2-phenylacetylthiophene. J Chem Soc Perkin Trans 2, 1997:2329-2334. https://doi.org/10.1039/A702589K
- 90. McCann GM, O'Ferrall RAM, Walsh SM (1997) Proton activating factors and keto-enol-zwitterion tautomerism of 2-, 3- and 4-phenylacetylpyridines. J Chem Soc Perkin Trans 2 1997:2761-2772. https://doi.org/10.1039/A701546A
- 91. Greenhill JV, Loghmani-Khouzani H, Maitland DJ (1991) Tautomerism in ketomethyl quinolines. Part 3. 4-Ketomethyl quinolines. Can J Chem 69:696-701. https://doi.org/10.1139/v91-104
- 92. O'Ferrall RAM, Murray BA (1994) ¹H and ¹³C NMR spectra of α-heterocyclic ketones and assignment of keto, enol and enaminone tautomeric structures. J Chem Soc Perkin Trans 2 1994:2461-2470. https://doi.org/10.1039/P29940002461
- 93. Carey ARE, Eustace S, O'Ferrall RAM, Murray BA (1993) Keto–Enol and imine–enamine tautomerism of 2-, 3- and 4-phenacylpyridines. J Chem Soc Perkin Trans 2 1993:2285-2296. https://doi.org/10.1039/P29930002285
- 94. Kurihara T, Tani T, Nasu K (1981) Ring Transformations of 6H-Cyclopropa[5a,6a]pyrazolo[1,5-a]pyrimidine. Heterocycles 15:265-269. https://dx.doi.org/10.3987/S-1981-01-0265
- 95. Carey ARE, O'Ferrall RAM, Murphy MG, Murray BA (1994) Keto-enol tautomerism of phenacylpyrazine: acid catalysis with protonation at nitrogen. J Chem Soc Perkin Trans 2 1994:2471-2479. https://doi.org/10.1039/P29940002471
- 96. Taylor PJ, Wait AR (1986) σ_I Values for heterocycles. J Chem Soc Perkin Trans 2, 1986:1765-1770. https://dx.doi.org/10.1039/P29860001765 Electronegativity in heterocycles acting as substituents is largely a function of dipole gradient which, because they are more compressed, is typically higher for 5- than for Omembered rings; the former also tend to possess higher hetero-to-carbon atom ratios, which acts in the same direction. Proton acceptor ability, which is due solely to aza-nitrogen, follows different rules.72 Further azanitrogen reduces it except where contiguous (lone pair repulsion: cf. section 8.1 and Appendix 3), and

- while z-donor atoms raise KB72 by resonance when in the l3-position, they decrease it otherwise. All these trends are explicable and have been discussed (refs. 72,100).
- Haddon RC (1980) Symmetrical hydrogen bonding: molecular orbital theory of the π-electron component. J Am Chem Soc 102:1807-1811. https://doi.org/10.1021/ja00526a008
- 98. Roussel R, Oteyza de Guerrero M, Speyt, Gallin JC (1982) Solvent effects on the tautomerism of t-butyl 2-picolyl and t-butyl quinaldyl ketones. J Heterocyclic Chem 19:785-796. https://doi.org/10.1002/jhet.5570190416
- 99. Govindachari TR, Rajappa S, Nagaranjan K (1968) (4-phenyl-2-thiazolyl)-acetone and its enamines: Synthesis and NMR. Spectra. Helv Chim Acta 51:2102-2110. https://doi.org/10.1002/hlca.19680510831
- 100. (a) Kenny PW (1994) Prediction of hydrogen bond basicity from computed molecular electrostatic properties: implications for comparative molecular field analysis. J Chem Soc Perkin Trans 2 1994:199-202. https://doi.org/10.1039/P29940000199 (b) Leahy DE, Morris JJ, Taylor PJ, Wait AR (1994) Model solvent systems for QSAR. Part IV. The hydrogen bond acceptor behaviour of heterocycles. J Phys Org Chem 7:743-750. https://doi.org/10.1002/poc.610071213
- 101. Amyes TL, Richard JP (1996) Determination of the pK_a of Ethyl Acetate: Brønsted Correlation for Deprotonation of a Simple Oxygen Ester in Aqueous Solution. J Am Chem Soc 118:3129-3141. https://doi.org/10.1021/ja953664v
- 102. Nguyen MT, Hegarty AF (1983) Ab initio study of the hydration of ketenimine (CH2:C:NH) by water and water dimer. J Am Chem Soc 105:3811-3815. https://doi.org/10.1021/ja00350a011
- 103. Neumann WP, Stapel R (1986) Über sterisch gehinderte freie Radikale, XVI. Zur Existenz von Tetraphenylbernsteinsäure und ihrer Ester sowie über die Struktur der Dimeren der Diarylmethyl-Radikale Ar2C·- X, X=CO2R, CN, COR. Chem Ber 119:3422-3431. https://doi.org/10.1002/cber.19861191119
- 104. (a) Sklenák S, Apeloig Y, Rappoport Z (1998) Calculated pK_{Enol} Values for Enols of Carboxylic Acid Derivatives HCC(OH)X (X = OH, NH₂, NMe₂, OMe, OCHO, F, Cl, Br). J Am Chem Soc 120:10359-10364. https://doi.org/10.1021/ja980354e (b) Bakulev VA, Chiang Y, Kresge AJ, Meng A, Morzherin Y, Popik VV (2001) Flash Photolytic Generation and Study of the Enol of 2-Hydroxy-2-cyano-N-methylacetamide in Aqueous Solution, Leading to an Empirically-Based Estimate of the Keto-Enol Equilibrium Constant for the Parent Unsubstituted Acetamide in That Medium. J Am Chem Soc 123:2681-2682. https://doi.org/10.1021/ja0036763
- 105. Hagen K, Hedberg K (1973) Conformational analysis. IV. Molecular structure and composition of gaseous 2,3-butanedione as determined by electron diffraction. J Am Chem Soc 95:8266-8269. https://doi.org/10.1021/ja00806a011
- 106. Taylor PJ, unpublished observations
- 107. Ferri D, T Burgi T, Baiker A (2000) Conformational isomerism of α-ketoesters. A FTIR and ab initio study. J Chem Soc, Perkin Trans 2 2000:221-227. https://doi.org/10.1039/A908466E
- 108. Sleszynski N, Zuman P (1987) Enol form of 2,3-butadione. J Org Chem 52:2622-2623. https://doi.org/10.1021/jo00388a059
- 109. (a) Schwartzenbach G, Wittwer C (1947) Über das Keto-Enol-Gleichgewicht bei cyclischen α-Diketonen. Helv Chim Acta 30:663-669. https://doi.org/10.1002/hlca.19470300232 (b) Schwartzenbach G, Wittwer C (1947) Über die Enolgehalte einfacher Ketone. Helv Chim Acta 30:669-674. https://doi.org/10.1002/hlca.19470300233
- Segretario JP, Sleszynski N, Zuman P (1986) Polarographic reduction of aldehydes and ketones: Part XXVIII.
 1,2-cyclohexanedione. J Electroanal Chem Interfacial Electrochem 214:259-273.
 https://doi.org/10.1016/0022-0728(86)80101-2
- 111. Mortensen JZ, B Hedegaard B, Lawesson S-O (1971) Thiophene chemistry-XVIII: Preparation and tautomeric structures of some potential dihydroxythiophenes. Tetrahedron 27:3839-3851. https://doi.org/10.1016/S0040-4020(01)98245-6

- 112. Tureček F (1984) 2-Hydroxybutadiene: Preparation, ionization energy and heat of formation. Tetrahedron Lett 25, 5133-5134. https://doi.org/10.1016/S0040-4039(01)81543-4
- 113. Capon B, Guo B-, Kwok F-C, Wu Z-P (1987) Some studies on the tautomerism of heterocyclic and homocyclic compounds. Pure Appl Chem, 59:1577-1584. https://doi.org/10.1351/pac198759121577
- 114. (a) Capponi N, Gut IG, Wirz J (1986) The Phenol

 2,4-Cyclohexadienone Equilibrium in Aqueous Solution. Angew Chem, Int Ed 25:344-345. https://doi.org/10.1002/anie.198603441 (b) Capponi N, Gut IG, Hellrung B, Percy G, Wirz J (1997) Ketonization equilibria of phenol in aqueous solution. Can J Chem 77:605-613. https://doi.org/10.1139/v99-048
- 115. Santoro D, Louw R (2001) On the enthalpy of formation of cyclohexa-2,4- and -2,5-dienone. J Chem Soc Perkin Trans 2 2001:645-650. https://doi.org/10.1039/B004990P
- 116. (a) Freiermuth B, Hellrung B, Perterli S, Schultz MF, D Wintgens D, Wirz J (2001) Tautomerization of Phenols, Part III, The Anthrone–Anthrol Equilibrium in Aqueous Solution. Helv Chim Acta 84:3796-3809. https://doi.org/10.1002/1522-2675(20011219)84:12%3C3796::AID-HLCA3796%3E3.0.CO;2-T (b) McCann, GM, McDonnell CM, Magris L, O'Ferrall RAM (2002) Enol-keto tautomerism of 9-anthrol and hydrolysis of its methyl ether. J Chem Soc Perkin Trans 2 2002:784-795. https://doi.org/10.1039/B109242C
- 117. MacDowell DWH, Wisowaty JC (1971) Keto-tautomerism in the thiophene analogs of anthrone. I. Derivatives of naphtho[2,3-b]thiophene and naphtho[2,3-c]thiophene. J Org Chem 36:3999-4004. https://doi.org/10.1021/jo00825a001
- 118. Highet RJ, Chou F-E (1977) The dependence of phenol-dienone tautomerism upon the hydrogen bonding characteristics of the solvent: 3,5-dipyrrolidinophenol. J Am Chem Soc 99:3538-3539. https://doi.org/10.1021/ja00452a077
- 119. Greenhill JV (1969) Determination of the tautomeric ratio in certain enaminones. J Chem Soc B 1969:299-300. http://dx.doi.org/10.1039/J29690000299
- 120. Malhotra SS, Whiting MC (1960) Researches on polyenes. Part VII. The preparation and electronic absorption spectra of homologous series of simple cyanines, merocyanines, and oxonols. J Chem Soc, 1960:3812-3822. https://doi.org/10.1039/JR9600003812
- 121. Smith D, Taylor PJ (1976) The i.r. spectroscopy of some highly conjugated systems—IV. Effects of variation in the donor atom. Rules for predicting double bond frequency in heterenones. Spectrochim Acta 32:1503-1518. https://doi.org/10.1016/0584-8539(76)80272-3
- 122. Heathcote DM, De Boos GA, Atherton JH, Page MI (1998) Mechanism of hydrolysis of coumaran-2-ones. J Chem Soc Perkin Trans 2 1998;535-540. https://doi.org/10.1039/A707946J
- 123. Gotthardt H, Huisgen R, Bayer HO (1970) 1,3-Dipolar cycloaddition reactions. LIII. Question of the 1,3-dipolar nature of Δ^2 -oxazolin-5-ones. J Am Chem Soc 92:4340. https://doi.org/10.1021/ja00717a034
- 124. Jacquier R, Lacombe JM, Maury G (1971) Studies in azole series. 81. study of tautomerism of 5 (4)-imidazolinones. Bull Soc Chim France. 1971:1040.
- 125. Rao YS, Filler R (1972) A new synthesis of a little known heterocyclic system: 4(5H)-oxazolones. Chem Comm 1972:1622-1622. https://doi.org/10.1039/C29700001622
- 126. (a) Katritzky AR, Karelson M, Harris PA (1991) Prototropic Tautomerism of Heteroaromatic Compounds. Heterocycles 32:359. http://doi.org/10.3987/REV-90-421 (b) Karelson M, Katritzky AR, Szafran M, Zerner MC (1990) A theoretical treatment of solvent effects on the tautomeric equilibria of five-membered rings with two heteroatoms. J Chem Soc Perkin Trans 2 1990:195-201. https://doi.org/10.1039/P29900000195
- 127. Bianchi G, Cook MJ, Katritzky AR (1971) The tautomerism of heteroaromatic compounds with 5-membered rings XI: 4-Hydroxyisoxazoles-4-isoxazolinones. Tetrahedron 27:6133-6141. https://doi.org/10.1016/S0040-4020(01)91778-8
- 128. Nye MN, Tang WP (1972) Tetrahedron, 1972:28, 455-462. Tautomerism of 4-hydroxypyrazoles and 4-hydroxyisoxazoles I: Spectroscopic evidence. https://doi.org/10.1016/0040-4020(72)84009-2

- 129. See appropriate chapter in: Comprehensive Heterocyclic Chemistry, ed. A. R. Katritzky and C. W. Rees, Pergamon, Oxford, 1984.
- 130. Greenhill JV, Ismail MJ, Bedford GR, Edwards PN, Taylor PJ (1985) Conformational and tautomeric studies of acylguanidines. Part 2. Vibrational and carbon-13 nuclear magnetic resonance spectroscopy. J Chem Soc Perkin Trans 2 1985:1265-1274. https://doi.org/10.1039/P29850001265
- 131. Srinivasan R, Stewart R (1975) The Catalysis of Proton Exchange in Creatinine by General Acids and General Bases. Can J Chem 5: 224-231. https://doi.org/10.1139/v75-031
- 132. Chiang Y, Kresge AJ, Tang YS (1984) The pK_a and keto-enol equilibrium constant of acetone in aqueous solution. J Am Chem Soc 106:460. https://doi.org/10.1021/ja00314a055
- 133. See, e.g., Paquer D, Vialle J (1972) Organic sulphur compounds. 33. Thioketone reversible enethiol isomerization in aliphatic series. Bull Soc Chim Fr 1971:4407: unpublished work by the author in R. Mayer, Sulfur in Organic and Inorganic Chemistry, Ed. Senning A, Dekker, New York, 1972, Vol.3, D.325.
- 134. Kresge AJ, Meng O (1998) 2,4,6-Trimethylthioacetophenone and Its Enol. The First Quantitative Characterization of a Simple Thiocarbonyl System in Aqueous Solution. J Am Chem Soc 120:11830-11831. https://doi.org/10.1021/ja9826993
- 135. Selzer T, Rappoport Z (1996) Triphenylethenethiol. Structure, Equilibria with the Thioketone, Solvation, and Association with DMSO. J Org Chem 61:5462-5467. https://doi.org/10.1021/jo9604651
- 136. Uhlemann E, Müller H (1965) Untersuchungen an Picolylketonen. VI. Synthese und komplexchemisches Verhalten von 2-Picolylthioketonen. J Prakt Chem, 30:163-172. https://doi.org/10.1002/prac.19650300310
- 137. Chiang Y, Jones JR, Kresge AJ (1994) Keto-Enol Equilibrium of Methyl Fluorene-9-thionocarboxylate and Acidity Constants of the Enol and the Keto Forms of This and Related Oxygen and Sulfur Esters in Aqueous Solution. J Am Chem Soc 116:8358-8359. https://doi.org/10.1021/ja00097a050
- 138. F. Duus, in Comprehensive Organic Chemistry, eds. Barton DHR, Ollis WD, Pergamon, Oxford, 1979, Vol.3, p.373.
- 139. Metzner P, Vialle J (1972) Sulfur-containing organics compounds. 34. Preparation and physical properties of alpha, beta-unsaturated thioketones. SULFUR-CONTAINING ORGANIC COMPOUNDS. 34. PREPARATION AND PHYSICAL PROPERTIES OF ALPHA, BETA-UNSATURATED THIOKETONES. BULLETIN DE LA SOCIETE CHIMIOUE DE FRANCE. 1972 Jan 1(8):3138. Bull Soc Chim Fr 1972:3138.
- 140. Morgenstern J, Mayer R (1966) Organische Schwefelverbindungen. 63. Zur Chemie des Thiocyclohexanons. J Prakt Chem 34:116-138. https://doi.org/10.1002/prac.19660340115
- 141. Nozoe T, Matsui K (1961) On the Structure of 2-Mercaptotropones. Bull Chem Soc Japan 34:616-618. https://doi.org/10.1246/bcsj.34.616
- 142. See, e.g., Cordes EH, Jencks WP (1963) The Mechanism of Hydrolysis of Schiff Bases Derived from Aliphatic Amines. J Am Chem Soc 85:2843-2848. https://doi.org/10.1021/ja00901a037
- 143. See, e.g., Sollenberger PY, Martin RB (1970) Mechanism of enamine hydrolysis. J Am Chem Soc 92:4261-4270. https://doi.org/10.1021/ja00717a021
- 144. Cook AG, in Enamines: Synthesis, Structure, and Reactions, ed. Cook AG, 2nd. edn, Marcel Dekker, New York, 1988, Ch. 1, p.1.
- 145. For a 10^{-2} M solution in water at 25°C of ethyl acetate, δ -valerolactone and γ -butyrolactone, the proportion of ester or lactone present at equilibrium may be calculated as 0.065 %, 5.7 % and 74% respectively.
- 146. Storm DR, Koshland DE (1972) Indication of the magnitude of orientation factors in esterification. J Am Chem Soc 94:5805-5814. https://doi.org/10.1021/ja00771a045
- 147. Mitchell RE, Duke FR (1970) Kinetics and equilibrium consents of the gluconic acid-gluconolactone system. Ann NY Acad Sci 172:131-138. https://doi.org/10.1111/j.1749-6632.1970.tb34970.x

- 148. Lammertsma K, Bharatam PV (2000) Keto ≠ Enol, Imine ≠ Enamine, and Nitro ≠ aci-Nitro Tautomerism and Their Interrelationship in Substituted Nitroethylenes. Keto, Imine, Nitro, and Vinyl Substituent Effects and the Importance of H-bonding. J Org Chem 5:4662-4670. https://doi.org/10.1021/jo000283d
- 149. Brezina M, Zuman P (1953) Reakce karbonylovych sloucenin aminy. 5. Polarograficka studie reakce cyklanonu primarnimi aminy-rovdovazne stavy. Chem. Listy 47:975-991.
- 150. Cook MJ, Katritzky AR, Linda P, Tack RD (1973) Aromaticity and tautomerism. Part II. The 4-pyridone, 2-quinolone, and 1-isoquinolone series. J Chem Soc Perkin Trans, 2 1973:1080-1086. https://doi.org/10.1039/P29730001080
- 151. Kayser RH, Pollack RM (1977) Intramolecular general base catalysis of Schiff base hydrolysis by carboxylate ions. J Am Chem Soc 99:3379-3387. https://doi.org/10.1021/ja00452a032
- 152. Kosower EM, Sorensen TS (1962) The Synthesis and Properties of Some Simple 1,4-Dihydropyridines. J Org Chem 27:3764-3771. https://doi.org/10.1021/jo01058a005
- 153. Lakomý J, Šilhánková A, Ferles M, Exner O (1968) Studies in the pyridine series. XXV. Dissociation constants of some piperidine and piperideine bases. Coll Czech Chem Comm 33:1700-1708. https://doi.org/10.1135/cccc19681700
- 154. Adams R, Mahan J (1942) Basicity Studies of Tertiary Vinyl Amines. J Am Chem Soc 64:2588. https://doi.org/10.1021/ja01263a019
- 155. Starr DF, Bulbrook H, Hixon RM (1932) Electron sharing ability of organic radicals. VI. Alpha-substituted pyrrolines and pyrrolidines. J Am Chem Soc 54:3971-3976. https://doi.org/10.1021/ja01349a023
- 156. It will be noted that this correction is negative in line with the usual effect of alkyl groups on basicity. The much more common positive corrections found in this context (Appendix 1) derive from the heavy solvation required by weak base cations (ref 2c) and severely impeded by N-substitution. Presumably the usual effect of alkyl is still present but is masked by this one.
- 157. Cook MJ, Katritzky AR, Linda P, Tack RD (1972) Aromaticity and tautomerism. Part I. The aromatic resonance energy of 2-pyridone and the related thione, methide, and imine. J Chem Soc Perkin Trans 2, 1972:1295-1301. https://doi.org/10.1039/P29720001295
- 158. In the original article (ref 154) 189 is shown as an enamine, but this is clearly not the case. This work was carried out before formulation of the 'basicity method' and existing physical methods would not have been up to the task of distinguishing the tautomers.
- 159. Greenhill JV, Ismail MJ, Edwards PN, Taylor PJ (1985) Conformational and tautomeric studies of acylguanidines. Part 1. Synthesis, ultraviolet spectroscopy, tautomeric preference, and site of protonation in some model compounds. J Chem Soc Perkin Trans 2, 1985:1255-1264. https://doi.org/10.1039/P29850001255
- 160. Edwards PN, unpublished estimations reported in ref. 159.
- 161. (a) Ahlbrecht H, Hanisch H, Funk W, Kalas RD (1972) Vinylamine XII: Untersuchungen zur substituentenabhängigkeit der imin-enamin-tautomerie an β-aryl-vinylaminen. Tetrahedron 28:5481-5492. https://doi.org/10.1016/S0040-4020(01)93871-2 (b) Ahlbrecht H, Fischer S (1970) Vinylamine VI: Vinylamine aus pyridylketonen und primären aminen. Tetrahedron, 26:4777-4782. https://doi.org/10.1016/S0040-4020(01)93129-1
- 162. Kurasawa Y, Takada A (1986) Characteristic Tautomerism and Isomerization in the Quinoxaline Chemistry. Heterocycles 24:2321-2355. https://https://https://https://doi.org/10.3987/R-1986-08-2321
- 163. Desenko SM, Gladkov ES, Getmanskii NV, Gemlin IM, Orlov VD (1999) Imine-enamine tautomerism of dihydroazolopyrimidines. 6. Synthesis and tautomerism of thienyl derivatives of dihydro-1,2,4-triazolo-[1,5-a]pyrimidines. Chem Heterocyc Compd 35:608-612. https://doi.org/10.1007/BF02324647
- 164. Ahlbrecht H, Rauchschwalbe G (1971) Vinylamine XI über die darstellung primärer enamine. Tetrahedron Lett 1971:4897-4900. https://doi.org/10.1016/S0040-4039(01)97582-3
- 165. (a) Taylor PJ (1970) The infra-red spectroscopy of some 2-substituted thiazolid-4-ones, a new class of enamino-ketone—I. Elucidation of structure. Spectrochim Acta 26:153-163. https://doi.org/10.1016/0584-

- 8539(70)80258-6 (b) Taylor PJ (1970) The infra-red spectroscopy of some 2-substituted thiazolid-4-ones, a new class of enamino-ketone—II: Infra-red assignments and chemical implications. Spectrochim Acta 26:165-194. https://doi.org/10.1016/0584-8539(70)80259-8
- 166. Jensen and Crossland (ref 70a) claim 205b in the solid state on the basis of a strong IR band at 1638 cm⁻¹ which they assign to v(C=C). This is actually v(C=N) and is found as a much weaker band in solution along with a new band at 1532 cm⁻¹ not reported there (ref 70a).
- 167. Paudler WW, Lee J (1971) 1,2,4-Triazines. VI. Tautomerism in substituted 2,3-dihydro-3-oxo-1,2,4-triazines J Org Chem 36:3921-3925. https://doi.org/10.1021/jo00824a015
- 168. Smith PAS (1965) The Chemistry of Open-Chain Organic Nitrogen Compounds, Benjamin, New York, 1965, Vol. 2, (a) Ch.8 p.61, (b) Ch. 9 p.161, (c) Ch. 8 p.29; Vol. 1, (d) Ch. 1 p.12, (e) Ch. 1 p.13; (f) Kozlov NS, Kovaleva VN (1973) 1,2 hexanedione reaction with amines. Zhur Org Khim 9:2254-2256 (g) Tobias MA. Strong JG, Napier (1970) Preparation of 2-substituted 2-cyclohexen-1-ones . J Org Chem 35:1709-1711. https://doi.org/10.1021/jo00830a113 (h) Mitsuhashi K, Nomura K (1965) The Reaction of α, β-Unsaturated Cycloalkenones with Azides. I. The Anomalous Products in the Schmidt Reaction. Chem Pharm Bull Japan 13:951-958. https://doi.org/10.1248/cpb.13.951 (i) Lewis JW, Myers PL, Ormerod JA (1972) The reaction of aromatic nitroso-compounds with enamines. Part I. The reaction of nitrosobenzene with 1-morpholin-1ylcyclohexene. J Chem Soc Perkin Trans 1, 1972:2521 https://doi.org/10.1039/P19720002521 (j) Joseph D, Martarello L, Kirsch G (1995) J Chem Res (M), 9:2001 (k) Klein KP, Demmin TR, Oxenrider BC, Rogic MM, Tetenbaum MT (1979) Nitrosation in organic chemistry. General synthesis of .alpha.-nitroso ketone acetal dimers and .alpha.-oximino ketone acetals and mechanism of their fragmentation reactions. J Org Chem 4:275-285. https://doi.org/10.1021/jo01316a025 (I) Bassett J, Bensted J, Grzeskowiak R (1969) Cobalt, nickel, and copper complexes of the monoximes of some substituted cyclohexane-1,2-diones. J Chem Soc A 1969:2873-2875. https://doi.org/10.1039/J19690002873 (m) Kotera K (1960) Infrared absorption spectra of cyclic diketones. IV. Studies on keto-amine derivatives. Yakugaku Zasshi. 1960:80:1275-8.
- 169. No σ_R value is known for pyrazolyl but the value (0.57) for 2-pyridinyl (ref 39) and positive values are expected for any azaheterocycle with a nitrogen atom in the 2- or 4-position.
- 170. Charton M (1965) The Application of the Hammett Equation to Amidines. J Org Chem 30:969-973. https://doi.org/10.1021/jo01015a003
- 171. Larsen JW, Hepler LG, in Solute-Solvent Interactions eds. Coetzee JF, Ritchie CD, Dekker, New York,1969, Ch.1, p.1.
- 172. Leffler JE, Grunwald E, Rates and Equilibria of Organic Reactions, Wiley, New York, 1964.
- 173. Harley-Mason J, Leeney TJ (1964) Proc Chem Soc 1964:368.
- 174. (a) Nakagawa M, Hino T, (1970) 2-Ethoxy and 2-ethylthioindoles. Autoxidation and nucleophilic substitutions. Tetrahedron, 26:4491-4503. https://doi.org/10.1016/S0040-4020(01)93096-0 (b) Hino T, Nakagawa M, Hashizuma T, Yamaji N, Miwa Y, Tsuneoka K, Akaboshi S (1971) 2-Aminoindoles: Preparation from 2-indolinethiones, tautomerism and autoxidation. Tetrahedron 27:775-787. https://doi.org/10.1016/S0040-4020(01)92472-X
- 175. Kebrle J, Hoffmann K (1956) Beiträge zur Chemie des Indols. 1. Mitteilung. Zur Kenntnis des "2-Aminoindols" □ und einiger seiner Derivate. Helv Chim Acta 39:116-131. https://doi.org/10.1002/hlca.19560390115
- 176. Elguero J, Claramunt RM, Summers AJH (1978) The Chemistry of Aromatic Azapentalenes. Adv Het Chem 22:183-320. https://doi.org/10.1016/S0065-2725(08)60105-1
- 177. Eisch JJ, Gopal H, Kuo KT (1978) Studies on nonpyridinoid azaaromatic systems. 7. Synthesis and tautomeric character of cyclopenta[c]quinoline (benzo[c][2]pyrindine). J Org Chem 43:2190-2196. https://doi.org/10.1021/jo00405a023
- 178. Sigiura S, Inoe S, Goto T (1970) Synthesis of Cypridina Luciferin and Related Compounds. V.: On the Structure of Imidazo [1, 2-α] pyrazine Derivatives. J Pharm Soc Japan 90:431-435. https://doi.org/10.1248/yakushi1947.90.4 431

- 179. (a) Dewar MJS (1965) Chemical reactivity. Adv Chem Phys 8:64-131.

 https://onlinelibrary.wiley.com/doi/10.1002/9780470143544.ch6 (b) Breslow R, Chem Eng News 1965:90 (c)

 Breslow R (1968) Small Antiaromatic Rings. Angew Chem Int Ed Engl 1 7:565-570.

 https://doi.org/10.1002/anie.196805651 (d) Garratt PJ, in ref 138, Vol. 1, p.215.
- 180. (a) Figeys HP (1970) Quantum-chemical studies on the aromaticity of conjugated systems—II: Aromatic and anti-aromatic annulenes: The (4n + 2)-π electron rule Tetrahedron, 1970, 26, 5225-5234. https://doi.org/10.1016/S0040-4020(01)98731-9 (b) Krygowski TM (1970) Aromaticity and classification of pi-electron compounds. Tetrahedron Lett 11:1311-1312. https://doi.org/10.1016/S0040-4039(01)97953-5
- 181. Chen S-J, Fowler FW (1970) Structures of alleged 1,4-dihydropyrazines. J Org Chem 35:3987-3989. https://doi.org/10.1021/jo00836a100
- 182. Long JA, Harris NJ, Lammertsma K (2001) Formaldehyde Oxime

 Nitrosomethane Tautomerism. J Org Chem 66:6762-6767. https://doi.org/10.1021/jo010671v
- 183. Karabatsos GJ, Taller RA (1963) Structural Studies by Nuclear Magnetic Resonance. V. Phenylhydrazones. J Am Chem Soc 85:3624-3629. https://doi.org/10.1021/ja00905a020
- 184. Bellamy AJ, Guthrie RD (1965) Studies on the possible interconversion of phenylhydrazones and phenylazoalkanes. Part I. J Chem Soc 1965:2788-2795. https://doi.org/10.1039/JR9650002788
- 185. Ioffe BV, Stopskij VS (1968) Über die isomerisation von alkyhydrazonen und die hydrazon ⇌ azogleichgewichtslage. Tetrahedron Lett 1333-1338. https://doi.org/10.1016/S0040-4039(01)98949-X
- 186. Houssin R, Bernier J-L, Hénrichart J-P (1985) Synthesis of 2-isopropylidenehydrazinylthiazole and its subsequent annelation to the corresponding thiazolo[2,3-c]-s-triazole. J Heterocyclic Chem 22:1185-1187. https://doi.org/10.1002/jhet.5570220506
- 187. Rekker RF, The Hydrophobic Fragmental Constant, Elsevier, Amsterdam, 19771' C. Hansch and A. J. Leo, Substituent Constants for Correlation Analysis in Chemistry and Biology, Wiley, New York, 1979.
- 188. MEDCHEM 01, Daylight Information Systems, 274O1 Los Altos, Mission Viejo, CA 92691.
- 189. Boyer JH, in The Chemistry of the Nitro and Nitroso Groups, ed. Feuer H, Interscience, New York, 1969, Part 1, p.215.
- 190. Hansch C, Leo A, Taft RW (1991) A survey of Hammett substituent constants and resonance and field parameters. Chem Rev 91:165-195. https://doi.org/10.1021/cr00002a004
- 191. Nielsen AT, in ref. 189, Ch. 7 p.349.
- 192. Lamberton AH (1951) Quart Rev 5:75-98. https://doi.org/10.1039/QR9510500075
- 193. Casanova J in The Chemistry of the Cyano Group, ed. Rappoport Z, Interscience, London, Ch. 16, p.885.
- 194. Moffat JB (1979) The isomers of diazomethane. J Mol Struct 52:275-280. https://doi.org/10.1016/0022-2860(79)80124-6
- 195. Kelly MA, Murray M, Sinnott ML (1982) Substituent effects on tautomerisation constants of alkylaryltriazenes. J Chem Soc Perkin Trans 2 1982:1649. https://doi.org/10.1039/P29820001649
- 196. Folkendt MM, Veiss-Lopez BE, Chauvel JP, True TS (1985) Gas-phase proton NMR studies of keto-enol tautomerism of acetylacetone, methyl acetoacetate, and ethyl acetoacetate. J Phys Chem 89:3347-3352. https://doi.org/10.1021/j100261a038
- 197. (a) Emsley J, Freeman NJ (1987) β-diketone interactions: Part 5. Solvent effects on the keto ≒ enol equilibrium. J Molec Struct 161:193-204. https://doi.org/10.1016/0022-2860(87)85074-3 (b) Abraham, MH, Grellier PL, Abboud J-LM, Doherty RM, Taft RW (1988) Solvent effects in organic chemistry recent developments. Can J Chem 1988 66:2673. https://doi.org/10.1139/v88-420
- 198. One way in which the equations of Appendix 2 differ from those derived by others is that water is invariably omitted. In brief, the reasons are: (a) that water is an extreme and sometimes badly behaved solvent; (b) that

- there is an ongoing dispute concerning its β -value; and (c) that, in the special case of chelation, a severe disagreement between the calculated and (where known) observed log K_T value for aqueous solution may help to establish the extent to which, in water, the chelate is actually formed.
- 199. Unable to trace this reference
- 200. Jones GIL, Owen NL (1973) Molecular structure and conformation of carboxylic esters. J Molec Struct 18:1-32. https://doi.org/10.1016/0022-2860(73)80081-X
- 201. Barker RH, Boudreaux GJ (1967) NMR evidence for cis- trans isomerism in N-methylacetamide. Spectrochim Acta A 73:727-728. https://doi.org/10.1016/0584-8539(67)80326-X
- 202. Note that the first value is statistically corrected whereas the other two are not. Here and elsewhere we crave the reader's indulgence for unannounced switches from one to the other according to what type of comparison we are concerned to make.
- 203. Orihuela S, Sanchez MP, Quiros M, Molina J, Faure R (1997) 4,5,6,7-Tetrahydro-5,7-dioxo-[1,2,4]triazolo-[1,5-a]pyrimidine: characterisation and theoretical study. J Molec Struct 415:285-292. https://doi.org/10.1016/S0022-2860(97)00097-5
- 204. (a) Goerdeler J, Horstmann H (1960) Über die Acylierung von Thiobenzamid, II. Umsetzungen mit Dicarbonsäure-dichloriden. Chem Ber 93:671-678. https://doi.org/10.1002/cber.19600930321 (b) Ziegler E, Steiner E (1964) Synthesen von Heterocyclen, 52. Mitt.: Über Derivate des 2-Phenyl-4-hydroxy-[1,3-thiazinons-(6)]. Monatsch Chem 95:147-155. https://doi.org/10.1007/BF00909260
- 205. The IR spectrum (KBr) of 268 shows a band at 1595 ms "m-1, presumably v(Ph), with other major bands at 1560 cm⁻¹, 1495 cm⁻¹ 1390 cm⁻¹ and 1210 cm⁻¹. There is no band above 1600 cm⁻¹ as would be expected for either 268a or 268b whereas those listed above are suggestive of an enolate anion; cf. 1555 cm⁻¹, 1489 cm⁻¹ and 1417 cm⁻¹ for the anion of acetylone (ref 206).
- 206. Ernstbrunner EE (1970) Vibrational spectra of acetylacetone and its anion. J Chem Soc A 1970:1558-1561. https://doi.org/10.1039/J19700001558
- 207. McLellan AL, Tables of Experimental Dipole Moments, Vol. 1, W. H. Freeman, San Fransisco, 1963; Vol. 2, Rahara Enterprises, El Cerrito, CA 94530, 1974.
- Costantino L, Rastelli G, Rossi MC, Albasini A (1995) Quantitative measurement of proton dissociation and tautomeric constants of apigeninidin. J Chem Soc Perkin Trans 2 1995:227. https://doi.org/10.1039/P29950000227
- 209. (a) S.-F. Tan S-F, Ang K-P, Jayachandran H (1983) Ionization constants of some hydroxypyrones in water and in 80%(w/w) dimethyl sulphoxide—water at 25 °C. J Chem Soc Perkin Trans 2 1983:471-473. https://doi.org/10.1039/P29830000471 (b) Tan S-F, Ang K-P, Jayachandran H, Samrnes MP (1984) Effects of 5-acyl substituents on some properties of pyran-2,4-diones. J Chem Soc Perkin Trans 2 1984:1317-1321. https://doi.org/10.1039/P29840001317
- 210. Katritzky AR, Popp FD, Rowe JB (1966) Potentially tautomeric pyridines. Part VII. Glutaconimide and its methyl derivatives. J Chem Soc B 1966:562-564. https://doi.org/10.1039/J29660000562
- 211. Spinner E, Yeoh GB (1971) Spectroscopic studies of 2,6-dihydroxypyridine and some of its derivatives. Tautomerism in solution, and very strong hydrogen bonding in solid 2,6-dihydroxypyridine and its N-methylated derivative. Aust J Chem 24:2557-2573. https://doi.org/10.1071/CH9712557
- 212. Sterk H, Junek H (1967) Die Tautomerie-Verhältnisse bei Glutazinen. Monatsch Chem 98:1763-1766. https://doi.org/10.1007/BF01167133
- 213. Bischof P, Ekert-Macsič M, Maksič ZB (1981) On the Relative Stability of Ascorbic Acid Tautomers. Z Naturforsch A 36:502-504. https://doi.org/10.1515/zna-1981-0513
- 214. Yamaguchi T, Saito K, Tsujimoto T, Yuki H (1976) NMR spectroscopic studies on the tautomerism in tenuazonic acid analogs. J Heterocyclic Chem 13:533. https://doi.org/10.1002/jhet.5570130323
- 215. Jacobsen JP, Reffstrup T, Boll PM (1977) ¹³C Nuclear Magnetic Resonance Spectra of Some 3-Acyltetronic Acids. Acta Chem Scand B 31:756-760. https://https://doi.org/10.3891/acta.chem.scand.31b-0756

- 216. (a) Gelin S, Pollet P (1980) Tautomerism in acyl tetronic acids. Tetrahedron Lett 21:4491-4494. https://doi.org/10.1016/S0040-4039(00)74531-X (b) Gelin S, Chantegrel B (1981) Synthesis of 3-formyltetronic acid and enamine derivatives. J Heterocyclic Chem 18:663-665. https://doi.org/10.1002/jhet.5570180403
- 217. Pollet PL, Perzanowski HP, Gelin S (1984) Tautomerism in 3-nitrotetronic acids. Spectrochim Acta 1984 40:1007-1009. https://doi.org/10.1016/0584-8539(84)80126-9
- 218. Nolte MJ, Steyn PS, Wessels PL (1980) Structural investigations of 3-acylpyrrolidine-2,4-diones by nuclear magnetic resonance spectroscopy and X-ray crystallography. J Chem Soc Perkin Trans 1 1980:1057-1065. https://doi.org/10.1039/P19800001057
- 219. Barkley JV, Markopoulos J, Markopoulos A (1994) Synthesis, NMR spectroscopic and X-ray crystallographic studies of N-acetyl-3-butanoyltetramic acid. J Chem Soc Perkin Trans 2 1994:1271-1274. https://doi.org/10.1039/P29940001271
- 220. Smith D, Taylor PJ (1979) The vibrational spectroscopy of some highly conjugated systems. Part 7. Conformation and electron distribution in 1,1-diacylethylenes. The phenomenon of vanishing Raman intensity for the carbon double bond. J Chem Soc Perkin Trans 2 1979:1376-1386. https://doi.org/10.1039/P29790001376
- 221. (a) Forsén S, Merényi F, Nilsson M (1964) Spectroscopic Studies on Enols. Part 7. NMR and IR Investigations of Hydrogen Bonding and Tautomerism in Cyclopentane Enols. Acta Chem Scand 18:1208-1221. https://doi.org/10.3891/acta.chem.scand.18-1208 (b) Forsén S, Merényi F, Nilsson M (1967) Spectroscopic Studies on Enols. Part 8. Preferential Ring Enolisation of 2-Formylcyclopentane-1,3-dione. Acta Chem Scand 21:620-624. https://doi.org/10.3891/acta.chem.scand.21-0620
- 222. Forsén S, Nilsson M, in The Chemistry of the Carbonyl Group, Vol. 2, ed Tabicky J, Wiley, London, 1970, Ch. 3, p.157.
- 223. Pelter A, Ward RS, Hansel R, Khaliefi F (1981) Analysis of the tautomeric structures of auronols by ¹³C n.m.r. and comparison with the isomeric flavonols. J Chem Soc Perkin Trans l 1981:3182-3185. https://doi.org/10.1039/P19810003182
- 224. Floris B, in The Chemistry of Enols, ed. Z. Rappoport, Wiley, New York, 1990, Ch. 3 p.147.
- 225. The authors (ref 226) claim 321a but their IR spectrum shows no band above 1690 cm⁻¹, which fits 321b but not 321a.
- 226. Clark BAJ, M. El-Bakoush MS, Parrick J (1974) Diazaindenes (azaindoles.) Part V. Synthesis, spectra, and tautomerism of 1,5-diazainden-4(5H)-one, 1,4- and 1,6-diazainden-2(3H)-one, and some 3-substituted derivatives. J Chem Soc Perkin Trans 1 1974:1531-1536. https://doi.org/10.1039/P19740001531
- 227. Maquestiau, Van Haverbeke AY, Muller RN (1975) Equilibre prototropique de 4-acylisoxazolin- et pyrazolin-5-ones. J Heterocyclic Chem 12:85-90. https://doi.org/10.1002/jhet.5570120114
- 228. Cravero RM, Gonzalez-Sierra M, Olivieri AC (1993) ¹³C NMR spectroscopic study of the tautomeric equilibrium in p-phenyl substituted benzoylacetones. J Chem Soc Perkin Trans. 2 1993:1067-1071. https://doi.org/10.1039/P29930001067
- 229. Bunting JW, Kanter JP (1993) Acidity and tautomerism of β-keto esters and amides in aqueous solution J Am Chem Soc 115:11705-11715. https://doi.org/10.1021/ja00078a008
- 230. George WO, Mansell VG (1968) Nuclear magnetic resonance spectra of acetylacetaldehyde and malondialdehyde. J Chem Soc B 1968:132-134. https://doi.org/10.1039/J29680000132
- 231. Forsén S, Nilsson M (1963) Spectroscopic studies on enols. 5. Spin coupling effects in NMR spectra of hydroxymethylene and anilinomethylene compounds. Arkiv Kemi 19:569.
- 232. Garbisch EW (1965) Strain Effects. I. The Hydroxymethylene Ketone-Aldo Enol Equilibrium. J Am Chem Soc 87:505-510. https://doi.org/10.1021/ja01081a019

- 233. Eberlin AR, Williams DLH (1996) Halogenation and deuterium exchange in ethyl cyanoacetate. Enolisation mechanism and enol reactivity. J. Chem Soc Perkin Trans 2 1996:1043-1046. https://doi.org/10.1039/P29960001043
- 234. Duus F, Anthonsen JW (1977) β-Thioxoketones. I. Preparation and Structure of Thioacetylacetone. Acta Chem Scand B 31:40-46. https://doi.org/10.3891/acta.chem.scand.31b-0040
- 235. Abraham MH, Grellier PL, Prior DV, Duce PP, Morris JJ, Taylor PJ (1989) Hydrogen bonding. Part 7. A scale of solute hydrogen-bond acidity based on log K values for complexation in tetrachloromethane. J Chem Soc Perkin Trans 2 1989:699. https://doi.org/10.1039/P29890000699
- 236. Berg U, Sandstrom, J, Carlsen L, Duus F (1983) β-Thioxoketones. Part 9. A dynamic 1H nuclear magnetic resonance spectroscopic study of thioacetylacetone and related β-thioxoketones. Direct observation of the enol and enethiol tautomeric constituents and their interconversion. J Chem Soc Perkin Trans 2, 1983:1321-1325. https://doi.org/10.1039/P29830001321
- 237. Dalgaard L, Lawesson S-O (1974) Enethiols. VIII. 3-Mercapto-5,5-dimethyl-2-cyclohexen-1-one ("Thiodimedone") and Derivatives. Thermal and Photochemical Rearrangements. Acta Chem Scand Ser B 28:1077-1090. https://doi.org/10.3891/acta.chem.scand.28b-1077
- 238. Carlsen L, Duus F (1978) Conjugative effects on the enol-enethiol tautomerism of β-thioxoketones. J Am Chem Soc 100:281-282. https://doi.org/10.1021/ja00469a048
- 239. Reyes Z, Silverstein RM (1958) A Study of a Thioketo-Thioenol Tautomeric System. I. Ethyl Thiobenzoylacetate. J Am Chem Soc 80:6367-6372. https://doi.org/10.1021/ja01556a051
- 240. Prinzbach OH, Futterer E (1966) The 1, 2- and 1, 3- Dithiolium Ions. Adv Het Chem 7:39-151. https://doi.org/10.1016/S0065-2725(08)60589-9
- 241. El Hammadi A, Mouhtadi ML, Notario R, Werner A, Elguero J (1995) Theoretical calculations on pyrazole derivatives. Part 2. Effect of cationic C-substituents (NH₃⁺ and N₂⁺) on the basicity and tautomerism of pyrazoles J Chem Soc Perkin Trans 2 1995:379-383. https://doi.org/10.1039/P29950000379
- 242. Katritzky AR, Maine FW, Golding S (1965) The Tautomerism of heteroaromatic compounds with five-membered rings—IX: N-unsubstituted pyrazolin-3(5)-ones. Tetrahedron 21:1693-1699. https://doi.org/10.1016/S0040-4020(01)98639-9
- 243. (a) Catalan J, del Valle JC, Claramunt RM, Boyer G, Laynez J, Gomez J, Jimenez, Tomas F, Elguero J (1994) Acidity and Basicity of Indazole and its N-Methyl Derivatives in the Ground and in the Excited State. J Phys Chem 98:10606-10612. https://doi.org/10.1021/j100092a035 (b) Elguero J, Fruchier A, Jacquier R (1967) Azole series. 23. Nucleophilic substitution of nitroaromatic halides by indazole and its derivatives. Bull Soc Chim France, 1967:2619.
- 244. (a) Weis AL, Zamir D (1987) Dihydropyrimidines. 13. Acrolein as a synthon for 6-hydroxytetrahydropyrimidines, 1,4(1,6)-dihydropyrimidines, and pyrimidines. J Org Chem 52:3421-3425. https://doi.org/10.1021/jo00391a047 (b) Weis AL, Frolow F, Vishkautsan R (1986) Dihydropyrimidines. 16. Stability and enamine tautomerism in 1,2- and 2,5-dihydropyrimidines. J Org Chem 51:4623-4626. https://doi.org/10.1021/jo00374a024 (c) Kashima C, Shimizu M, Katoh A, Omote Y (1983) Independent synthesis of three types of N-substituted dihydropyrimidines by desulphurization and their properties. J Chem Soc Perkin Trans 1 1983:1799-1802. https://doi.org/10.1039/P19830001799 (d) Weis AL (1985) Recent Advances in the Chemistry of Dihydroazines. Adv Het Chem 38:1-103. https://doi.org/10.1016/S0065-2725(08)60917-4
- 245. Lloyd D, Cleghorn HP, Marshall DR (1974) 2,3-Dihydro-1,4-diazepines. Adv Het Chem 17:1-26. https://doi.org/10.1016/S0065-2725(08)60905-8
- 246. Lloyd D, McDougall RH, Marshall DR (1965) Diazepines. Part III. Some benzodiazepines. J Chem Soc 1965:3785-3792. https://doi.org/10.1039/JR9650003785
- 247. Jones RA, Katritzky AR (1961) Potentially tautomeric pyridines. Part III. 2-, 3-, and 4-Methanesulphonamidopyridine. J Chem Soc 1961:378-384. https://doi.org/10.1039/JR9610000378

- 248. Jones RA, Katritzky AR (1959) Potentially tautomeric pyridines. Part II. 2-, 3-, and 4-Acetamido- and benzamido-pyridine. J Chem Soc 1959:1317-1323. https://doi.org/10.1039/JR9590001317
- 249. Bacon N, Boulton AJ, Brownlee RTC, Katritsky AR, Topsom RD (1965) Infrared absorption of substituents in heterocyclic systems. Part IX. Amine–imine tautomerism by infrared spectroscopy. J Chem Soc 1965:5230. https://doi.org/10.1039/JR9650005230
- 250. Cook MJ, Katritzky AR, Nadji S (1978) Tautomeric pyridines. Part 22. The effect of intramolecular hydrogen bonding on the tautomeric structure of 4-amino-1,10-phenanthrolines. J Chem Soc Perkin Trans 2 1978:1215-1222. https://doi.org/10.1039/P29780001215
- 251. Batts BD, Spinner E (1969) Spectral and structural studies of 4-aminopyridines substituted at the 4-nitrogen atom. 4-Nitraminopyridine, 4-hydrazinopyridine, and their ions. Aust J Chem 22:2611-2626. https://doi.org/10.1071/CH9692611
- 252. Albert A, Serjeant EP (1962) Ionisation Constants of Acids and Bases, Methuen, London, 1962.
- 253. Tempczyk A, Rak J, Blażejowski J (1990) Prototropic tautomerism in N,N-dimethyl-N'-(1-nitro-9-acridyl)propane-1,3-diamine and its nitro isomers. Application of MNDO and PPP methods for the examination of structure and electronic absorption spectra. J Chem Soc Perkin Trans 2 1990:1501-1508. https://doi.org/10.1039/P29900001501
- 254. Boulton AJ, Fletcher IJ, Katritzky AR (1971) Tautomeric azines. Part V. Cinnolin-3(2H)-one and 3- and 4-aminocinnoline. J Chem Soc B 1971;2344-2350. https://doi.org/10.1039/J29710002344
- 255. Albert A, Goldacre R, Phillips R (1948) The strength of heterocyclic bases. J Chem Soc 1948:2240-2249. https://doi.org/10.1039/JR9480002240
- 256. Albert A (1952) Quantitative studies of the avidity of naturally occurring substances for trace metals. 2. Amino-acids having three ionizing groups. Biochem J 50:690-697. https://dx.doi.org/10.1042%2Fbj0500690
- 257. Brown DJ, Hoerger E, Mason SF (1955) Simple pyrimidines. Part III. The methylation and structure of the aminopyrimidines. J Chem Soc 1955:4035-4040. https://doi.org/10.1039/JR9550004035
- 258. Osborn AR, Schofield K (1956) Cinnolines. Part XXXV. Studies of the chloro- and hydroxy-cinnolines. J Chem Soc 1956:4207-4213. https://doi.org/10.1039/JR9560004207
- 259. Ehrenson S, Brownlee RTC, Taft RW (1973) A Generalized Treatment of Substituent Effects in the Benzene Series. A Statistical Analysis by the Dual Substituent Parameter Equation. Prog Phys Org Chem 10:1-80. https://doi.org/10.1002/9780470171899.ch1
- 260. Knorr R, Ruf F (1985) Synthesen und Tautomerieverhältnisse von β-Keto-enaminen und Vinamidin-Derivaten mit Bornengerüst. Chem Ber 118:4486-4495. https://doi.org/10.1002/cber.19851181119
- 261. (a) Bitter I, Hermecz I, Tóth G, Dvortsák P, Bende Z, Mészáros Z (1979) Nitrogen bridgehead compounds part 14. Acylation of ethyl 6-methyl-4-oxo-6,7,8,9-tetrahydro-pyrido(1,2-a)pyrimidine-3-carboxilate with isocyanates. Tetrahedron Lett 20:5039-5040, https://doi.org/10.1016/S0040-4039(01)86783-6 (b) Tóth G, de la Cruz C, Bitter I, Hermecz I, Pete B, Mészáros Z (1982) Structural studies on 6-methyl-9-carbamoyltetrahydro-4H-pyrido[1,2-a]pyrimidin-4-ones by ¹H, ¹³C and ¹⁵N NMR spectroscopy. Org Magn Res 20:229-234. https://doi.org/10.1002/mrc.1270200408 (c) Tóth G, Szöllősy A, Podányi B, Hermecz I, Horváth A, Mészáros Z, Bitter I (1983) Isomerism of 9-arylaminomethylene-6,7,8,9-tetrahydro-4-oxo-4H-pyrido[1,2a]pyrimidines. J Chem Soc Perkin Trans 2 1983:165-169. https://doi.org/10.1039/P29830000165 (d) Tóth G, Szöllősy A, Szántay C, Hermecz I, Horváth A, Mészáros Z (1983) Nitrogen bridgehead compounds. Part 34. A study of tautomerism in 9-formyltetrahydro-4H-pyrido[1,2-a]pyrimidin-4-ones by ¹H, ¹³C, and ¹⁵N nuclear magnetic resonance spectroscopy. J Chem Soc Perkin Trans 2 1983:1153-1155. https://doi.org/10.1039/P29830001153 (e) Tóth G, Szöllősy A, Podányi B, Hermecz I, Horváth A, Mészáros Z. Bitter I (1983) Nitrogen bridgehead compounds. Part 29. Tautomerism and Z-E isomerism of ethyl 9aminomethylene-4-oxo-6,7,8,9-tetrahydro-4H-pyrido[1,2-a]pyrimidine-3-carboxylates and their homologues. J Chem Soc Perkin Trans 2 1983:1409-1412. https://doi.org/10.1039/P29830001409 (f) Tóth G, Szöllősy A, Hermecz I, Horváth A, Mészáros Z (1985) Tautomerism of 9-formyltetrahydro-4H-pyrido[1,2-a]pyrimidin-4ones and their ring homologues: a ¹H, ¹³C, and ¹⁵N nuclear magnetic resonance study. J Chem Soc Perkin Trans 2 1985:1881-1885. https://doi.org/10.1039/P29850001881

- 262. (a) Koekoesi J, Hermecz I, Podányi B, Szasz G, Mészáros Z (1984) Nitrogen bridgehead compounds. Part 45 [1]. Synthesis of 6-arylhydrazono-6,7,8,9-tetrahydro-11H-pyrido-[2,1-b]quinazolin-11-ones. J Heterocyclic Chem 21:1301-1306. https://doi.org/10.1002/jhet.5570210512 (b) Hermecz I, Koekoesi J, Horváth A, Podányi B, Vasvári-Debreczy L, Szász G, Mészáros Z (1987) Nitrogen bridgehead compounds. Part 72. Straightforward synthesis of 1,2,3,4-tetrahydrorutaecarpine and derivatives J Heterocyclic Chem 24:1045-1051. https://doi.org/10.1002/jhet.5570240427
- 263. (a) Kurasawa Y, Hosaka T, Ikeda K, Matsumoto Y, Ishikura A, Takada A, Kim HS, Okamoto Y (1994) Substituent effects on the tautomer ratios between the hydrazone imine and diazenyl enamine forms in side-chained quinoxalines. J Heterocyclic Chem 31:527-533. https://doi.org/10.1002/jhet.5570310245 (b) Kurasawa Y, Hosaka T, Takada A, Kim HS, Okamoto Y (1994) Substituent effects on the tautomer ratios between the hydra-zone imine and diazenyl enamine forms in 3-(arylhydra-zono)methyl-2-oxo-1,2-dihydroquinoxalines. Correlation of the Hammett constants σ_p with the tautomeric equilibrium constants K_T. J Heterocyclic Chem 31:1661-1665. https://doi.org/10.1002/jhet.5570310665 (c) Kurasawa Y, Hosaka T, Takada A, Kim HS, Okamoto Y (1995) Substituent and solvent effects on the tautomer ratios between the hydrazone imine and diazenyl enamine forms in p- and m-substituted 3-(arylhydrazono)methyl-2-oxo-1,2-dihydroquinoxalines J Heterocyclic Chem 32:445-450. https://doi.org/10.1002/jhet.5570320210
- 264. Kurasawa Y, Takada A, Kim HS, Okamoto Y (1993) Tautomeric structure of 1-methyldihydropyridazino-[3,4-b]quinoxalines in solution. J Heterocyclic Chem. 30:1659-1661. https://doi.org/10.1002/jhet.5570300633
- 265. Kurasawa Y, Kamigaki Y, Kim HS, Yonekura K, Takada A, Okamoto Y (1989) Preferable tautomer of dihydropyrazolo[5, 1-c][1, 2, 4]triazines in solution. J Heterocyclic Chem 26:869-870. https://doi.org/10.1002/jhet.5570260367
- 266. Kurasawa Y, Kim HS, Yonekura K, Takada A, Okamoto Y (1989) Synthesis and tautomeric behavior of 3-(pyrazolylhydrazonomethyl)-2-oxo-1, 2-dihydroquinoxalines. Specification of hydrazone imine and diazenyl enamine forms. J Heterocyclic Chem 26:857-859. https://doi.org/10.1002/jhet.5570260364
- 267. Kurasawa Y, Ishikura A, Ikeda K, Hosaka T, Y. Matsumoto Y, Takada A, Kim HS, Okamoto Y (1994) NMR study on the tautomeric equilibria between the hydrazone imine and diazenyl enamine forms in side chained quinoxalines: Solvent effects and temperature dependence. J Heterocyclic Chem 31:233-238. https://doi.org/10.1002/jhet.5570310139
- 268. Coombes RG, in ref. 138, Vol. 2, Ch. 7, p.305.
- 269. Skulski L, Waclawek W, Szvrowska A (1972) Proton NMR-spectra of azobenzene and some of its p-monosubstituted and p,p'-disubstituted derivatives Tautomerism of para-amino and parahydroxyazobenzenes. Bull Acad Pol Sci Ser Sci Chim 20:463.
- 270. Bershtein IY, Ginzburg OF (1972) Tautomerism of Aromatic Azo-compounds. Russ Chem Rev 41:97-110. https://doi.org/10.1070/RC1972v041n02ABEH002033
- 271. Dedkov YM, Kotov AV (1969) Investigation of the tautomeric equilibrium of 5-aminophenol-<2-azo-1>-naphthol-2. Russ Chem Bull 18:1062-1063. https://doi.org/10.1007/BF00922873
- 272. (a) Smith D, Taylor PJ (1976) The i.r. spectroscopy of some highly conjugated systems—II. Conformational effects in simple enamino-ketones. A note on 4-pyridone. Spectrochim Acta A 32:1477-1488. https://doi.org/10.1016/0584-8539(76)80270-X (b) Smith D, Taylor PJ (1976) The i.r. spectroscopy of some higly conjugated systems—III. Aminocrotonates and vinylogous imides. Spectrochim Acta A 32:1489-1502. https://doi.org/10.1016/0584-8539(76)80271-1
- 273. Sánchez AG, Bellanato J (1975) Infrared and nuclear magnetic resonance absorption and isomerism of 3-aminocrotonic esters. Part III. J Chem Soc Perkin Trans 2 1975:1561-1566. https://doi.org/10.1039/P29750001561
- 274. Sánchez AG, Valle AM, Bellanato J (1971) Infrared absorption and isomerism of 3-aminocrotonic esters. Part I. 3-(Alkylamino)crotonic esters. J Chem Soc B 1971:2330-2335. https://doi.org/10.1039/J29710002330
- 275. Vay P-M (1969) Conformational equilibrium and barrier to internal rotation in β-ethylaminoacraldehyde. J Chem Soc D 1969:861-861. https://doi.org/10.1039/C29690000861

- 276. Freyer W, Köppel H, Radeglia R, Malewski G (1983) ¹H-NMR-, ¹³C-NMR- und IR-Untersuchungen zur Tautomerie von ¹⁵N-markiertem 3-Methyl-1-phenyl-Δ²-pyrazolin-5-on. J Prakt Chem 325:238-250. https://doi.org/10.1002/prac.19833250209
- 277. See Appendix 2 for detailed analysis.
- 278. Azzaro M, Gal JF, Geribaldi S, Loupy A (1982) Transmission of substituent effects through unsaturated systems. 5. Brønsted and Lewis basicities of β-substituted α,β-unsaturated ketones. J Org Chem 47:4981-4984. https://doi.org/10.1021/jo00146a030
- 279. Fatiadi AJ (1970) Conversion of certain cyclic, phenylhydrazino derivatives into phenylazo compounds with periodic acid. J Org Chem 35:831-833. https://doi.org/10.1021/jo00828a069
- 280. Israel M, Jones LC, Modest EJ (1967) Synthesis and tautomeric behavior of dihydropyrido[2,3-b] [1,4] diazepinones. J Heterocyclic Chem 4:659-661. https://doi.org/10.1002/jhet.5570040439
- 281. Seiffert W, Zanker V, Mantsch H (1969) Untersuchungen zur uv-spektroskopie der mono-hydroxyacridine. Tetrahedron 21:1001-1012. https://doi.org/10.1016/S0040-4020(01)82673-9
- 282. Corbett JF (1964) The infra-red and ultra-violet spectra of hydroxyphenazines. Spectrochim Acta A 20:1665-1678. https://doi.org/10.1016/0371-1951(64)80172-7283
- 283. (a) Kim HS, Kurasawa Y, Yoshii C, Masuyama M, Takado A, Okamoto Y (1990) A facile synthesis of novel 1,2-diazepino[3,4-b]quinoxalines by a 1,3-dipolar cycloaddition reaction. J Heterocyclic Chem 27: 819-822. https://doi.org/10.1002/jhet.5570270364 (b) Kim HS, Kurasawa Y, Yoshii C, Masuyama M, Takado A, Okamoto Y (1990) J Heterocyclic Chem 27:2197-2202. https://doi.org/10.1002/jhet.5570270760 (c) Kurasawa Y, Kureyama T, Yoshishiba N, Katoh R, Takada A, Kim HS, Okamoto Y (1993) Synthesis of 1,2-diazepino[3,4-b]quinoxalines and pyrido[3',4':9,8][1,5,6]oxadiazonino[3,4-b]quinoxalines via a 1,3-dipolar cycloaddition reaction. J Heterocyclic Chem 30:537-541. https://doi.org/10.1002/jhet.5570300245
- 284. Finch N, Robison MM, Valerio MP (1972) Synthesis of 4-azaoxindole. J Org Chem 37:51-54. https://doi.org/10.1021/jo00966a014
- 285. Sliwa H, Delaunay L (1977) Influence des interactions entre doublets libres sur la tautomerie d'alcoxy-2 acyl-3 piperideines. Tetrahedron Lett 18:2793-2796. https://doi.org/10.1016/S0040-4039(01)83075-6
- 286. Exner O, in The Chemistry of Double-Bonded Functional Groups, Part 1, ed. S. Patai, John Wiley, New York, 1977, p.1.
- 287. Pople JA, Radom L, Hehre WJ (1971) Molecular orbital theory of the electronic structure of organic compounds. VII. Systematic study of energies, conformations, and bond interactions. J Am Chem Soc 93:289-300. https://doi.org/10.1021/ja00731a001
- 288. (a) Hoffmann R (1971) Interaction of orbitals through space and through bonds. Acc Chem Res 4:1-9. https://doi.org/10.1021/ar50037a001 (b) Larson JR, Epiotis NB, Bernardi F (1978) The importance of σ conjugative interactions in rotational isomerism. J Am Chem Soc 100:5713-5716. https://doi.org/10.1021/ja00486a021
- 289. Since the same correction factors are required for $pK_a(B)$ and $pK_a(D)$ when Z = O, our values for ΔpKa and $(A_{py} A_x)$ are identical in this instance with those of Katritzky et al (ref 150).
- 290. Gordon A, Katritzky AR, Roy SK (1968) Tautomeric pyridines. Part X. Effects of substituents on pyridone–hydroxypyridine equilibria and pyridone basicity. J Chem Soc B 1968:556-561. https://doi.org/10.1039/J29680000556
- 291. Clark J, Perrin DD (1964) Prediction of the strengths of organic bases. Quart Rev Chem Soc 12:295-320. https://doi.org/10.1039/QR9641800295
- 292. Jaffé HH (1953) A Reëxamination of the Hammett Equation. Chem Rev 53:191-261. https://doi.org/10.1021/cr60165a003
- 293. Barlin GB, Pfleiderer W (1971) Ionization constants of heterocyclic substances. Part IX. Protonation of aminopyridones and aminopyrimidones. J Chem Soc Perkin Trans 2 1971:1425-1432. https://doi.org/10.1039/J29710001425

- 294. Katritzky AR, Rowe JD, Roy SK (1967) Potentially tautomeric pyridines. Part IX. The effect of chlorine substituents on pyridone–hydroxypyridine tautomerism. J Chem Soc B, 1967:758-761. https://doi.org/10.1039/J29670000758
- 295. Katritzky AR, Lagowski JM (1963) Prototropic Tautomerism of Heteroaromatic Compounds: I. General Discussion and Methods of Study Adv Het Chem 1:311-338. https://doi.org/10.1016/S0065-2725(08)60528-0
- 296. Gardner JN, Katritzky AR (1957) N-oxides and related compounds. Part V. The tautomerism of 2- and 4-amino- and -hydroxy-pyridine 1-oxide. J Chem Soc 1957:4375-4385. https://doi.org/10.1039/JR9570004375
- 297. Bailey DN, Hercules DM, Eck TD (1967) Electronic spectra of 4-hydroxy-1,5-naphthyridine. Anal Chem 39:877-880. https://doi.org/10.1021/ac60252a012
- 298. Stefaniak L (1976) ¹⁴N and ¹³C NMR of tautomeric systems of hydroxy-pyridines. Tetrahedron 32:1065-1067. https://doi.org/10.1016/S0040-4020(01)83237-3
- 299. Kay LT, Taylor PJ (1968) The synthesis and physical properties of some 2-alkylthio-4-oxoquinoline-3-carboxylate esters. J Chem Soc C 1968:2656-2661. https://doi.org/10.1039/J39680002656
- 300. (a) Staskun B (1961) A New Synthesis of 2-Aryl-3-acetyl-4-hydroxyquinolines Using Polyphosphoric Acid. J Org Chem 26:2791-2794. https://doi.org/10.1021/jo01066a040 (b) Anderson PC, Staskun B (1965) 2-Aryl-3-acetyl-4(1H)-quinolones. J Org Chem 30:3033-3037. https://doi.org/10.1021/jo01020a034
- 301. Müller E, Haller R, Merz KW (1966) Zur Synthese substituierter Pyridone durch Dehydrierung. Chem Ber 99:445-449. https://doi.org/10.1002/cber.19660990211
- 302. Haller R (1965) Zur struktur 2,6-disubstituierter pyridon-(4)-dicarbonsäureester. Tetrahedron Lett 6:3175-3179. https://doi.org/10.1016/S0040-4039(01)89207-8
- 303. Murguly E, Norsten TB, Branda N (1999) Tautomerism of 4-hydroxyterpyridine in the solid, solution and gas phases: an X-ray, FT-IR and NMR study. J Chem Soc Perkin Trans 2 199:2789-2794. https://doi.org/10.1039/A904323C
- 304. Bean GP, Cook MJ, Dand TM, Katritzky AR, Lea JR (1971) Tautomeric pyridines. Part XII. The stabilisation of hydroxy-forms by intramolecular hydrogen-bonding. J Chem Soc B 1971:2339-2344. https://doi.org/10.1039/J29710002339
- 305. Smith D, Taylor PJ, Vause J, Waring WS (1978) Unexpectedly strong hydrogen bonding in some tetrahydro-4,7-phenanthroline-1,10-dione-3,8-dicarboxylic acids. J Chem Soc Chem Comm 1978:369-370. https://doi.org/10.1039/C39780000369
- 306. Katritzky AR, Kusharska HZ, Rowe JD (1965) Potentially tautomeric pyridines. Part VI. 2-, 3-, and 4-Phenacylpyridines. J Chem Soc 1965:3093-3096. https://doi.org/10.1039/JR9650003093
- 307. Chua S-O, Cook MJ, Katritzky AR (1973) Tautomeric pyridines. Part XIV. The tautomerism of 2-benzyl-, 2-benzhydryl-, and 2-anilino-pyridine. J Chem Soc Perkin Trans 2 1973:2111-2114. https://doi.org/10.1039/P29730002111
- 308. Golding S, Katritzky AR, Kucharska HZ (1965) Potentially tautomeric pyridines. Part V. Phenyl 2-, 3-, and 4-picolyl sulphones. J Chem Soc 965:3090-3092. https://doi.org/10.1039/JR9650003090
- 309. Jones RA, Katritzky AR (1964) Potentially tautomeric pyridines. IV. Ethyl 2-, 3-, and 4-pyridyl acetate. Aust J Chem 17:455-460. https://doi.org/10.1071/CH9640455
- 310. Taylor PJ (1977) The infra-red spectroscopy of some highly conjugated systems–V. Conformation and electron distribution in some heterocyclic anhydro-bases. Spectrochim Acta A 33:589-599. https://doi.org/10.1016/0584-8539(77)80133-5
- 311. Feuer H, Lawrence JP (1972) Alkyl nitrate nitration of active methylene compounds. IX. Nitration of alkyl substituted heterocyclic compounds. J Org Chem 37:3662-3670. https://doi.org/10.1021/jo00796a021
- 312. Dabrowski J, Kozerski L (1971) Conformational studies by nuclear magnetic resonance. Part I. The barrier to hindered rotation in 4-dimethylaminobut-3-en-2-one around the C–C single bond. J Chem Soc B 1971:345-348. https://doi.org/10.1039/J29710000345

- 313. Rajappa S (1981) Nitroenamines: Preparation, structure and synthetic potential. Tetrahedron 37:1453-1480. https://doi.org/10.1016/S0040-4020(01)92085-X
- 314. Büchi G, Wüest H (1979) Transformation of nitrimines to acetylenes and allenes. 1,3 Rearrangement of N-nitroenamines to C-nitro compounds. J Org Chem 44:4116-4120. https://doi.org/10.1021/jo01337a021
- 315. Ostercamp DL, Taylor PJ (1985) Vinylogous systems. Part 5. Vibrational spectroscopy of the nitroenamine system. J Chem Soc Perkin Trans 2 1985:1021-1028. https://doi.org/10.1039/P29850001021
- 316. Baldwin S (1961) Infrared and Ultraviolet Absorption Spectra of Enaminonitriles. J Org Chem 26:3288-3295. https://doi.org/10.1021/jo01067a061
- 317. Bellec C, Maitte P, Deswarte S (1981) Structure of beta-ketonitrile derivatives. 2. Hydrazone-enehydrazine tautomerism. Bull Soc Chim France Ser 2 1981:441-448.
- 318. Clark J, Curphey M, Ramsden T (1974) Unusual tautomerism and addition reactions of imidazo- and pyrimido(1,2-A)pyrimidines. Chem Inform 5 Number 47 https://doi.org/10.1002/chin.197447327
- 319. (a) Dudek G, Dudek EP (1971) Spectroscopic studies of keto–enol equilibria. Part XIII. ¹⁵N-substituted imines. J Chem Soc Perkin Trans 2 1971:1356-1360. https://doi.org/10.1039/J29710001356 (b) Dudek G, Dudek EP (1964) Spectroscopic Studies of Keto-Enol Equilibria. VII. Nitrogen-15 Substituted Schiff Bases. J Am Chem Soc 86:4283-4287. https://doi.org/10.1021/ja01074a011 (c) Dudek G, Dudek EP (1966) Spectroscopic Studies of Keto-Enol Equilibria. IX. N15-Substituted Anilides. J Am Chem Soc 88: 2407-2412. https://doi.org/10.1021/ja00963a008
- 320. Nishigaki S, Ichiba M, Shinomura K, Yoneda F (1971) Geometrical isomerism of ethyl N-(2-pyridinyl)aminomethylenecyanoacetates. J Heterocyclic Chem 8:759-762. https://doi.org/10.1002/jhet.5570080515
- 321. Nagahara K, Kawano H, Sasaoka S, Ukawa C, Hirama T, Takada A, Cottam HB, Robins RK (1994) J Heterocyclic Chem 31:239-243. https://doi.org/10.1002/jhet.5570310140
- 322. Wamhoff H, Dürbeck HW, Sohar P (1971) Heterocyclische β-enamino-ester-V: Spektroskopische untersuchungen zur struktur heterocyclischer β-enamino-ester. Tetrahedron 27:5873-5891. https://doi.org/10.1016/S0040-4020(01)91752-1
- 323. Wamhoff H, Materne C (1973) Zur Synthese von Δ²-Thiazolinyl-, Δ²-Oxazolinyl-, Benzoxazolyl- und Perimidinyl-2-essigsäure-äthylestern. Liebigs Ann Chem 1973:573-577. https://doi.org/10.1002/jlac.197319730406
- 324. Ceder O, Stenhede U (1973) On the Structure of Ethyl 4-Imidazolidone-2-acetate. Acta Chem Scand 27:2221-2223. https://doi.org/10.3891/acta.chem.scand.27-2221
- 325. (a) Walter W, Meyer H-W (1975) Imin-Enamin-Tautomerie, IV Untersuchungen zur Thioimidsäureester/Keten-S,N-acetal-Tautomerie. Justus Liebigs Ann Chem 1975:19-35.

 https://doi.org/10.1002/jlac.197519750103 (b) Walter W, Meyer H-W (1975) Imin-Enamin-Tautomerie, V. Lösungsmittel- und Temperaturabhängigkeit der Thioimidsäureester/Keten-S,N-acetal-Tautomerie. Justus Liebigs Ann Chem 1975:36-40. https://doi.org/10.1002/jlac.197519750104326
- 326. Hamberger H, Reinshagen H, Schulz G, Sigmund G (1977) Polare äthylene I die synthese von 4-nitropyridazinen. Tetrahedron Lett 41:3619-3622. https://doi.org/10.1016/S0040-4039(01)83308-6
- 327. Gompper R, Schaefer H (1967) Ketenderivate, XII. Beiträge zur Chemie der Dithiocarbonsäureester und Ketenmercaptale. Chem Ber 100:591-604. https://doi.org/10.1002/cber.19671000228
- 328. Bernhardt P, Koch R, Moloney DWJ, Shtaiwi M, Wentrup C (2002) Twisting and planarization in push–pull ethylenes. J Chem Soc Perkin Trans 2 2002:515-523. https://doi.org/10.1039/B109624A
- 329. Chakrabartty SK, Levine P (1967) The chemistry of pyrazine and its derivatives. XII. The reaction of acetonylpyrazine with phenyllithium in the presence and absence of methyl benzoate. J Heterocyclic Chem 4:109-113. https://doi.org/10.1002/jhet.5570040119
- 330. Bessière-Chrétien Y, Serne H (1973) Preparation and behavior of beta-keto-S-trazines. Bull Soc Chim Fr Ser 2, 1973:2039-2046.

- 331. Kurasawa Y, Takada A, Kim HS (1995) Tautomerism and Isomerism of Heterocycles [2]. Heterocycles 41:2057-2093. https://doi.org/10.3987/REV-95-472
- 332. Mondelli R, Merlini L (1966) Tautomerism in side-chain derivatives of n-heterocycles: NMR and UV spectra—I. Tetrahedron 22:3253-3273. https://doi.org/10.1016/S0040-4020(01)92511-6
- 333. Greenhill JV, Loghmani-Khouzani H, Maitland DJ (1988) Tautomerism in 2-ketomethyl quinolines Tetrahedron 44:3319-3326. https://doi.org/10.1016/S0040-4020(01)85965-2
- 334. Macháček V, Toman J, Klicnar J (1978) Ketimine-enamine tautomerism of 2-methylene-3-oxo-1,2,3,4-tetrahydroquinoxaline derivatives. Coll Czech Chem Comm 43:1634-1638. https://doi.org/10.1135/cccc19781634
- 335. Kurasawa Y, Kureyawa T, Yoshishiba N, Okano T, Takada A, Kim HS, Okamoto Y (1993) A facile synthesis of enol type acyl cyanides via a 1,3-dipolar cycloaddition reaction and a cyano group migration. J Heterocyclic Chem 30:781-787. https://doi.org/10.1002/jhet.5570300329
- 336. Kurasawa Y, Miyashita R, Takada A, Kim HS, Okamoto Y (1995) Substituent effects on the tautomer ratios between the enamine and methylene imine forms in side-chained quinoxalines. J Heterocyclic Chem 32:671-674. https://doi.org/10.1002/jhet.5570320249
- 337. Kolehmainen E, Ośmialowski B, Krygowski TM, Kaupinnen R, Nissinen M, Gawinecki R (2000) Substituent and temperature controlled tautomerism: multinuclear magnetic resonance, X-ray, and theoretical studies on 2-phenacylquinolines. J Chem Soc Perkin Trans 2, 2000:1259-1266. https://doi.org/10.1039/A908874A
- 338. (a) Iwanami Y, Kenjo Y, Nishiba K, Kajiura M, Isoyama S (1964) The Reaction of Acetylenecarboxylic Acid with Amines. XII. On the Hydrolysis of the Products Obtained by the Reactions of Diethyl Acetylenedicarboxylate with Amines. Bull Chem Soc Japan 37:1740-1744.

 https://doi.org/10.1246/bcsj.37.1740 (b) Iwanami Y (1971) The Reaction of Acetylenecarboxylic Acid with Amines. XV. Reaffirmation of the Enamine Structure Facilitated by Intramolecular Hydrogen Bonding Common to the Reaction Products. Bull Chem Soc Japan 44:1311-1313. https://doi.org/10.1246/bcsj.44.1311
- 339. (a) Higashino T, Tamura Y, Nakayama K, Hayashi E (1970) On the Reaction of 1-Chloroisoquinoline and 4-Chloroquinazoline with Several Ketone Carbanions. Chem Pharm Bull Japan 18:1262-1268.

 https://doi.org/10.1248/cpb.18.1262 (b) Higashino T, Hayashi E (1970) Studies on 4-Chloropyrido [2, 3-d] pyrimidine and Pyrido [2, 3-d] pyrimidine. Chem Pharm Bull Japan 18:1457-1464.

 https://doi.org/10.1248/cpb.18.1457
- 340. UV spectrum in EIOH: $\lambda_{max} > 390$ nm. log ϵ 4.3; IR spectrum (no medium given): $\nu(CO)$ 1612 cm⁻¹, 1618 cm⁻¹ and 1620 cm⁻¹ for R = Ph, Me and Pr respectively.
- 341. Albert A (1967) Hydration of C=N bonds in heteroaromatic substances. Angew Chem Intern Ed 6:919-928. https://doi.org/10.1002/anie.196709191
- 342. Klicnar J, Toman J (1981) Ketimine-enamine tautomers of tetrazolo[1,5-a]quinoxaline derivatives. Coll Czech Chem Comm 46:2110-2115. https://doi.org/10.1135/cccc19812110
- 343. (a) von Philipsborn W, Stierlin H, Traber W (1963) Über Protonenresonanz-Spektren von Pteridinen III. Zur Struktur von 9-Acetonylxanthopterin und Erythropterin. Helv Chim Acta 46:2592-2596.

 https://doi.org/10.1002/hlca.19630460716 (b) Merlini L, von Philipsborn W, Visconti M (1963) Über Pterinchemie. 8. Mitteilung. Struktur und Protonenresonanz-Spektren einiger Xanthopterinderivate. Helv Chim Acta 46:2597-2604. https://doi.org/10.1002/hlca.19630460717
- 344. Brugger M, Wamhoff H, Korte F (1972) 1.2.4-Triazine, II. Kondensierte 1.2.4-Triazinone durch Umsetzung von heterocyclischen Amidrazonen mit ungesättigten Dicarbonsäureestern. Justus Liebigs Ann Chem 757:100-108. https://doi.org/10.1002/jlac.19727570112
- 345. Rashed N, El Massry AM, El Ashry ESH, Amer A, Zimmer H (1990) A facile synthesis of novel triazoloquinoxahnones and triazinoquinoxalinones. J Heterocyclic Chem 27:691-694. https://doi.org/10.1002/jhet.5570270339
- 346. (a) Le Count DJ, Greer AT (1973) Existence of alternative tautomers of heterocyclic hydrazine derivatives in the crystalline state. Tetrahedron Lett 14:2905-2906. https://doi.org/10.1016/S0040-4039(01)96278-1 (b) Le

- Count DJ, Greer AT (1974) Cyclisation of heterocyclic hydrazones prepared from dimethyl acetylenedicarboxylate. J Chem Soc Perkin Trans 1 1974:297-301. https://doi.org/10.1039/P19740000297
- 347. Le Count DJ, Taylor PJ (1975) The infrared spectra of fused 1,2,4-triazin-5-ones. Tetrahedron 31:433-435. https://doi.org/10.1016/0040-4020(75)80056-1
- 348. Lemieux R, Puskas I (1964) Substituted hydantoins and orotic acids. Can J Chem 42:2909-2913. https://doi.org/10.1139/v64-433
- 349. Hamana M (1982) Studies on Tertiary Amine Oxides. LXXV. Reactions of Aromatic N-oxides with Meldrum's Acid in the Presence of Acetic Anhydride. Chem Pharm Bull Japan 30:1680-1691. https://doi.org/10.1248/cpb.30.1680
- 350. Longridge JL (1970) Kinetics of α -hydrogen exchange of sodium α -[4-(4-bromophenyl)-thiazol-2-yl]propionate in D₂O solutions. J Chem Soc B 1970:200-204. https://doi.org/10.1039/J29700000200
- 351. Tóth G, Szöllősy A, Szántay C, Hermecz I, Horváth A, Mészáros Z (1983) Nitrogen bridgehead compounds. Part 34. A study of tautomerism in 9-formyltetrahydro-4H-pyrido[1,2-a]pyrimidin-4-ones by ¹H, ¹³C, and ¹⁵N nuclear magnetic resonance spectroscopy. J Chem Soc Perkin Trans 2 1983:1153-1155. https://doi.org/10.1039/P29830001153
- 352. Hermecz I, Koekoesi J, Horváth A, Podányi B, Vasvari-Debreczy L, Mészáros Z, Szász G, Kökösi J (1987) Nitrogen bridgehead compounds. Part 72. Straightforward synthesis of 1,2,3,4-tetrahydrorutaecarpine and derivatives. J Heterocyclic Chem 24:1045-1051. https://doi.org/10.1002/jhet.5570240427
- 353. Horváth K, Kökösi J, Hermecz I (1989) Nitrogen bridgehead compounds. Part 75. Study of tautomerism of 9-oxalyl derivatives of condensed pyrimidinones by ¹H and ¹³C nuclear magnetic resonance and ultraviolet spectroscopy. J Chem Soc Perkin Trans 2 1989:1613-1616. https://doi.org/10.1039/P29890001613
- 354. Antonov L, Fabian WMF, Nedeltcheva D, Kamounah FS (2000) Tautomerism of 2-hydroxynaphthaldehyde Schiff bases. J Chem Soc Perkin Trans 2, 2000:1173-1179. https://doi.org/10.1039/B000798F
- 355. Joshi H, Kamounah FS, van der Zwan G, Gooijer C, Antonov L (2001) Temperature dependent absorption spectroscopy of some tautomeric azo dyes and Schiff bases. J Chem Soc Perkin Trans 2 2001:2303-2308. https://doi.org/10.1039/B106241G
- 356. Antonov L, Fabian WFM, Taylor PJ (2005) Tautomerism in some aromatic Schiff bases and related azo compounds: an LSER study. J Phys Org Chem 18:1169-1175. https://doi.org/10.1002/poc.965
- 357. Vargas V, Amigo L (2001) A study of the tautomers of N-salicylidene-p-X-aniline compounds in methanol. J Chem Soc Perkin Trans 2 2001:1124-1129. https://doi.org/10.1039/B101041G
- 358. Greenhill JV (1977) Enaminones. Chem Soc Rev 6:277-294. https://doi.org/10.1039/CS9770600277
- 359. Alarcón SH, Olivieri AC, González-Sierra M (1994) ¹³C NMR spectroscopic and AM1 study of the intramolecular proton transfer in anils of salicylaldehyde and 2-hydroxynaphthalene-1-carbaldehyde. J Chem Soc Perkin Trans 2 1994:1067-1070. https://doi.org/10.1039/P29940001067
- 360. Dudek GO, Holm RH (1961) A nuclear magnetic resonance study of keto-enol equilibria in Schiff bases. J Am Chem Soc 83:3914-3914. https://doi.org/10.1021/ja01479a051
- 361. (a) Vickery B, Willey GR, Drew MGB (1981) Crystal and molecular structures of butan-2-one p-nitrophenylhydrazone (1), propanal 2,4-dinitrophenylhydrazone (2), dimethyl 2-oxo-propanedioate phenylhydrazone (3), and dimethyl 2-oxopropanedioate 2,4-dinitrophenylhydrazone (4): hydrogen bonding and bond order in phenylhydrazones. J Chem Soc Perkin Trans 2 1981:155-160. https://doi.org/10.1039/P29810000155 (b) Vickery B, Willey GR, Drew MGB (1981) Phenylhydrazone derivatives of Meldrum's acid: crystal and molecular structures of 2,2-dimethyl-1,3-dioxan-4,5,6-trione 5-(2-nitrophenylhydrazone)(1) and 2,2-dimethyl-1,3-dioxan-4,5,6-trione 5-(2-chlorophenylhydrazone)(2). J Chem Soc Perkin Trans 2 1981:1454-1458. https://doi.org/10.1039/P29810001454 (c) Drew MGB, Vickery B, Willey GR (1982) Phenylhydrazone derivatives of dimedone: hydrogen bonding, spectral (13 C and 1 H nuclear magnetic resonance) and conformational considerations. Crystal and molecular structures of 5,5-dimethylcyclohexane-1,2,3-trione 2-(4-methylphenylhydrazone)(1) and 5,5-dimethylcyclohexane-1,2,3-trione

- 2-(4-nitrophenylhydrazone)(2). J Chem Soc Perkin Trans. 2 1982:1297-1303. https://doi.org/10.1039/P29820001297
- 362. Lestina GJ, Regan TH (1969) Determination of the azo-hydrazono tautomerism of some 2-pyrazolin-5-one dyes by means of nuclear magnetic resonance spectroscopy and ¹⁵N-labeled compounds. J Org Chem 34:1685-1986. https://doi.org/10.1021/jo01258a033
- 363. Bekárek V, Dobáš J, Socha J, Vetesnik P, Vešeřa M (1970) Reactivity of organic azo-compounds. X. NMR study on azo-hydrazone tautomeric equilibrium in hydroxyazo-compounds. Coll Czech Chem Comm 35:1406-1414. https://doi.org/10.1135/cccc19701406
- 364. Yoder CH, Barth RC, Richter WM, Snavely FA (1972) Nuclear magnetic resonance study of some nitrogen-15 substituted azo heterocycles. J Org Chem 25:4121-4123. https://doi.org/10.1021/jo00798a034
- 365. Antonov L, Stoyanov S, Stoyanova T (1995) Tautomeric equilibrium in 1-phenylazo-2-naphthol—A quantitative study. Dyes Pigm 27:133-142. https://doi.org/10.1016/0143-7208(94)00042-Z
- 366. Antonov L, Stoyanov S (1995) Azo-quinonehydrazone tautomerism in 2-phenylazo-1-naphthol. Dyes Pigm 28:31-39. https://doi.org/10.1016/0143-7208(94)00076-E
- 367. (a) Stoyanov S, Antonov L (1989) Quantitative analysis of azo-quinonehydrazone tautomeric equilibrium. Dyes Pigm 10:33-45. https://doi.org/10.1016/0143-7208(89)85038-7 (b) Antonov L, Kawauchi S, Satoh M, Komiyama J (1998) Theoretical investigations on the tautomerism of 1-phenylazo-4-naphthol and its isomers . Dyes Pigm 1998 38:157-164. https://doi.org/10.1016/S0143-7208(97)00082-X (c) Antonov L, Kawauchi S, Satoh M, Komiyama J (1999) Ab initio modeling of the solvent influence on the azo-hydrazone tautomerism. Dyes Pigm 40:163-170. https://doi.org/10.1016/S0143-7208(98)00044-8
- 368. Korewa R, Urbanska H (1972) Rocz Chem 46:2007.
- 369. Saeva FD (1971) Tautomeric Behavior Comparison of 4-Phenylazo-1-naphthol and 1-Phenylazo-2-naphthol Systems by Nucear Magnetic Resonance. J Org Chem 36:3842-3843. https://doi.org/10.1021/jo00823a620
- 370. Berrie AH, Hampson P, Longworth SW, Mathias A (1968) Tautomerism in 1-phenylazo-2-naphthols by use of nitrogen-14 nuclear magnetic resonance data. J Chem Soc B 1968:1308-1310. https://doi.org/10.1039/J29680001308
- 371. Antonov L, Nedeltcheva D (2000) Resolution of overlapping UV–Vis absorption bandsand quantitative analysis. Chem Soc Rev 29:217-227. https://doi.org/10.1039/A900007K
- 372. Manda E (1971) Substituents Effects on the Azo-Hydrazone Tautomerism of 4-Arylazo-2,6-di-t-butylphenols. Bull Chem Soc Japan 44:1620-1623. https://doi.org/10.1246/bcsj.44.1620
- 373. Craik DJ, Brownlee RTC (1983) Substituent Effects on Chemical Shifts in the Sidechains of Aromatic Systems. Prog Phys Org Chem 14:1-73. https://doi.org/10.1002/9780470171936.ch1
- 374. Ershov VV, Nikiforov GA (1966) Tautomeric transformations of phenols. Russ Chem Revs 35:817-832. https://doi.org/10.1070/RC1966v035n11ABEH001541
- 375. Hunt R, Reid ST (1970) The photorearrangement of 2-nitrofuran and 2-nitropyrrole. J Chem Soc D 1970:1576-1577. https://doi.org/10.1039/C2970001576B
- 376. Cox JM, Elvidge JA, Jones SHE (1964) Heterocyclic imines and amines. Part X. 1,3-Diaminoisoquinoline, and the fine structures of related nitroso-compounds and pyridine derivatives. J Chem Soc 1964:1423-1430. https://doi.org/10.1039/JR9640001423
- 377. Minkin VI, Garnovskii AD, Elguero J, Katritzky AR, Denisko OV (2000) The Tautomerism of Heterocycles: Five-membered Rings with Two or More Heteroatoms. Adv Het Chem 76:157-323. https://doi.org/10.1016/S0065-2725(00)76005-3
- 378. Abraham MH, Andonian-Haftvan J, Whiting GS, Leo A, Taft RW (1994) Hydrogen bonding. Part 34. The factors that influence the solubility of gases and vapours in water at 298 K, and a new method for its determination. J Chem Soc Perkin Trans 2 1994:1777-1791. https://doi.org/10.1039/P29940001777

- 379. (a) Beak P, Covington JB (1978) Solvent effects on protomeric equilibriums: quantitative correlation with an electrostatic hydrogen-bonding model. J Am Chem Soc 100:3961-3963. https://doi.org/10.1021/ja00480a069 (b) Beak P, Covington JB (1980) J Org Chem 1980. 45:1347-1353. https://doi.org/10.1021/jo01296a001
- 380. Perrin DD, Dissociation Constants of Organic Eases in Aqueous Solution, Butterworths, London, 1970.
- 381. Albert A, Barlin GB (1959) Ionization constants of heterocyclic substances. Part III. Mercapto-derivatives of pyridine, quinoline, and isoquinoline. J Chem Soc 1959:2384-2396. https://doi.org/10.1039/JR9590002384
- 382. (a) Albert A, Barlin GB (1962) Ionization constants of heterocyclic substances. Part V. Mercapto-derivatives of diazines and benzodiazines. J Chem Soc 1962:3129-3141. https://doi.org/10.1039/JR9620003129 (b) Barlin GB, Young AC (1971) J Chem Soc Perkin Trans 2 1971:1261-1264. https://doi.org/10.1039/J29710001261
- 383. Acheson RM, Burstall ML, Jefford CW, Sansom BF (1954) Some tautomeric acridines. J Chem Soc 1954:3742-3746. https://doi.org/10.1039/JR9540003742
- 384. Goerdeler J, Mittler W (1963) Über Isothiazole, III. Synthese von 3-Hydroxy-, 3-Alkoxy- und 3-Aminoisothiazolen. Chem Ber 96:944-954. https://doi.org/10.1002/cber.19630960405
- 385. Nivorozhkin A, Toftlund H, Stein PC, Jensen F (1993) Influence of the chalcogenocarbonyl group on the structure of heterocyclic analogues of β-tricarbonyl compounds. Synthesis and structural features of Schiff bases derived from 3-formyl-4-thio(seleno)coumarin. J Chem Soc Perkin Trans 2, 1993:2423-2428. https://doi.org/10.1039/P29930002423
- 386. (a) Streitweiser A, Ewing SP (1975) Equilibrium ion pair acidities of dithianes in cyclohexylamine. J Am Chem Soc 97:190-191. https://doi.org/10.1021/ja00834a034 (b) Streitweiser A, Williams JE (1975) Ab initio SCF-MO calculations of thiomethyl anion. Polarization in stabilization of carbanions. J Am Chem Soc 97:191-192. https://doi.org/10.1021/ja00834a035
- 387. Taft RW, Anvia F, Taagapera M, Cataldn J, Elguero J (1986) Electrostatic proximity effects in the relative basicities and acidities of pyrazole, imidazole, pyridazine, and pyrimidine. J Am Chem Soc 108:3237-3239. https://doi.org/10.1021/ja00272a013
- 388. Besford L, Allen G, Bruce JM (1963) Heterocyclic compounds of nitrogen. Part VI. The structures of some dihydrocinnolines. J Chem Soc 1963:2867-2870. https://doi.org/10.1039/JR9630002867
- 389. Jonás J, Gut J (1962) Nucleic acid components and their analogues. XVI. Dissociation constants of uracil, 6-azauracil, 5-azauracil and related compounds. Coll Czech Chem Comm 1962, 716-723. https://doi.org/10.1135/cccc19620716
- 390. Roumestant ML, Ph.D Thesis, University of Montpellier, France, 1965.
- 391. (a) Kroger CF, Freiburg W (1967) Die Tautomerie des 1,2,4-triazoles. Chimia 21:161 (b) Kroger CF, Freiburg W (1965) Ionisationskonstanten von 1, 2, 4-Triazolen. Z Chem 5:381-382. https://doi.org/10.1002/zfch.19650051012
- 392. Barlin GB (1967) The relative electron-releasing power of a singly bound, and the electron-attracting power of a doubly bound nitrogen atom when present in the same five-membered ring. J Chem Soc B 1967:641-647. https://doi.org/10.1039/J29670000641
- 393. Fritz H (1984) ¹⁵N NMR Spectroscopy Applications in Heterocyclic Chemistry. Bull Soc Chin Belges 93:559-569. https://doi.org/10.1002/bscb.19840930704
- 394. Åkerblom E, Sandberg M (1965) Alkyl Derivatives of 3-Amino-5-(2-furyl)-1,2,4-triazole. Part III. A Spectrochemical Study of Tautomerism. Acta Chem Scand 19:1191-1204. https://doi.org/10.3891/acta.chem.scand.19-1191
- 395. Mazeika I, Cipens G, Hilliers S (1966) Khim Geterosikl Soedin 5:766.
- 396. Sorescu DC, Bennett CM, Thompson DL (1998) Theoretical Studies of the Structure, Tautomerism, and Vibrational Spectra of 3-Amino-5-nitro-1,2,4-triazole. J Phys Chem A 102:10348-10357. https://doi.org/10.1021/jp9824712

- 397. Cox JR, Woodcock S, Hillier IH, Vincent MA (1990) Tautomerism of 1,2,3- and 1,2,4-triazole in the gas phase and in aqueous solution: a combined ab initio quantum mechanics and free energy perturbation study. J Phys Chem 94:5499-5501. https://doi.org/10.1021/j100377a016
- 398. Wofford DS, Forkey DM, Russell JG (1982) ¹⁵N NMR spectroscopy: prototropic tautomerism of azoles. J Org Chem 47:5132-5137. https://doi.org/10.1021/jo00147a018
- 399. Lunazzi L, Parisi F, Macciantelli D (1984) Conformational studies by dynamic nuclear magnetic resonance spectroscopy. Part 27. Kinetics and mechanism of annular tautomerism in isomeric triazoles. J Chem Soc Perkin Trans 2 1984:1025-1028. https://doi.org/10.1039/P29840001025
- 400. Parchment OG, Hillier IH, Green DVS, Burton NA, Morley JO, Schaefer HF (1992) A theoretical study, using ab initio methods, of tautomerism in 3-amino-1,2,4-triazole in the gas phase and in aqueous solution. J Chem Soc Perkin Trans 2 1992:1681-1684. https://doi.org/10.1039/P29920001681
- 401. Kubota S, Uda M (1973) 1, 2, 4-Triazoles. III. The Tautomerism of 3-Phenyl-1, 2, 4-triazolin-5-one, 3-Phenyl-1, 2, 4-triazoline-5-thione and Their N-Methyl Derivatives. Chem Pharm Bull Japan 21:1342-1350. https://doi.org/10.1248/cpb.21.1342
- 402. Begtrup M (1974) ¹³ C–H coupling constants as a tool in studies of azole tautomers. J Chem Soc Chem. Comm., 1974:702-703. https://doi.org/10.1039/C39740000702
- 403. Begtrup M, Nielsen CJ, Nygaard L, Samdal S, Sjøgren CE, Sørensen GO (1988) The Molecular Structure and Tautomer Equilibrium of Gaseous 1,2,3-Triazole Studied by Microwave Spectroscopy, Electron Diffraction and Ab Initio Calculations. Acta Chem Scand A 42:500-514. https://doi.org/10.3891/acta.chem.scand.42a-0500
- 404. Witanowski W, Stefaniak LS, Januszewski H, Grabowski Z, Webb GA (1972) Nitrogen-14 nuclear magnetic resonance of azoles and their benzo-derivatives. Tetrahedron 28:637-653. https://doi.org/10.1016/0040-4020(72)84027-4
- 405. Tomás F, Abboud J-LM, Laynez J, Notario R, Santos L, Nilsson SO, Catalán J, Claramunt RM, Elguero J (1989) Tautomerism and aromaticity in 1,2,3-triazoles: the case of benzotriazole. J Am Chem Soc 111:7348-7353. https://doi.org/10.1021/ja00201a011
- 406. Elguero J, Marzin C, Roberts JD (1974) Carbon-13 magnetic resonance studies of azoles. Tautomerism, shift reagent effects, and solvent effects. J Org Chem 39:357-363. https://doi.org/10.1021/jo00917a017
- 407. Krugh WD, Gold LP (1974) The microwave spectrum of tetrazole. J Mol Spectrosc 49:423-431. https://doi.org/10.1016/0022-2852(74)90022-8
- 408. Butler RN, Garvin VC, Lumbroso H, Liégeois C (1984) A substituent correlation and medium effects on the annular tautomerism of substituted 5-aryltetrazoles: the nitrogen analogues of benzoic acids. A carbon-13 n.m.r. and dipole moment study. J Chem Soc Perkin Trans 2 1984:721-725. https://doi.org/10.1039/P29840000721
- 409. Bojarska-Olejnik E, Stefaniak L, Witanowski M, Hamdi B, Webb CA (1985) Applications of ¹⁵N NMR to a study of tautomerism in some monocyclic azoles. Org Magn Reson 23:166-169. https://doi.org/10.1002/mrc.1260230307
- 410. Catalán J, de Paz JLG, Elguero J (1996) Importance of aromaticity on the relative stabilities of indazole annular tautomers: an ab initio study. J Chem Soc Perkin Trans 2 1996:57-60. https://doi.org/10.1039/P29960000057
- 411. Dodin D, Dreyfus M, Bensaude O, Dubois J-E (1977) Tautomerism of neutral and cationic N-substituted 4-aminopyrazolo[3,4-d]pyrimidines. J Am Chem Soc 99:7257-7265. https://doi.org/10.1021/ja00464a027
- 412. Schilf W, Stefaniak L, Witanowski M, Webb GA (1985) A study of the tautomeric equilibria of 3-unsubstituted benzazoles by means of nitrogen NMR. Bull Pol Acad Sci Chem 33:437-442.
- 413. Giordano F, Zagari A (1978) Crystal and molecular structure of benzotriazol-2-ylacetic acid: comparison between benzotriazol-1- and -2-yl systems. J Chem Soc Perkin Trans 2 1978:312-315. https://doi.org/10.1039/P29780000312

- 414. L'abbé G, Persoons MA, Toppet S (1987) Study of the prototropic tautomerism of 8-azatheophylline by ¹³C and ¹⁵N NMR spectroscopy. Magn Reson Chem 25:362-364. https://doi.org/10.1002/mrc.1260250418
- 415. Banert K, Lehmann J, Quast H, Meichsner G, Regnat D, Seiferling B (2002) ¹⁵N NMR spectra, tautomerism and diastereomerism of 4,5-dihydro-1*H*-1,2,3-triazoles. J Chem Soc Perkin Trans 2 2002:126-134. https://doi.org/10.1039/B107326E
- 416. Ridd JH, Smith BV (1960) The mechanisms of N-substitution in glyoxaline derivatives. Part III. Factors determining the orientation of N-methylation in substituted glyoxalines and benzimidazoles. J Chem Soc 1960:1363-1369. https://doi.org/10.1039/JR9600001363
- 417. (a) B. Pullman B, Berthod H, Bergmann F, Neiman Z, Weiler-Feilchenfeld H, Bergmann ED (1970) Electronic structure of purine tautomers. Tetrahedron 26:1483-1491 https://doi.org/10.1016/S0040-4020(01)92977-1 (b) Pugmire RJ, Grant DM (1971) J Am Chem Soc 93:1880-1887. https://doi.org/10.1021/ja00737a008 (c) Eastman JW (1969) The fluorescence and tautomerism of adenine. Ber Bunsenges Phys Chem 73:407-412. https://doi.org/10.1002/bbpc.19690730416
- 418. (a) B. Pullman B and A. Pullman A (1971) Electronic Aspects of Purine Tautomerism. Adv Heterocyclic Chem 13:77-159. https://doi.org/10.1016/S0065-2725(08)60349-9 (b) Yutilov YM, Kal'nitskii NR, Bystrova RM (1971) Khim Geterosikl Soedin 1971:1436.
- 419. (a) Chenon MT, Pugmire RJ, Grant DM, Panzica RP, Townsend LB (1975) Carbon-13 magnetic resonance. XXV. Basic set of parameters for the investigation of tautomerism in purines established from carbon-13 magnetic resonance studies using certain purines and pyrrolo[2,3-d]pyrimidines. J Am Chem Soc 1975, 97:4627-4636. https://doi.org/10.1021/ja00849a027 (b) Chenon MT, Pugmire RJ, Grant DM, Panzica RP, Townsend LB (1975) Carbon-13 magnetic resonance. XXVI. Quantitative determination of the tautomeric populations of certain purines. J Am Chem Soc 1975 97:4636-4642. https://doi.org/10.1021/ja00849a028
- 420. (a) Reichmann U, Bergmann F, Lichtenberg D (1973) Tautomerism, ionisation, and methylation of 2-(methylthio)- and 2,8-bis(methylthio)-hypoxanthine. J Chem Soc Perkin Trans 1 1973:2647-2655.

 https://doi.org/10.1039/P19730002647 (b) Lichtenberg D, Bergmann F, Neiman Z (1973) Tautomerism and ionisation processes in 6-methylthio-2-oxopurines. J Chem Soc Perkin Trans 1 1973:2445-2448.

 https://doi.org/10.1039/P19730002445 (c) Lichtenberg D, Bergmann F, Neiman Z (1971) Tautomeric forms and ionisation processes in xanthine and its N-methyl derivatives. J Chem Soc C 1971: 1676-1682.

 https://doi.org/10.1039/J39710001676 (d) Weiler-Falchenfeld H, Neiman Z (1970) Dipole moments and electronic structure of some xanthine and thioxanthine derivatives. J Chem Soc B 1970:596-598.

 https://doi.org/10.1039/J29700000596
- 421. (a) Lichtenberg D, Bergmann F, NeimannZ (1972) New Observations on Tautomerism and Ionization Processes in Hypoxanthines and 6-Thiopurines. Isr J Chem 20:805-817. https://doi.org/10.1002/ijch.197200081 (b) Lichtenberg D, Bergmann F, Neiman Z (1972) Tautomerism and ionization processes in 6-thioxanthine and its N-methyl derivatives. J Chem Soc Perkin Trans. 2 1972:1676-1682. https://doi.org/10.1039/P29720001676 (c) Kozlowski DL, Singh P, Hodgson DJ (1974) Aza analogs of nucleic acid constituents. V. The crystal and molecular structure of 8-azaguanine hydrochloride monohydrate. Acta Crystallogr B 30:2806-2811. https://doi.org/10.1107/S0567740874008211
- 422. Dreyfus M, Dodin G, Bensaude O, Dubois J-E (1977) Tautomerism of purines. 2. Amino-imino tautomerism in 1-alkyladenines. J Am Chem Soc 99:7027-7037. https://doi.org/10.1021/ja00463a043
- 423. (a) Charton M (1965) Electrical Effects of ortho Substituents in Imidazoles and Benzimidazoles. J Org Chem 30:3346-3350. https://doi.org/10.1021/jo01021a020 (b) Ganellin CR (1973) The tautomer ratio of histamine. J Pharm Pharmacol, 25:787-792. https://doi.org/10.1111/j.2042-7158.1973.tb09942.x (c) Durant GJ, Ganellin CR, Parsons ME (1975) Chemical differentiation of histamine H₁- and H₂-receptor agonists. J Med Chem 18:905-909. https://doi.org/10.1021/jm00243a009 (d) Richards WG, Wallis J, Ganellin CR (1979) Imidazole geometry and the calculation of tautomer preference for histamine. Eur J Med Chem 14: 9-12.
- 424. Claramunt RM, Santa Maria MD, Infantes L, Cano FH, Elguero J (2002) The annular tautomerism of 4(5)-phenylimidazole. J Chem Soc Perkin Trans 2 2002:564-568. https://doi.org/10.1039/B109079H

- 425. Abboud J-LM, Cabildo P, Cafiada T, Catalán J, Claramunt RM, de Paz JLG, Elguero, Homan H, Notario R, Toiron C, Yranzo GI (1992) Basicity of C-substituted pyrazoles in the gas phase: an experimental (ICR) and theoretical study. J Org Chem 57:3938-3946. https://doi.org/10.1021/jo00040a040
- 426. Fayet J-P, Vertut M-C, Claramunt RM, Fabrega JM, Knutsson L (1975) 10 PI-ELECTRON AROMATIC SYSTEMS DERIVED FROM 3A-AZAPENTALENE. 20. ANNULAR TAUTOMERISM OF 6-METHYL-IMIDAZO [1, 2-B] PYRAZOLE AND 6-METHYL-PYRAZOLO [3, 2-C] S-TRIAZOLE. Bull Soc Chim France 1975:393.
- 427. Fayet J-P, Vertut M-C, Mauret P, Mendoza J, Elguero J (1975) Systèmes aromatiques à 10 électrons π dérivés de l'aza-3a-pentalène. XIII. Etude de la tautomérie annulaire du *s*-triazolo[4,3-*a*]benzimidazole et du pyrazolo[1,5-*a*]benzimidazole à partir des mesures des moments dipolaires. J Heterocyclic Chem 12:197-198. https://doi.org/10.1002/jhet.5570120142
- 428. J. Mendoza J, Elguero J (1974) MENDOZA J, ELGUERO J. 10PI ELECTRON AROMATIC SYSTEMS DERIVED FROM AZA-3A-PENTALENE. 10. SERIES OF S-TRIAZOLO [4, 3-A] BENZIMIDAZOLE. Bull Soc Chim Fr 1974:1675.
- 429. Claramunt RM, Fayet J-P, Vertut M-C, Mauret P, Elguero J (1975) Systemes aromatiques a 10 electrons π derives de l'aza-3a pentalene—XVIII : Recherches dans la serie du *s*-triazolo[4,3-b]*s*-triazole. Tetrahedron 31:545-548. https://doi.org/10.1016/0040-4020(75)85027-7
- 430. Reimlinger H (1970) 1.5-Dipolare Cyclisierungen, I. Begriffsbestimmung und Beiträge zur Imidazid/Tetrazol-Tautomerie. Chem Ber 108:1900-1907. https://doi.org/10.1002/cber.19701030629
- 431. Middleton WJ, Metzger J (1970) Novel synthesis of a dihydrotetrazapentalene from trifluoroacetonitrile and sodium cyanide. J Org Chem 35:3985-3987. https://doi.org/10.1021/jo00836a099
- 432. Spinner E, Yeoh GB (1971) Pyridone–pyridol tautomerism in 2-hydroxypyridines with [5,6]-annelated rings and carbon atoms at positions [5] and [6]: 1,3-dihydro-5-hydroxyfuro[3,4-b]pyridine, 1,3-dihydro-5-hydroxythieno[3,4-b]pyridine, 3,4-b]pyridine, and 1,3-dihydro-5-hydroxythieno[3,4-b]pyridine S,S-dioxide. J Chem Soc B 1971:289-296. https://doi.org/10.1039/J29710000289
- 433. Nowak MJ, Lapinski L, Fulara J, Les A, Adamowicz J (1992) Matrix isolation IR spectroscopy of tautomeric systems and its theoretical interpretation: 2-hydroxypyridine/2(1H)-pyridinone. J Phys Chem 96:1562-1569. https://doi.org/10.1021/j100183a015
- 434. Parchment OG, Burton NA, Hillier IH, Vincent MA (1993) Predictions of tautomeric equilibria in 2-hydroxypyridine and pyridine-2-thiol: correlation effects and possible discrepancies with experiment. J Chem Soc Perkin Trans 2 1993:861-863. https://doi.org/10.1039/P29930000861
- 435. Bagno A, Lovato G, Scorrano G (1993) Thermodynamics of protonation and hydration of aliphatic amides. J Chem Soc Perkin Trans 2 1993:1091-1098. https://doi.org/10.1039/P29930001091
- 436. Pletcher TC, Koehler S, Cordes EH (1968)Mechanism of hydrolysis of N-methylacetimidate esters. J Am Chem Soc 90:7072-7076. https://doi.org/10.1021/ja01027a033
- 437. Hine J (1966) The Principle of Least Motion. Application to Reactions of Resonance-Stabilized Species .J Org Chem 31:1236-1244. https://doi.org/10.1021/jo01342a061
- 438. A contrary report by Moriarty et a1 (ref 439) using NMR in CCl₄, is based on very small PMR shift differences which assume equivalence between cyclic and open-chain structures; in addition, they discuss steric hindrance without reference to the conformation of OR.
- 439. Moriarty RM, Yeh C-L, Ramey KC, Whitehurst PW (1970) Barrier to inversion at nitrogen in imines. Configurational studies on O-methyl imidates. J Am Chem Soc 92:6360-6262. https://doi.org/10.1021/ja00724a057
- 440. Rosenthal D, Taylor TI (1957) A Study of the Mechanism and Kinetics of the Thioacetamide Hydrolysis Reaction. J Am Chem Soc 79:2684-2690. https://doi.org/10.1021/ja01568a007

- 441. Edward JT, Chang HS, Yates K, Stewart R (1960) PROTONATION OF THE AMIDE GROUP: I. THE BASICITIES OF SUBSTITUTED BENZAMIDES. Can J Chem 38:1518-1525. https://doi.org/10.1139/v60-212
- 442. Edward JT, Meacock SCR (1957) Hydrolysis of amides and related compounds. Part III. Methyl benzimidate in aqueous acids. J Chem Soc 1957:2009-2012. https://doi.org/10.1039/JR9570002009
- 443. Streuli CA (1959) Titration Characteristics of Organic Bases in Nitromethane. Anal Chem 31:1652-1654. https://doi.org/10.1021/ac60154a030
- 444. Chaturvedi RK, Schmir GL (1968) The hydrolysis of N-substituted acetimidate esters. J Am Chem Soc 90:4413-4420. https://doi.org/10.1021/ja01018a038
- 445. Spinner E, White JCB (1966) Spectral and ionisation constant studies of substituted 2-hydroxypyridines (1,2-dihydro-2-oxopyridines). J Chem Soc B 1966:991-995. https://doi.org/10.1039/J29660000991
- 446. Cheeseman GWH (1958) Quinoxalines and related compounds. Part IV. The fine structure of the 2- and 3-hydroxyquinoxalines and 2-amino- and 2-mercapto-quinoxaline. J Chem Soc 1958:108-113. https://doi.org/10.1039/JR9580000108
- 447. Barlin GB (1974) Tautomerism of N-heterocycles. Part II. 3-Hydroxypyridazin-6-one and 3-mercaptopyridazine-6-thione. J Chem Soc Perkin Trans 2 1974:1199-1202. https://doi.org/10.1039/P29740001199
- 448. Cook MJ, Katritzky AR, Page AD, Ramaiah M (1977) Tautomeric azines. Part 6. Phthalazin-1 (2H)-one. J Chem Soc Perkin Trans 2 1977:1184-1187. https://doi.org/10.1039/P29770001184
- 449. (a) Pfleiderer W (1957) Pteridine, II. Über 7-Hydroxy- und 7-Hydroxy-6-Methyl-2.4-Dioxo-Tetrahydropteridin. Chem Ber 90:2588-2603. https://doi.org/10.1002/cber.19570901126 (b) Pfleiderer W (1958) Pteridine, VII. Über Methylierungen von Hydroxypteridinen. Chem Ber 91:1671-1680. https://doi.org/10.1002/cber.19580910816
- 450. Earlier values (-1.8, -2.1) are discounted since (a) Barlin in ref. 447 supercedes his own earlier work, (b) he reports there two protonation steps, -1.27 and -2.42, whose close proximity may have misled earlier investigators, including himself.
- 451. Mirrlees MS, Taylor PJ (1994) The hydrolysis of N-methylisatin: on how a simple rate-pH profile may mislead. Drug Design and Discovery 11:223-230. https://europepmc.org/abstract/med/7548637
- 452. Huyskens P, Marchal H, Zeegers-Huyskens T (1987) Dipolar study of the preferential proton-acceptor site of the ester group. J Mol Struct 158:379-385. https://doi.org/10.1016/0022-2860(87)80034-0
- 453. Leahy DE, Morris JJ, Taylor PJ, Wait AR (1992) Model solvent systems for QSAR. Part 3. An LSER analysis of the 'critical quartet.' New light on hydrogen bond strength and directionality. J Chem Soc Perkin Trans 2:1992:705-722. https://doi.org/10.1039/P29920000705
- 454. Bell J, Gillespie WA, Taylor DB (1943) The bearing of the dissociation constant of urea on its constitution. Trans Faraday Soc 39:137-140. https://doi.org/10.1039/TF9433900137
- 455. Zief M, Edsall JT (1937) Studies in the Physical Chemistry of Amino Acids, Peptides, and Related Substances. IX. The Dissociation Constants of Some Amino Acid Derivatives. J Am Chem Soc 59:2245-2248. https://doi.org/10.1021/ja01290a040
- 456. (a) Roth HJ (1965) Arch Pharm 298:12 (b) Roth HJ, Jäger K, Brandes R (1965) Zur NH-Acidität und Lactam-Lactim-Tautomerie 1,5,5-trisubstituierter Barbitursäuren. Arch Pharm 298:885-889. https://doi.org/10.1002/ardp.19652981212
- 457. Buckingham DA, Clark CR, McKeown RH, Wong C (1987) Barbituric acids as carbon acids. Acidity relationships and proton and deuteron transfer in 1,3-dimethyl-5-tert-butyl- and 5-tert-butylbarbituric acids. J Am Chem Soc 109:466-476. https://doi.org/10.1021/ja00236a027
- 458. Katritzky AR, Waring AJ (1962) Tautomeric azines. Part I. The tautomerism of 1-methyluracil and 5-bromo-1-methyluracil. J Chem Soc 1962:1540-1544. https://doi.org/10.1039/JR9620001540

- 459. Gould IR, Hillier IH (1990) Accurate calculations of the oxo-hydroxy tautomers of uracil. J Chem. Soc Perkin Trans 2 1990;329-330. https://doi.org/10.1039/P29900000329
- 460. Beak P, White JM (1982) Relative enthalpies of 1,3-dimethyl-2,4-pyrimidinedione, 2,4-dimethoxypyrimidine, and 4-methoxy-1-methyl-1-2-pyrimidinone: estimation of the relative stabilities of two protomers of uracil. J Am Chem Soc 104:7073-7077. https://doi.org/10.1021/ja00389a032
- 461. Katritzky AR, Wallis, B, Brownlee RTC, Topsom R (1965) The tautomerism of heteroaromatic compounds with five-membered rings—VIII: Hydroxy-oxadiazoles or oxadiazolones. Tetrahedron 21:1681-1692. https://doi.org/10.1016/S0040-4020(01)98638-7
- 462. (a) Katritzky AR, Maine FW (1964) The tautomerism of heteroaromatic compounds with five-membered rings—IV: 1-substituted pyrazolin-5-one. Tetrahedron 20:299-314. https://doi.org/10.1016/S0040-4020(01)93217-X (b) Katritzky AR, Maine FW (1965) The tautomerism of heteroaromatic compounds with five-membered rings—V: 1-Substituted 3-hydroxypyrazoles. Tetrahedron 20:315-322. https://doi.org/10.1016/S0040-4020(01)93218-1
- 463. (a) Elguero J, Jacquier R, Tarrago G (1967) Bull Soc Chim Fr 1967:3772 (b) Elguero J, Jacquier R, Tarrago G (1967) Bull Soc Chim Fr 1967:3780.
- 464. We have revised our previous calculations (refs 21, 22) for compounds of type 912 now that we have established that $\Delta(OR)$ should be 0.5 not 1.0 for compounds of type 912B; i.e, the situation corresponds to 830 not 827 (Scheme 30).
- 465. Boulton AJ, Katritzky AR, Hamid AM, Øksne S (1964) The tautomerism of heteroaromatic compounds with five-membered rings—VII: Isoxazolin-3-ones—3-hydroxyisoxazoles. Tetrahedron 20:2835-2840. https://doi.org/10.1016/S0040-4020(01)98503-5
- 466. De Sarlo F (1967) The preparation and tautomerism of 3,4-dimethyl-isoxazolin-5-one. Tetrahedron 23:831-840. https://doi.org/10.1016/0040-4020(67)85031-2
- 467. (a) Woodcock S, Green DVS, Vincent MA, Hillier IM, Guest MF, Sherwood P (1992) Tautomeric equilibria in 3- and 5-hydroxyisoxazole in the gas phase and in aqueous solution: a test of molecular dynamics and continuum models of solvation. J Chem Soc Perkin 2 1992:2151-2154. https://doi.org/10.1039/P29920002151
 (b) Gould IR, Hillier IH (1993) Modelling of tautomeric equilibria of 5-hydroxyisoxazole in aqueous solution. J Chem Soc Perkin Trans. 2 1993:1771-1773. https://doi.org/10.1039/P29930001771
- 468. Chan AWK, Crow WD, Gosney I (1970) Isothiazole chemistry—X: Acylation, alkylation and tautomerism in 3-hydroxyisothiazole. Tetrahedron 26:2497-2506. https://doi.org/10.1016/S0040-4020(01)92824-8
- 469. Mason SF (1957) The tautomerism of N-heteroaromatic hydroxy-compounds. Part I. Infrared spectra. J Chem Soc 1957:4874-4880. https://doi.org/10.1039/JR9570004874
- 470. Note in this section that all compounds for which an OH-containing tautomer is dominant will be acids of sufficient strength to be largely ionised at physiological pH.
- 471. Sandström J (1963 The Electronic Spectra of Thioamides and Thiohydrazides. Part V. N-Acetylthiohydrazides and N-Phenylthiohydrazides. A Comparison with Thiohydrazones. Acta Chem Scand 17:1380-1390. http://doi.org/10.3891/acta.chem.scand.17-1380
- 472. If alternative sites for deprotonation exist, one or the other may be blocked e. g. by alkylation. If there are alternative sites for protonation, as in 945, nothing can be done to frustrate the compound's own choice.
- 473. Barlin GB, Fenn MD (1979) ¹H N.M.R. Studies of Protonation in Pyridazin-3 (2H)-one and 6-Hydroxypyridazin-3 (2H)-one. Aust J Chem 32:2297-2301. https://doi.org/10.1071/CH9792297
- 474. Unable to trace this reference.
- 475. Koksharova TG, Lipatova LF, Konyukhov VN, Smotrina GN, Pushkareva ZV, Khim. Geterosikl. Soedin 1973:556.
- 476. (a) Elvidge JA, Redman AP (1960) 1,4-Dimethoxyphthalazine and the other O- and N-methyl derivatives of phthalhydrazide. J Chem Soc 1960:1710-1714. https://doi.org/10.1039/JR9600001710 (b) The perhydro-

- derivative of 950 has recently been shown to possess the C-structure, acid pK_a 8.36; cf. pK_a 5.71 for 944 (Pierre Bruneau, personal communication).
- 477. Gordon AA, Katritzky AR, Popp FD (1966) The tautomerism of heteroaromatic compounds with five-membered rings—X: 1-Phenyl-1,2,4-triazolidine-3,5-dione. Tetrahedron Suppl 7:213-217. https://doi.org/10.1016/S0040-4020(01)99107-0
- 478. Nowak MJ, Lapinski L, Rostkowska H, A. Les A, Adamowicz L (1990) Theoretical and matrix-isolation experimental study on 2(1H)-pyridinethione/2-pyridinethiol. J Phys Chem 94:7406-7414. https://doi.org/10.1021/j100382a018
- 479. Kjellin G, Sandström J (1973) The Thione-Thiol Tautomerism in Simple Thioamides. Acta Chem Scand 27:209-217. https://doi.org/10.3891/acta.chem.scand.27-0209
- 480. Walter W, Voss J, in The chemistry of Amides, ed. Zabicky J, Ch.8, p.383, Interscience, London, 1970 (in The Chemistry of Functional Groups, series ed. Patai S).
- 481. Bernardi F, Schlegel HB, Whangbo M-H, Wolfe S (1977) A comparative quantum chemical investigation of the bonding in first and second row ylides. J Am Chem Soc 99:5633-5636. https://doi.org/10.1021/ja00459a017
- 482. Chaturvedi RK, Schmir GL (1969) Hydrolysis of thioimidate esters. II. Evidence for the formation of three species of the tetrahedral intermediate. J Am Chem Soc 91:737-746. https://doi.org/10.1021/ja01031a040
- 483. Kjellin G, Sandström J (1969) Tautomeric Cyclic Thiones. Part IV. The Thione-thiol Equilibrium in some Azoline-2-thiones. Acta Chem. Scand 23:2888-2899. https://doi.org/10.3891/acta.chem.scand.23-2888
- 484. Balestrero RS, Forkey DM, Russell JG (1986) ¹⁵N NMR: Iminothiol-thioamide tautomerism of 2-mercaptobenzazoles and 1-methyl-2-mercaptoimidazole. Magn Resn Chem 24:651-655. https://doi.org/10.1002/mrc.1260240803
- 485. Hipler F, Fischer RA, Müller J (2002) Examining thermolysis reactions and tautomerism of 2-mercapto-5-methyl-1,3,4-thiadiazole and 2,5-dimercapto-1,3,4-thiadiazole. J Chem Soc Perkin Trans 2 2002:1620-1626. https://doi.org/10.1039/B201887J
- 486. Kurasawa Y, Takada A (1995) Tautomerism and Isomerism of Heterocycles [1]. Heterocycles 41:1805-1832. https://doi.org/10.3987/REV-95-471
- 487. (a) Potts KT, Husain S (1971) 1,2,4-Triazoles. XXVII. Synthesis of the thiazolo [2,3-c]-s-triazole and the thiazolo[3,2-b]-s-triazole systems. J Org Chem. 36:10-13. https://doi.org/10.1021/jo00800a004 (b) Potts KT, Hirsch C (1968) 1,2,4-Triazoles. XVIII. Synthesis of 5H-s-triazolo[5,1-c]-s-triazole and its derivatives. J Org Chem 33:143-150. https://doi.org/10.1021/jo01265a027
- 488. Freiberg W, Kröger CF (1969) Mittelungsbl Chem Ges DDR, 16:59.
- 489. Condorelli P, Pappalardo G, Tornetta B (1967) Contributo alla conoscenza della reattività dei sali 3-imino-5-fenil-1, 2 ditiolo. Ann Chim Rome 57:471.
- 490. Tanaka T (1971) Analytical Studies on Thiopyrazolone Derivatives. IX.: Tautomerism of 1-Phenyl-3-methyl-3-pyrazoline-5-thiones. J Pharm Soc Japan 91:338-345. https://doi.org/10.1248/yakushi1947.91.3_338
- 491. Maquestiau A, Van Haberbeke Y, Vanovervelt J-C (1977) Tautomérie De Pyrazoline-5-Thiones N₁-Substituées. Bull Soc Chim Belg 86:949-959.
- 492. Note once again (cf. ref. 470) that any compound for which an SH-form is dominant will be a strong acid; e.g. pK_a -2.66 for 1008 (ref 447).
- 493. We start from correction 815a (Appendix 1) which, in view of the known differences between amides and thioamides (scheme 39) may be an overestimate; provisionally, we adjust it to Δ (NR) 0.5.
- 494. Fujisaka M, Ueno Y, Shinohara H, Imoto E (1964) The Tautomerism and Methylation of 3,6-Disubstituted Pyridazines. Bull Chem Soc Japan 37:1107-1113. https://doi.org/10.1246/bcsj.37.1107
- 495. Bats JW (1976) Acta Crystallogr B (1976) The crystal structure of 2,5-dimercaptothiadiazole. 32:2866-2870. https://doi.org/10.1107/S0567740876009059

- 496. Stanovnik B, Tišler M (1965) Contribution to the Structure of 2,5-Dimercapto-1,3,4-thiadiazole and Related Compounds Croat Chem Acta 37:17-23. https://hrcak.srce.hr/208228
- 497. This conclusion is general; it will also explain why, for example, the cations of amides generally deprotonate from OH rather than NH (section 8.2) and will be found as RULE 11 in section C.48.
- 498. (a) Oszczapowicz J, Raczyńska E (1984) Amidines. Part 13. Influence of substitution at imino nitrogen atom on pKa values of N¹N¹-Dimethylacetamidines. J Chem Soc Perkin Trans 2 1984:1643-1646. https://doi.org/10.1039/P29840001643 (b) Raczyńska E, Oszczapowicz J, Walczak M (1985) Amidines. Part 15. Influence of substitution at imino and amino nitrogen atoms on pKa values of N¹-methyl-N¹N²-diarylacetamidines. J Chem Soc Perkin Trans 2 1985:1087-1090. https://doi.org/10.1039/P29850001087 (c) Oszczapowicz J, Ciszkowski K (1987) Amidines. Part 24. Influences of alkyl substituents at the amidino carbon atom on the sensitivity to substitution at the imino nitrogen atom. pKa Values of N¹N¹-dimethylamidines. J Chem Soc Perkin Trans 2 1997:663-668. https://doi.org/10.1039/P29870000663 (d) Oszczapowicz J, Krawczyk W (1989) Amidines. Part 28. Influence of substitution at the amidino carbon atom on the sensitivity to substitution at the imino nitrogen atom. pKa Values of N¹N¹-dimethylbenzamidines. J Chem Soc Perkin Trans 2 1989:21-24. https://doi.org/10.1039/P29890000021 (e) Oszczapowicz J, Krawczyk W, Vyzwiriski P (1990) Amidines. Part 30. Influence of substitution at amino nitrogen atom on pKa values of N²-phenylacetamidines and N²-phenylformamidines. J Chem Soc Perkin Trans 2, 1990:311-314. https://doi.org/10.1039/P29900000311
- 499. Cook MJ, Katritzky AR, Nadji S (1976) Substituent effects in tautomerism. Part 11. para-Substitution in N-phenylamidines. J Chem Soc Perkin Trans, 2 1976:211-214. https://doi.org/10.1039/P29760000211
- 500. Schwartzenbach G, Lutz K (1940) Aciditätsmessungen an mesomeren Säuren und Basen. Einige Aussagen über die Resonanzenergie. Helv Chim Acta 29:1162-1190. https://doi.org/10.1002/hlca.194002301141
- 501. Chua S-O, Cook MJ, Katritzky AR (1974) Substituent effects in tautomerism. Part I. Acyl- and sulphonylamidines. J Chem Soc Perkin Trans. 2 1974:546-552. https://doi.org/10.1039/P29740000546
- Kosasayama A, Ishikawa F (1979) Cyclic Guanidines. VII. Structure-Activity Relationships of Hypoglycemic Cyclic Guanidines. Chem Pharm Bull Japan 27:1596-1603. https://doi.org/10.1248/cpb.27.1596
- 503. Button RG, Cairns JP Taylor PJ (1985) Tautomeric ratio in 4-methylthiazol-2-ylguanidine, a model guanidinoheterocycle. J Chem Soc Perkin Trans 2 1985:1555-1558. https://doi.org/10.1039/P29850001555
- 504. L'Abbé G, Albrecht E, Toppet S (1992) Addition-rearrangement reactions of 5-imino-Δ³-1,2,4-thiadiazolines with trichloroacetonitrile. J Heterocyclic Chem 29:1317-1319. https://doi.org/10.1002/jhet.5570290544
- 505. Albert A, Armarego WLF, Spinner E (1961) Quinazolines. Part I. Cations of quinazoline. J Chem Soc 1961:2689-2696. https://doi.org/10.1039/JR9610002689
- 506. Najer H, Guidicelli R, Menin J (1965) Bull Soc Chim France 1965:2120.
- 507. Najer H, Armand J, Menin J, Voronine V (1965) ETUDE DE LA TAUTOMERIE AMINO-][-IMINO EN SERIE HETEROCYCLIQUE PAR COMPARAISON DE DIFFERENCES DE PKA DES COMPOSES ISOSTERES HETEROCYCLES COMPORTANT LE SQUELETTE (-X-)-N= CNHR1-][-(-X-)-NHC= NR1.Comptes Rendus Seances Acad Sci 260:4343.
- 508. Mazharuddin M, Thyagarajan G (1969) Studies on 1,4-benzoxazines—I: Preparation, structure, reactions and spectral data of some 2H-1,4-benzoxazin-3-thione. Tetrahedron 25:517-525. https://doi.org/10.1016/S0040-4020(01)83262-2
- 509. Lempert K, Doleschall G (1964) 4H-3,1-Benzoxazinone-(4), 1. Mitt.: Die Umlagerung von N-(2-Carboxyphenyl)-cyanamiden und N-(2-Carboxyphenyl)-carbodiimiden zu 1,2-Dihydro-2-imino-4H-3,1-benzoxazinonen-(4) und 1,2,3,4-Tetrahydrochinazolindionen-(2,4). Monatsch Chem 95:950-960. https://doi.org/10.1007/BF00908807
- 510. Both Scheme 41 and Table 63 exclude those compounds to be discussed in sections 8.5 8.7.

- 511. Scheinker YN, Peresleny EM, Zosimova NP, Pomerantsev YL (1959) THE TAUTOMERISM OF SOME HETEROCYCLIC DERIVATIVES. 10. TAUTOMERISM OF ACYLATED HETEROCYCLIC AMINES. Zhur Fiz Chim 33:2096.
- 512. These authors (ref 511) quote results for a variety of solvents, giving values for log K_m which range from 1.8 to -4.5. Since severe errors are likely at both ends of the scale we quote, in Tables 63 and 64, only those for aqueous solution which can confidently be assumed to be accurate. Nevertheless it is possible to build up a reasonably consistent set of cross-comparisons, using the authors' data, which is discussed in section B.5.
- 513. Pozharskii AF, Kashparov IS, Andreichikov YP, Buryak AI, Konstantinchenko AA, Simonov AM (1971) Khim. Gerotosikl. Soedin 1971:807.
- 514. (a) Bailey AS, Buckley AJ, Warr WA, Wedgwood JJ (1972) The reactions of arenesulphonyl azides with indole and with 1-methylindole. J Chem Soc Perkin Trans 1 1972, 2411-2415.
 https://doi.org/10.1039/P19720002411 (b) Bailey AS, Buckley AJ (1973) Further examination of the reactions of simple indoles with arenesulphonyl azides. J Chem Soc Perkin Trans 1 1973:1602-1606. https://doi.org/10.1039/P19730001602
- 515. (a) Giudicelli J-F, Menin J, Najer H (1968) Bull Soc Chim France 1968:4568 (b) Giudicelli J-F, Menin J, Najer H (1969) 2-AMINO 1, 3, 4-OXADIAZOLES AND 2-IMINO-1, 3, 4-DELTA4-OXADIAZOLINES. 3. STUDY OF TAUTOMERIC EQUILIBRIUM 2-PHENYLAMINO 1, 3, 4-OXADIAZOLE-][-2-PHENYLIMINO 1, 3, 4-DELTA4-OXADIAZOLINE. Bull Soc Chim France 1969:874.
- 516. Menin, J, Giudicelli J-F, Najer H (1964) SUR LA TAUTOMERIE PHENYL-5 PHENYLAMINO-2 THIADIAZOLE-1.3. 4 TO FROM PHENYL-5 PHENYLIMINO-2 DELTA4-THIADIAZOLINE-1.3. 4. Comptes Rendus Seances Acad Sci Sér 5 259:3563. (b) Menin, J, Giudicelli J-F, Najer H (1965) Comptes Rendus Seances Acad Sci 261:766.
- 517. Testa E, Gallo GG, Fava F (1958) Gazz Chim Italiana 88:1272.
- 518. Najer H, Menin J, Caillaux H, Pétry J (1968) TAUTOMERISM 3-METHYLAMINO-1, 2, 4-OXADIAZOLE OR 5-METHYLAMINO-1, 2, 4-OXADIAZOLE-][-3-PHENYLIMINO-DELTA2-1, 2, 4-OXADIAZOLINE OR 5-METHYLAMINO-DELTA2-1, 2, 4-OXADIAZOLINE. Comptes Rendus Seances Acad Sci Sér, 266:628.
- 519. (a) Rochlin P, Murphy DB, Helf S (1954) Relative Basicities of Some Organic Nitrogen Bases. J Am Chem Soc 76:1451-1453. https://doi.org/10.1021/ja01634a097 (b) Henry RA, Finnegan WG, Lieber S (1954) 1,3-and 1,4-Dialkyl-5-iminotetrazoles. J Am Chem Soc 76:2894-2898. https://doi.org/10.1021/ja01640a011
- 520. Bianchi B, Boulton AJ, Fletcher IJ, Katritzky AR (1971) The tautomerism of heteroaromatic compounds with five-membered rings. Part XIII. The tautomeric structure of 1-methyl-5-methyl-aminotetrazole. J Chem Soc B 1971:2355-2358. https://doi.org/10.1039/J29710002355
- 521. Forlani L, De Maria P (1982) Tautomerism of aminothiazoles. pK_{BH}+ Values of 2-aminothiazoles and of some model imines. J Chem Soc Perkin Trans 2 1982:535-537. https://doi.org/10.1039/P29820000535
- 522. Matsumoto K, Rapoport H (1968) Preparation and properties of some acyl-guanidines. J Org Chem 33:552-558. https://doi.org/10.1021/jo01266a017
- 523. Annese, M Corradi AB, Forlani L, Rizzoli C, Sgarabotto P (1994) Tautomerism in some acetamido derivatives of nitrogen-containing heterocycles: X-ray structural analysis of 2-amino and 2-imino forms of benzothiazole derivatives. J Chem Soc Perkin Trans 2 1994:615-621. https://doi.org/10.1039/P29940000615
- 524. (a) Shchipanov VP, Portnova SL, Krasnova VA, Scheinker YN, Postovskii IY (1965) Zhur Org Khim 1:2277 (b) Shchipanov VP (1969) Khim Gerotsikl Soedin 1969:923.
- 525. Kenyon GL, Rowley GL (1971) Tautomeric preferences among glycocyamidines. J Am Chem Soc 93:5552-5560. https://doi.org/10.1021/ja00750a039
- 526. Paolini JP, Robins RK (1965) Aromaticity in heterocyclic systems III. The structure and proton magnetic resonance spectra of certain imidazo[1,2-a]pyridines. J Heterocyclic Chem 2:53-62. https://doi.org/10.1002/jhet.5570020110

- 527. Sigiura S, Kakoi H, Inoue S, Goto T (1970) Synthesis of cypridina luciferin and related compounds. VI. Synthesis of 3-hydroxyimidazo [1, 2-a] pyridines. J Pharm Soc Japan 90:436.
- 528. (a) Spiessens LI, Anteunis MJO (1984) NMR Studies on Imidines. IV. ¹H and ¹³C Nuclear Magnetic Resonance Study of Tautomerism in 2-Aminopyrrolin-5-One. Bull Soc Chim Belges 93:191-204. https://doi.org/10.1002/bscb.19840930305 (b) NMR Studies on Imidines. VI. ¹H and ¹³C Nuclear Magnetic Resonance Study on the Tautomerism of Phthalic Imidine. Spiessens LI, Anteunis MJO (1984) Bull Soc Chim Belges 93:459-478. https://doi.org/10.1002/bscb.19840930608
- 529. Elvidge JA, Linstead RP, Salaman AM (1959) Heterocyclic imines and amines. Part IX. Glutarimidine and the imidine from α-phenylglutaronitrile. J Chem Soc 1959:208-215. https://doi.org/10.1039/JR9590000208
- 530. Foucard A (1964) Bull Soc Chim France 1964:123.
- 531. Clark PF, Elvidge JA, Golden JH (1956) Heterocyclic imines and amines. Part VII. N-substituted phthalic imidine derivatives and their reactions with amines. J Chem Soc 1956:4135-4143. https://doi.org/10.1039/JR9560004135
- 532. Katritzky AR, Lagowski JM (1964) Prototropic Tautomerism of Heteroaromatic Compounds: III. Five-Membered Rings and One Hetero Atom. Adv Het Chem 2:1-26. https://doi.org/10.1016/S0065-2725(08)60745-X
- 533. Najer H, Giudicelli R, Menin J, Voronine N (1967) Bull Soc Chim Fr 1967:207.
- 534. Rapi G, Gianneschi M, Belgodere E, Chelli M (1972) Tautomerism of 2-amino-2-oxazolin-4-ones. J Heterocyclic Chem 9:285-292. https://doi.org/10.1002/jhet.5570090216
- 535. Howell CF, Quinones NQ, Hardy RA (1962) 2-Amino-2-oxazolin-4-ones. II. Tautomerism. J Org Chem 27:1686-1691. https://doi.org/10.1021/jo01052a048
- 536. Najer H, Giudicelli R, Morel C, Menin J (1963) Bull Soc Chim Fr 1963:1022.537.
- 537. Amirthalingam V, Muralidharan KV (1972) The crystal and molecular structure of sulphur-containing heterocyclic ring compounds. II. 2-Imino-4-thiazolidinone. Acta Cryst B 28:2421-2423. https://doi.org/10.1107/S0567740872006223
- 538. Chowdhry MM, Mingos DMP, White AJP, Williams DJ (2000) ¹⁵N NMR and crystal structure studies of 5-(2-pyridylmethylene)pseudothiohydantoin; dipolar dephasing experiments for establishing the preferred tautomer in the solid and solution states. J Chem Soc Perkin Trans 2 2000:2265-2268. https://doi.org/10.1039/B004368K
- 539. Edward JT, Lantos I (1972) Solvent effects on the tautomeric equilibria of 4,4/5,5-disubstituted 4H/5H-imidazol-5/4-ones. J Heterocyclic Chem 9:363-369. https://doi.org/10.1002/jhet.5570090231
- 540. Edward JT, Liu JK (1972) Thiohydantoins. IX. Tautomerism of some Methylation Products. Can J Chem 50:2423-2427. https://doi.org/10.1139/v72-389
- 541. Nyitrai J, Lempert K (1969) Durch Lewis Säuren ausgelöste reduktive umlagerungen vom retrobenzilsäuretyp—V: 2-imidazolin-5-thione und 5-alkylthio-4H-imidazole. Tetrahedron 25:4265-4275. https://doi.org/10.1016/S0040-4020(01)82965-3
- 542. Sohár P, Nyitrai J, Tauer K, Lempert K (1968) Acta Chim Acad Sci Hung 58:165.
- 543. Brown DJ, Hoerger E, Mason SF (1955) Simple pyrimidines. Part II. 1:2-Dihydro-1-methylpyrimidines and the configuration of the N-methyluracils. J Chem Soc 1955:211-217. https://doi.org/10.1039/JR9550000211
- 544. Brown DJ, Short LN (1953) Simple pyrimidines. Part I. Spectroscopic studies. J Chem Soc 1953:331-337. https://doi.org/10.1039/JR9530000331
- 545. Albert A, Spinner E (1960) The vibration spectra and structures of the hydroxypyridines and hydroxypyrimidines in aqueous solution. J Chem Soc 1960:1221-1226. https://https://doi.org/10.1039/JR9600001221
- 546. Inoue Y, Furutachi N, Nakanishi K (1966) Tautomerism of 4-Hydroxy- and 4,6-Dihydroxypyrimidine. J Org Chem 31:175-178. https://doi.org/10.1021/jo01339a037

- 547. Lardenois P, Sélim M, Sélim M (1971) Bull Soc Chim France 1971:1858.
- 548. Mussetta M-T, Sélim M, Trinh NO (1973) Comptes Rendus Acad Sci 276:1341.
- 549. Pit'ha J (1970) Tautomerism of 2-ethoxy-4-pyrimidinone. J Org Chem 35:903-905. https://doi.org/10.1021/jo00829a006
- 550. Brown DJ, Teitei T (1965) Simple pyrimidines. VIII. The fine structure of isocytosine, thiocytosine, and some isomers. Aust J Chem 18:559-568. https://doi.org/10.1071/CH9650559
- 551. (a) Hélène C, Douzou P (1964) TAUTOMERIC FORMS OF ISOCYTOSINE, OF CYTOSINE AND CYTIDINE. A STUDY OF THE FUNCTION OF TEMPERATURE. Comptes Rendus Acad Sci 259:4853-4856 (b) Hélène C, Haug A, Delbrück M, Douzou P (1964) Mise en evidence de formes tautomeres de la cytosine.Comptes Rendus Acad Sci Paris 259:3385.
- 552. Sharma BD, McConnell JF (1965) The crystal and molecular structure of isocytosine. Acta Crystallogr 19:797-806. https://doi.org/10.1107/S0365110X65004371
- 553. Kitagawa T, S. Mizukami S, Hirai E (1974) Equilibrium Studies of 5-Substituted 4-Hydroxy-2-methylpyrimidines. I. The Ionization Constants in Aqueous Solution. Chem Pharm Bull Japan 22:1239-1255. https://doi.org/10.1248/cpb.22.1239
- 554. Hearn JM, Morton RA, Simpson JCE (1951) Ultra-violet absorption spectra of some derivatives of quinoline, quinazoline, and cinnoline. J Chem. Soc.1951:3318-3329. https://doi.org/10.1039/JR9510003318
- 555. Proximity to NH appears to over-ride proximity to C=O, presumably because the properties of the former are much the more sensitive to aromatisation.
- 556. Hagiwara Y, Kurihara M, Yoda N (1969) Intramolecular rearrangement—IV.: Intramolecular alkyl rearrangements and tautomerism of quinazolinone derivatives. Tetrahedron 25:783-792. https://doi.org/10.1016/0040-4020(69)85010-6
- 557. Wolfenden RV (1969) Tautomeric equilibria in inosine and adenosine .J Molec Biol 40:307-310. https://doi.org/10.1016/0022-2836(69)90479-3
- 558. Rahat M, Bergmann F, Tamir I (1974) Purine-6,8-diones: a study of their ionisation and their methylation reactions. J Chem Soc Perkin Trans 1 1974:2229-2236. https://doi.org/10.1039/P19740002229
- 559. Parham JC, Fissekis J, Bosworth Brown G (1966) Purine N-Oxides. XVIII. Deamination of Adenine N-Oxide Derivatives. J Org Chem 31:966-968. https://doi.org/10.1021/jo01341a513
- 560. Morris JJ, Taylor PJ, unpublished analysis.
- 561. Plass M, Kristl A, Abraham MH (1999) Spectroscopic investigation of the tautomeric equilibria in the guanine derivatives of acyclovir. J Chem Soc Perkin Trans 2 1999:2641-2646. https://doi.org/10.1039/A901866B
- 562. Lee GCY, Chan JA (1972) Tautomerism of nucleic acid bases. II. Guanine. J Am Chem Soc 94:3218-3229. https://doi.org/10.1021/ja00764a054
- 563. (a) Unable to trace this reference. (b) Wong YP (1973) Tautomerism of nucleic acid bases. Guanine and cytosine. J Am Chem Soc 95:3511-3515. https://doi.org/10.1021/ja00792a011
- 564. Bodor N, Dewar MJS, Harget AJ (1970) Ground states of conjugated molecules. XIX. Tautomerism of heteroaromatic hydroxy and amino derivatives and nucleotide bases. J Am Chem Soc 92:2929-2936. https://doi.org/10.1021/ja00713a001
- 565. Pit'ha J, Fiedler P, Gut J (1966) Nucleic acids components and their analogues. LXXXII. The fine structure of 6-azaisocytosine and its derivatives. Coll Czech Chem Comm 31:1864-1871. https://doi.org/10.1135/cccc19661864
- 566. Grout RJ, Partridge MW (1960) Cyclic amidines. Part XI. Rearrangements of quinazoline ethers. J Chem Soc 1960:3546-3550. https://doi.org/10.1039/JR9600003546

- 567. Doleschall G, Ldng L, Lempert K (1966) IMIDAZOQUINAZOLINEDIONES. 4. STRUCTURE AND ULTRAVIOLET SPECTRA OF SOME POTENTIALLY TAUTOMERIC IMIDAZOQUINAZOLINEDIONES AND RELATED 4-QUINAZOLINONES. Acta Chim Acad Scl Hung 47:405.
- 568. Sohár P, Reiter J, Toldy L (1971) A new N-alkylation reaction—V: NMR investigations Org Magn Reson 3:689-691. https://doi.org/10.1002/mrc.1270030607
- 569. Beckett AH, Spickett RGW, Wright SHB (1968) Bicyclic pyrimidine derivatives with a bridgehead nitrogen atom—III: Absorption spectra of s-triazolopyrimidines. Tetrahedron 24:2839-2850. https://doi.org/10.1016/S0040-4020(01)98693-4
- 570. Haj MA, Salas JM, Quiros M, Molina J, Faure R (2000) 5-Oxo and 7-oxo derivatives of [1,2,4]triazolo-[1,5-a]pyrimidine: characterization and theoretical study. J Molec Struct 519:165-172. https://doi.org/10.1016/S0022-2860(99)00303-8
- 571. Temple C, Coburn WC, Thorpe MC, Montgomery JA (1965) Studies on the Tetrazole—Azidoazomethine—Tetrazole Equilibrium. III. 2-Azidopyrimidines. J Org Chem 30:2395-2398. https://doi.org/10.1021/jo01018a069
- 572. Dunwell DW, Evans D (1973) Reactions of 2-aminobenzimidazoles with propiolic esters and diethyl ethoxymethylenemalonate. J Chem Soc Perkin Trans 1 1973:1588-1590. https://doi.org/10.1039/P19730001588
- 573. Daunis J, Follet M, Marzin C (1980) ¹³C NMR spectra of *s*-triazolo-*as*-triazinones: Application to isomeric and tautomeric structure determination. Org Magn Reson 13:330-334. https://doi.org/10.1002/mrc.1270130506
- 574. (a) Kurasawa Y, Kim HS, Futatsukawa R, Watanabe C, Takada A, Okamoto Y (1989) Tautomeric structure of dihydropyrazolo[1,5-a]-pyrimidin-7-one in a solution. A facile synthesis of novel 6-quinoxalinyldihydropyrazolo[1,5-a]pyrimidin-7-ones by ring transformation. J Heterocyclic Chem 26:1159-1161. https://doi.org/10.1002/jhet.5570260446 (b) Kurasawa Y, Kim HS, Takada A, Okamoto Y (1990) Synthesis of 6-quinoxalinyldihydropyrazolo[1,5-a]pyrimidin-7-ones by a ring transformation. Tautomeric structure of dihydropyrazolo[1,5-a]pyrimidin-7-ones in a solution. J Heterocyclic Chem 27:2203-2205. https://doi.org/10.1002/jhet.5570270761
- 575. Hori I, Saito K, Midorikawa H (1970) The Formation of Pyrazolo[1,5-a]pyrimidine Derivatives. Bull. Chem. Soc. Japan 43:849-855. https://doi.org/10.1246/bcsj.43.849
- 576. Cieplak P, Bush P, Singh UC, Kollman PA (1987) A theoretical study of tautomerism in the gas phase and aqueous solution: a combined use of state-of-the-art ab initio quantum mechanics and free energy-perturbation methods. J Am Chem Soc 109:6283-6289. https://doi.org/10.1021/ja00255a010
- 577. Barlin GB, unpublished data quoted in ref. 380.
- 578. (a) Scanlan MJ, Hillier IH (1984) Accurate prediction of the relative energies of the tautomers of cytosine in the gas phase and in aqueous solution. J Chem Soc Chem Comm.1984:102-103.

 https://doi.org/10.1039/C39840000102 (b) Scanlan MJ, Hillier IH (1984) An ab initio study of tautomerism of uracil, thymine, 5-fluorouracil, and cytosine. J Am Chem Soc 106:3737-3745.

 https://doi.org/10.1021/ja00325a005
- 579. Dreyfus M, Bensaude O, Dodin G, Dubois JE (1976) Tautomerism in cytosine and 3-methylcytosine. A thermodynamic and kinetic study. J Am Chem Soc 98:6338-6349. https://doi.org/10.1021/ja00436a045
- 580. (a) Brown DJ, Lyall JM (1962) The Fine Structure of Cytosine. Aust J Chem 15:851-857. https://doi.org/10.1071/CH9620851 (b) Katritzky AR, Waring AJ (1963) Tautomeric azines. Part III. The structure of cytosine and its mono-cation. J Chem Soc 1963:3046-3051. https://doi.org/10.1039/JR9630003046
- 581. Kenner GW, Reese CB, Todd AR (1955) The acylation of 3-methylcytosine. J Chem Soc 1955:855-859. https://doi.org/10.1039/JR9550000855

- 582. Brown DM, Hewlins MJE, Schell P (1968) The tautomeric state of N(4)-hydroxy- and of N(4)-aminocytosine derivatives. J Chem Soc C 1968:1925-1929. https://doi.org/10.1039/J39680001925
- 583. Brown DM, Hewlins MJE (1968) Dihydrocytosine and related compounds. J Chem Soc C 1968:2050-2055. https://doi.org/10.1039/J39680002050
- 584. Gut J, Jonáš J, Piťha J (1964) Nucleic acid components and their analogues. XLIX. Tautomeric structure of 6-azacytosine and its derivatives. Coll Czech Chem Comm 29:1394-1400. https://doi.org/10.1135/cccc19641394
- 585. Oehme, Neels P, Rembarz G (1973) Untersuchungen zur Tautomerie von 2-Alkoxy-5-aryl-6-imino-4-oxo-1,4,5,6-tetrahydro-1,3,5-triazinen. Z Chem 13:298-298. https://doi.org/10.1002/zfch.19730130816
- 586. Maeda K, N. Kihara N, Ishimura N (1985) Prototropic tautomerism of tri- and tetra-phenyl-2,3(2,5)-dihydro-1,3,5-triazines. J Chem Soc Perkin Trans. 2 1985:887-889. https://doi.org/10.1039/P29850000887
- 587. (a) Bellañato J, Avendano C, Ramos MT, Smith-Verdier P, Florencino F, Garcia-Blanco S (1985) Crystal and molecular structure of 2,4,4-trisubstituted 5-amino-4H-imidazoles. Spectrochim Acta A 99-107. https://doi.org/10.1016/0584-8539(85)80089-1 (b) Bellañato J, Avendano C, Ramos MT (1985) Infrared and Raman spectroscopic studies of the amino—imino tautomerism in 2-substituted 4,4-pentamethylene-5-amino-4H-imidazole derivatives—II. Spectrochim Acta A 109-114. https://doi.org/10.1016/0584-8539(85)80090-8
- 588. Armand J, Deswarte S, Pinson J, Zamarlik H (1971) AMINO REVERSIBLE IMINO TAUTOMERISM OF SOME PHTHALIMIDE AND SUCCINIMIDE DERIVATIVES. Bull So. Chim. France 1971;671.
- 589. Brown DJ, Teitei T (1965) Pyrimidine reactions. Part VII. Methylation of substituted 2,4-diaminopyrimidines. J Chem Soc 1965:755-761. https://doi.org/10.1039/JR9650000755
- 590. This unusual situation signals a power relationship which, in turn, implies positive feedback. The implications of this for hydrogen bonding are profound and will be considered elsewhere.
- 591. Abraham MH, Grellier PL, Prior DV, Taft RW, Morris JJ, Taylor PJ, Laurence C, Berthelot M, Doherty RM, Kamlet MJ, Abboud J-L, Sraidi K, Guihdneuf G (1988) A general treatment of hydrogen bond complexation constants in tetrachloromethane. J Am Chem Soc 110:8534-8356. https://doi.org/10.1021/ja00233a034
- 592. Baur E (1897) Bestimmung der Affinitätsgrössen und Dissociationswärmen einiger Stickstoffsäuren. Z Phys Chem 23:409-416. https://doi.org/10.1515/zpch-1897-2322
- 593. Land EJ, Ramsden CA, Riley PA, Yoganathan G (2003) 4-Cyanomethyl-ortho-quinone tautomerism and the structure of the dienophile in Gates' morphine synthesis. Tetrahedron 59:9547-9554. https://doi.org/10.1016/j.tet.2003.10.008
- 594. It is not possible to treat barbituric acid 54 along these lines, for two reasons. Firstly, while K_E for an amide can be reasonably estimated (section 8.2.4), 54 is not an amide but a type of imide. Secondly, the enol 54b possesses a structure that is in some sense aromatic. Both factors should sharply increase K_E but their overall effect is imponderable.
- 595. The intercept terms inside brackets each represent an 'effective scale zero' (cf. ref. 591) below which hydrogen bonding in water merges into a nonspecific polar attraction. The K_a and K_b values are for 1:1 association in CH₃CCl₃ (ref 72) whereas the 'scale zeros' are applicable to four oil-water partitioning systems in which the zero term for K_B is constant whereas that for K_a is not, hence a mean value is taken for the latter.
- 596. Mousseron-Capet M, Boca JP, Tabacik V (1967) Tautomérisation du méthyl-2-indolénine N-oxyde en solution. Spectrochim Acta A 234:717-725. https://doi.org/10.1016/0584-8539(67)80325-8
- 597. Barlin GB (1965) Ionization Constants of Heterocyclic Substances. Part V1I. Cinnolines. J Chem Soc 1965:2260-2262. https://doi.org/10.1039/JR9650002258
- 598. Brown DJ, Harper JS (1965) The Dimroth rearrangement. Part IV. A study of facilitation by electron-withdrawal. Alkylated 2-alkyliminopyrimidines. J Chem Soc 1965:5542-5551. https://doi.org/10.1039/JR9650005542
- 599. Abraham MH, Grellier PL, Abboud J-LM, Doherty RM, Taft RW (1988) Solvent effects in organic chemistry recent developments. Can J Chem 66:2673-2696. https://doi.org/10.1139/v88-420

- 600. Maria PC, Gal JF, de Franceshi, J, Fargin E (1987). Chemometrics of solvent basicity: multivariate analysis of the basicity scales relevant to nonprotogenic solvents. J Am Chem Soc 109:483-492. https://doi.org/10.1021/ja00236a029
- 601. Laurence C, Nicolet P, Dalati MT, Abboud J-LM, Notario R (1994) The Empirical Treatment of Solvent-Solute Interactions: 15 Years of π*. J Phys Chem 98:5807-5816. https://doi.org/10.1021/j100074a003
- 602. Buhvestov U, Rived F, Ràfols C, Bosch E, Rosés M (1998) Solute–solvent and solvent–solvent interactions in binary solvent mixtures. Part 7. Comparison of the enhancement of the water structure in alcohol–water mixtures measured by solvatochromic indicators. J Phys Org Chem 11:185-192. https://doi.org/10.1002/(SICI)1099-1395(199803)11:3%3C185::AID-POC993%3E3.0.CO;2-5
- 603. Abraham MH, Whiting GS, Carr PW, Ouyang H (1998) Hydrogen bonding. Part 45. The solubility of gases and vapours in methanol at 298 K: an LFER analysis. J Chem Soc Perkin Trans 2 1998:1385-1390. https://doi.org/10.1039/A800830B
- 604. Walrafen GE, in Hydrogen-Bonded Solvent Systems, ed. Covington AK, Jones P, Taylor and Francis, London, 1968, p. 9.
- 605. Franks F, Water. RSC Monograph, Royal Society of Chemistry London, 1983.
- 606. Luck WAP (1986) Role of hydrogen bonding in the structure of liquids. Acta Chim Hungarica 121:119-145.
- 607. Franks F, Ives DJG (1966) The structural properties of alcohol–water mixtures. Quart Rev Chem Soc 20:1-44. https://doi.org/10.1039/QR9662000001
- 608. Beak P, Covington JB, Smith SG (1976) Structural studies of tautomeric systems: the importance of association for 2-hydroxypyridine-2-pyridone and 2-mercaptopyridine-2-thiopyridone. J Am Chem Soc 98:8284-8286. https://doi.org/10.1021/ja00441a079
- 609. See, e.g., Dega-Szafran Z, Naskret-Barciszewska MZ, Szafran M (1974) Hydrogen bonding in complexes of heterocyclic N-oxides with halogenoacetic acids. Part VII. An infrared and nuclear magnetic resonance study of 4-methylpyridine N-oxide complexes. J Chem Soc Perkin Trans 2, 1974:763-767. https://https://doi.org/10.1039/P29740000763
- 610. (a) Lichtenberg D, Bergmann F, Neiman Z (1971) Tautomeric forms and ionisation processes in xanthine and its N-methyl derivatives. J Chem Soc C 1971:1676-1682. https://doi.org/10.1039/J39710001676 (b) Lichtenberg D, Bergmann F, Neiman Z (1972) Tautomerism and ionization processes in 6-thioxanthine and its N-methyl derivatives. J Chem Soc Perkin Trans. 2 1972:1676-1682. https://doi.org/10.1039/P29720001676