


The gLite middleware architecture and components

Ariel Garcia

Forschungszentrum Karlsruhe

- **Some history**
- **Grid and the middleware**
- **gLite components, functionality and architecture**
 - security
 - information
 - job management
 - data management
- **Conclusions**



- Middleware keeps the grid together

Specific
application layer



VOs common
application layer



gLite/LCG
middleware



Globus
Batch (PBS)




Authentication
Authorization
File transfer
Job Execution

gLite:

- **Next step in middleware development**
- **New standards adopted**
 - Web services
- **Reengineering / redesign**
 - Scalability
 - Performance
 - Interoperability
 - Modularity
 - (...) the perfect grid middleware ;-)
- **Functionality added - user requirements**
 - HEP / Biomedicine / generic application - users

New features:

- **Increased modularity**
 - services can be deployed independently
- **Xml based configuration**
- **Finer grained security (VOMS)**
- **Pull model for job management (lazy scheduling)**
- **POSIX io to grid files**
- **User friendly LFNs**
- **File transfer services (data management jobs)**
- ...




- **@site**
 - Computing Element (CE)
 - gateway to local computing resources (cluster of worker nodes)
 - Worker Nodes (WN)
 - Storage Element (SE)
 - gateway to local storage (disk, tape)
 - a gridftp server, an SRM interface, IO server
 - User Interfaces (UI)
 - user's access point to the grid
 - client programs using some/all grid services

CE, SE: layer of abstraction, local peculiarities irrelevant

- **Grid- or VO-wide**
 - Security
 - Virtual Organization Server (VOMS)
 - MyProxy server (Proxy)
 - Information System (IS)
 - Job handling
 - Workload Management System (WMS)
 - Logging & Bookkeeping (LB)
 - Data management
 - File catalog (FiReMan)
 - File Transfer Service (FTS)
 - File Placement Service (FPS)

Virtual Organization Membership Service


- Multiple **VOs**
- Multiple **roles** in VO
 - compatible X509 extensions
 - signed by VOMS server
- Web admin interface
- Supports MyProxy
- Resource providers grant access to **VOs** or **roles**
- Sites map VO members/roles to local auth mechanism (unix user accounts)
 - allows for local policy




Layer of abstraction: individual members irrelevant

- **MyProxy**
 - allows longer lived jobs / increases security
 - WMS renews proxy
 - users should not produce long lived proxies :-)
 - allows for secure user mobility
 - user does not need to copy globus-keys around


Stores medium-lived proxy (days ~ weeks)






- **Based on R-GMA**
 - relational (**database-like**) implementation of the GGF Grid Monitoring Architecture
 - distributed
- **Aggregates service information from multiple grid sites**
 - hosts, resources (CPU, storage)
 - accepted VOs
 - based on Glue schema
- **Used by WMS (= RB's) to collect information on sites**
 - defines WMS's view of the Grid!
- **Generic Service Discovery API**
 - used by replica management tools to locate SEs, Catalogs
- **R-GMA system also used for monitoring :-)**


R-GMA ~ Distributed r-DB






- **WMS finds best location for job**
 - considering job requirements and available resources (CPUs, files)
 - Push model: WMS pushes job to CE
 - Pull model: CE asks the WMS for jobs
 - gets resource information from IS and File Catalogs
- **JSS (Condor) provides reliable submission system**
- **LB keeps track of job's status**
- **WMS is primary job execution interface for users**
- **each server allows only certain VOs / groups**

Layer of abstraction: sites irrelevant





- **Storage Element**

- Storage Resource Manager not provided by gLite
- POSIX-I/O gLite-I/O
- Access protocols gsiftp, https, rfio, ...

- **Catalogs**


- File catalog
 - Replica catalog
 - File authorization service
 - Metadata catalog
- gLite FiReMan catalog
(MySQL and Oracle)
gLite standalone metadata catalog


- **File Transfer**

- File Transfer Service
- File Placement Service

- **Catalog remembers locations of files**
 - only deals with their locations (not data, not transfers!)
 - data transfer handled separately: PFNs point to actual storage location and access protocol
- **Files can be replicated on multiple SEs**
- **Each file registered has a unique ID**
 - same file gets different IDs when registered multiple times
- **LFNs are names that make sense to you**



Layer of abstraction: file location irrelevant





Provides POSIX-like access to grid files

- both CLI & API
- GUID or LFN can be used, i.e. `open("/grid/myFile");`



- **Handles data management jobs**
 - “RB” for data jobs
- **Responsible for reliable file transfers between grid sites**
 - transfers (sets of) files between 2 SE's
 - endpoints with same protocol (gsiftp, ...)
- **Can be shared among VOs**

- **Transfer jobs**
 - identifier
 - state
 - files (source/destination PFN pairs)
 - support MyProxy
 - glite-transfer-submit
 - glite-transfer-status
- **Channels**
 - point to point (cern.ch – fzk.de) queues
 - state
 - bandwidth
 - concurrent tranfers
 - can be managed
 - production channels
 - default channel (free internet)

- **Understands logical source files**
 - copy `lfn:///grid/myvo/mytest.txt`
- **Understands logical destination**
 - transfer to `cern.ch`
- **Updates the File Catalogs**
 - registers new replica SURL in Fireman
- **Builds on FTS**

- **More standards compliant (WS)**
- **More security, virtualization of resources**
- **Some components evolving keeping compatibility**
- **Commands renamed, same functionality**
- **New / rearchitected components**
- **Several required features implemented**
- **Some requirements still pending**
- **New features expected**
- **Still moving target**
- **Current: gLite 1.3**
- **Expected soon: gLite 1.4**



Thanks for listening!