

Tableau Dashboard Guide

Dashboard Overview

The Tableau dashboards provide an interactive view of hospital 30-day readmission performance. Together, they help users identify where readmission risk and burden are concentrated and explore factors associated with the top readmission contributors.

Dashboard Access

Dashboard 1: [Link to Executive Dashboard at Tableau Public](#)

Dashboard 2: [Link to Top Contributor Dashboard at Tableau Public](#)

Dashboard 1 — Hospital Readmission Executive Dashboard

Provides the overall readmission picture and highlights populations with elevated risk or substantial readmission burden.

What it shows

Key Performance Indicators

- All Admissions
- Discharges Alive
- 7-Day Readmissions
- 30-Day Readmissions
- 30-Day Readmission Rate

Top 5 High-Risk Groups

Highlights groups with the highest 30-day readmission rates among groups meeting the dashboard's minimum-volume criterion.

Top 15 Contributors with Above-Average 30-Day Readmission Rate

Shows groups with 30-day readmission rates above the overall 12.62% rate, ranked by number of 30-day readmissions.

Readmission Risk vs. Readmission Burden

Compares:

- Risk: 30-day readmission rate
- Burden: number of 30-day readmissions

Reference line: The horizontal reference line represents the overall 30-day readmission rate of 12.62%.

The view allows users to explore risk and burden across individual dimensions such as age, comorbidity, length of stay, previous admissions, primary diagnosis, and ward type.

How to use:

Start with the KPIs, then examine high-risk and high-burden populations. Use the dimension view to explore a specific population in greater detail.

Dashboard 2 — Profile of Top Readmission Contributor, Secondary Diagnosis

Provides a deeper analysis of factors associated with readmission within the largest identified contributor population, Secondary Diagnosis.

What it shows

Secondary Diagnosis KPIs

The top KPIs summarize the size and readmission profile of the Secondary Diagnosis population, providing context for the analysis that follows.

Primary vs. Secondary Diagnosis Distribution

The pie chart compares Primary Diagnosis and Secondary Diagnosis by 30-day readmission status, showing both the total and proportion of Readmitted admissions and non-readmitted admissions. This provides context for why Secondary Diagnosis was selected for deeper analysis.

Factors Associated with Secondary Diagnosis

The statistical analysis identifies factors significantly associated with Secondary Diagnosis using ANOVA (for continuous variables) and chi-square tests (for categorical variables). The results show both statistical significance and the magnitude of association through effect size.

How to use

The dashboard is designed primarily for **hover-based exploration** – Hover over an individual factor or bar to view additional details about the statistical analysis, including the relevant significance and effect-size information.

Important Interpretation Notes

- The 30-day readmission rate is calculated among discharges alive.
- Risk and burden are different measures. A high-risk group is not necessarily a high-burden group.
- Groups across different dimensions overlap; their readmission counts or shares should not be added across dimensions.
- Dashboard findings represent associations, not causal relationships.
- The dashboards provide population-level analysis. The predictive model separately supports patient-level risk prioritization.