

```

1 -- Task 5: New vs. Old content by source (simple version)
2
3 SELECT
4     -- Classify as New vs Old based only on year/month from created_at
5     -- Year = 2025 (found via pattern '/2025 ') AND month in (7,8,9) → "New"
6     CASE
7         WHEN c.created_at LIKE '%/2025 %'
8             AND CAST(substr(c.created_at, 1, instr(c.created_at, '/') - 1) AS INTEGER) IN (7,8,9)
9             THEN 'New' -- if the month is July, August, or September, we tag the content as New
10        ELSE 'Old'
11    END AS content_age,
12
13    -- Source classification
14    CASE
15        WHEN c.external_id LIKE 'PGA%' THEN 'AJA' -- PGA → Al Jazeera Arabic
16        WHEN c.external_id LIKE 'PGD%' THEN 'AJD' -- PGD → Al Jazeera Documentary
17        WHEN c.external_id LIKE 'PGV%' THEN 'Atheer' -- PGV → Ather Podcasts
18        WHEN c.external_id LIKE 'PGL%' THEN 'LIVE' -- PGL → Live channels
19        WHEN c.external_id LIKE 'PGC%' THEN 'Originals' -- PGC → Originals / Commissions
20        ELSE 'Other' -- Everything else
21    END AS source,
22
23    -- Count unique viewers
24    COUNT(DISTINCT v.CUSTOMER_EXID) AS unique_viewers,
25
26    -- Total number of view events (all plays, including repeats)
27    COUNT(*) AS total_views
28
29 FROM viewership v
30 LEFT JOIN catalog c
31     ON v.CONTENT_ID = c.vod_dve_id
32
33 -- Only include rows where we have created_at available
34 WHERE c.created_at IS NOT NULL
35
36 -- Group by age + source
37 GROUP BY content_age, source
38
39 -- Order by new/old then biggest audiences
40 ORDER BY content_age DESC, unique_viewers DESC;
41

```