Introduction to Computer Security

Syllabus

Chi-Yu Li (2020 Spring) Computer Science Department National Chiao Tung University

Course Information

Course Name: Introduction to Computer Security

□ Lectures: 2B 5EF

□ Location: EC114

● Instructor: Chi-Yu Li (李奇育)

☐ Email: chiyuli@cs.nctu.edu.tw


□ Office: EC529

□ Office hours: Thu. 2:30-4:30pm

✓ Unsubscribe all

Course Assistant Information


- TAs
 - □ Wei-Xun Cheng, Chui-Hao Chiu, Po-Yi Chou, Yi-Chen Hsieh
 - ☐ Email: ics2020@nems.cs.nctu.edu.tw
- Online office Hours: QC3 Sync Classroom
 - □ Tue. 1:30-4:30pm
 - □ F2F by appointment
- Discussion Forum on New E3




Textbook

- Computer Security: Principles and Practice
 - ☐ William Stallings and Lawrie Brown, Pearson

3rd Global Edition, 2014



4th Global Edition, 2018



What this Course is About ...

- Part I: an introduction to a variety of topics in computer security
 - □ Computer security technology and principles
 - Cryptographic tools, user authentication, access control
 - Database security, malicious software, DoS, intrusion, firewalls
 - □ Software and system security
 - Buffer overflow, software security, OS security, cloud and IoT security
 - Network security
 - Internet security protocols and applications
 - Wireless and cellular network security

What this Course is About ... (Cont.)


- Part II: a training of hand-on skills in computer security
 - ☐ A capstone course
 - Apply what you have learned into computer security
 - Recommended prerequisites
 - Computer networks, operating systems, network programming, and cryptography
 - ☐ Four projects
 - Project 1: Network security
 - Project 2: Wireless network security
 - Project 3: System (Linux) security
 - Project 4: Buffer overflow and software security

Projects

- Project 1: DNS Reflection and Amplification Attacks
- Project 2: Phishing Attacks in Wi-Fi Networks


- Project 3: Worms Replication through SSH and Its Detection
- Project 4: Capture The Flag (CTF)
 - □ Problems related to buffer overflow and software security

Project 1: DNS Reflection and Amplification Attacks




- Learned techniques
 - □ (1) Raw socket programming; (2) IP packet spoofing; (3) packet tracing;(4) DNS query fabricating

Project 2: Phishing Attacks in Wi-Fi Networks



- Learned techniques
 - □ (1) Wi-Fi packet tracing; (2) ARP spoofing; (3) DNS spoofing; (4) MITM attack

Project 3: Worms Replication through SSH and Its Detection



- Learned techniques
 - □ (1) System login with public key authentication; (2) analysis of abnormal processes on Linux; (3) routine task scheduling on Linux

Project 4: Capture The Flag (CTF)

- A type of crypto-sport
 - ☐ Goal: learning to secure a machine
 - □ How?
 - Giving a set of challenges
 - A "Flag" is obtained when a challenge is countered




From Wikipedia

A toy example

\$ python -c 'v = input(); print("flag:foobar") if v == "1" else print("failed")'

- Learned techniques
 - □ (1) Identifying misuse of C/Linux functions; (2) Identifying buggy codes;
 - (3) Reverse engineering

Tentative Schedule



Phase II

- Database and data center security
- □ Intrusion detection
- ☐ Firewalls and intrusion prevention system

Phase III

- OS security
- □ Cloud and IoT security
- □ Internet security protocols and standards
- □ Cellular network security
- **□** Final Exam (6/19)

How will We Proceed?

- Slides (posted on New E3) + Blackboard-writing
- You are allowed to raise questions in Chinese
- You are encouraged to
 - □ attend our online office hours
 - □ ask/discuss your questions on the online forum
 - □ be absent if you feel sick or sleepy
- Course policies
 - No makeup exam! No cheating!
 - □ Projects: collaboration/plagiary/copy is prohibited between different teams
 - Projects 1-3: up to two team members
 - Project 4: no team-up

Roll Call for COVID-19

- Online roll call
 - □ QR code: directing to a per-class google form
 - ☐ Google form: inputting student ID and claimed seat
 - □ NCTU Google Suite: linking the form to a NCTU email
- Prerequisites
 - ☐ Sign up for G suite with your NCTU email
 - □ Register your email (NCTU G-Suite) for the roll call in a given form
- For each class
 - ☐ Sign in with your roll-call email, and scan the QR code to sign up and claim a seat
 - Allowed to submit only once per email
 - Will resolve any seat conflict later

How to Sign Up for G Suite?



- (b). Format of Graduate Students' E-Mail Accounts: username. (Department
- 4 The username part mentioned above should be specified by the applicant. another acceptable name. It is suggested that the username of the applicant one's passport in order to avoid any ambiguity.
- 5 Once approved, any ordinary request to change the username part of one department to another could request to change the username part of his/her by attaching a photocopy of one's student ID card and the related document people at the counter of ITSC.
- 6 The E-mail Service is provided to current students at NCTU and alumni for transferred from one person to another in any way. Moreover, any user must
- 7. If there is any abuse of the Service found (or denounced) and verified as
- 8. According to the Personal Information Protection Act of R.O.C., any personal departments would like to request the related information for administrative of therwise stipulated by law, the mentioned information would not be provide.
- ITSC will take necessary and appropriate measures to maintain the secur user's access as secure as possible. However, the integrity and security of ε
- Matters not mentioned herein, if any, must be subject to "Taiwan Acaden regulations.
- 11. If any miss or deficiency, these measures might be revised in the future t version of the document should prevail in case of any discrepancy or incons



How to Sign Up for G Suite? (cont.)

國立交通大學G Suite帳號系統

您的身分為: 校友

您的d2帳號為:

您尚未申請過 GSuite

申請帳號(學生

登出

如果您尚未申請過G Suite服務請您點選驗證現有帳號

此系統會替您建立一個由Google提供的帳號

接下來的申請頁面中您填入的帳號密碼設定在上述帳號將是一樣的。

並將校內信箱收到的信件forward到Google帳號中,已存在的所有信件將不會作處理,請自行備份並轉移

已有帳號者請選擇選項1將您的校內信箱帳號進行合併

聯絡信箱:mailadm@nctu.edu.tw


G Suite 帳號申請表

個人資料	
四人具个	
學號(Student's ID) / 人事代 碼(Employee's ID)	
名(Given name)	
姓(Family name)	
行動電話(mobile phone)	
帳號密碼	
帳號(Username)	•
	請選择你想使用的帳號
密碼(Password)	
密碼確認(Password Confirmed)	
	請輸入你想發定的密碼,長度8字以上,大小寫有別,必須英數混合
	送出後將會影響以下帳號: sandyhsiao.eecs030 的信件將Forward到 [您選择的帳號名稱]@nctu.edu.tw nctu.edu.tw1 的信件將Forward列 [您選择的帳號名稱]@nctu.edu.tw Submit!

Register Your Email (NCTU G-Suite) for Roll Call

• Link: https://forms.gle/veUjTBT2bX3Z4euX9





Sign Up for a Roll Call

ICS-2020 Roll Call (2020/03/03) When you submit this form, your email address will be recorded (chiyuli@nctu.edu.tw). If this is not your account, switch accounts * Required

Student ID * Your answer

Claim a seat in format Side-Row-Col (see the figure below, e.g., L-2-4) * Side-Row-Col Side-Row-Col L-2-4 R-3-4 **Projection Screen** . 2 1 Col Col 1 2 Left: Right Side: Side 00 Col 19

Your answer

Grading Policies

- Four projects: 48% (12% each)
- Two midterm exams: 32% (16% each)

• Final exam: 20%

- Attendance
 - □ 10 points from each exam: show up at least two times in a month
 - □ 1st midterm: March; 2nd midterm: April; final: May

Why is Cyber Security so Important?

- Most computing devices are network-connected
 - □ All have risks: attacks from the network/Internet















Cyber (Network) Attack → > 400 billion US dollars in Global Losses

from US CSIS (Center for Strategic and International Studies) 2014 Report

Why are Cyber Attacks so Popular?

- High returns at low risk and low cost
 - □ Low cost: Attacks require only network-connected devices; large-scale attacks
 - □ Low risk: difficult to be traced back; IP can be hidden or Botnet
 - □ Returns >> Cost
- Two major attack types
 - Social engineering
 - Tricking a user into granting access
 - Vulnerability Exploitation
 - Taking advantage of a design/implementation/operational flaw to gain access

Four Popular Cyber Attacks

- Ransomware
- Data Breach
- Business Email Compromise
- IoT Security Threats

Example I: Ransomware

- Malware encrypts the victim's data and requests payment to decrypt it
 - □ Infection by social engineering
 - E.g., victim clicks a malicious link or opens a malicious file from an email

- By IC3
 - Ransomware has attacked hospitals, schools, and many individuals/companies
 - □ Ransom Money in US: 2016 Q1 (200 million) >> 2015 whole year (24 million)



ALL YOUR PERSONAL FILES ARE ENCRYPTED

All your data (photos, documents, database, ...) have been encrypted with a private and unique key generated for this computer. It means that you will not be able to access your files anymore until they're decrypted. The private key is stored in our servers and the only way to receive your key to decrypt your files is making a payment.

The payment has to be done in Bitcoin to a unique address that we generated for you, Bitcoins are a virtual currency to make online payments. If you don't know how to get Bitcoins, you can google "How to Buy Bitcoins" and follow the instructions.

YOU ONLY HAVE 4 DAYS TO SUBMIT THE PAYMENT! When the provided time ends, the payment will increase to 5 Bitcoins. Also, if you don't pay in 7 days, your unique key will be destroyed and you won't be able to recover your files anymore.

To recover your files and unlock your computer, you must send 1.2 Bitcoin (500\$), to the next Bitcoin address:

Click Here to Show Bitcoin Address

WARNING!

DO NOT TRY TO GET RID OF THIS PROGRAM YOURSELF, ANY ACTION TAKEN WILL RESULT IN DECRYPTION KEY BEING DESTROYED. YOU WILL LOSE YOUR FILES FOREVER, ONLY WAY TO KEEP YOUR FILES IS TO FOLLOW THE INSTRUCTIONS.

Example II: Data Breach

- [IBM X-Force Report 2016] there is leakage of 2.1 billions personal data entries in 2016
 - Even from famous companies: Yahoo, LinkedIn, etc.
- [Verizon Statistics 2015] more 75% are business interests
 - □ Cause by three attack manners: Hacking, Malware, Phishing
 - □ Companies averagely need 201 days to find root causes
 - More than 75% companies do not have any SOP for data breach attacks

Example III: Popular Password Attack

- Malware Mirai turns computer systems running Linux into "bots"
 - Bots can be remotely controlled
 - □ Targets: IoT devices (e.g., remote cameras and home routers)

- How does the infection work? Popular password attack
 - ☐ Hundreds of thousands of IoT devices using default settings
 - □ A database of more than 60 common factory default usernames/passwords
 - E.g. admin/admin






25,152 OFFLINE



79,472



Malware Mirai: Damage

- DDOS (Distributed Denial of Service) attacks
 - By a large number of IoT devices

- 21 Oct. 2016: Attack a DNS (Domain Name System) system
 - Many web services suffer from DoS (Denial of Service)









• •

Question?