

**Name: Walaa Yahia**

**Id: 4211183**

**Groub: A**

## **Write a small research about REGEXP :**

MySQL supports another type of pattern matching operation based on the regular expressions and the REGEXP operator. It provide a powerful and flexible pattern match that can help us implement power search utilities for our database systems. REGEXP is the operator used when performing regular expression pattern matches. RLIKE is the synonym. It also supports a number of metacharacters which allow more flexibility and control when performing pattern matching. The backslash is used as an escape character. It's only considered in the pattern match if double backslashes have used. Not case sensitive .

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

classicmodels

- Tables
  - customers
  - employees
  - offices
  - orderdetails
  - orders
  - payments
  - productlines
  - products
  - student
- Views

Administration Schemas

Information

No object selected

Query 1

SQL File 6\* SQL File 6\* SQL File 6\* SQL File 7\* SQL File 8\* SQL File 9\* x

Limit to 1000 rows

```
1 • SELECT *
2
3 FROM customers
4 WHERE contactFirstName LIKE 'je%'
5 OR contactfirstName LIKE 'le%'
6
7
```

Result Grid

	customerNumber	customerName	contactLastName	contactFirstName	phone	addressLine 1	addressLine2	city	state	postalCode	
▶	112	Signal Gift Stores	King	Jean	7025551838	8489 Strong St.	NULL	Las Vegas	NV	83030	U
	151	Muscle Machine Inc	Young	Jeff	2125557413	4092 Furth Circle	Suite 400	NYC	NY	10022	U
	173	Cambridge Collectables Co.	Tseng	Jerry	6175555555	4658 Baden Av.	NULL	Cambridge	MA	51247	U
	198	Auto-Moto Classics Inc.	Taylor	Leslie	6175558428	16780 Pompton St.	NULL	Brickhaven	MA	58339	U
	233	Québec Home Shopping Network	Fresnière	Jean	(514) 555-8054	43 rue St. Laurent	NULL	Montréal	Québec	H1J 1C3	C
	344	CAF Imports	Fernandez	Jesus	+34 913 728 555	Merchants House	27-30 Merchant's Quay	Madrid	NULL	28023	S

customers 1 x

Apply Revert

Output

Action Output

# Time Action Message Duration / Error

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

classicmodels

Tables

customers

employees

offices

orderdetails

orders

payments

productlines

products

student

Views

Administration

Schemas

No object selected

Query 1

SQL File 6\*

SQL File 6\*

SQL File 6\*

SQL File 7\*

SQL File 8\*

SQL File 9\*

Limit to 1000 rows

```
1 SELECT *
2
3 FROM customers
4 WHERE contactFirstName LIKE 'je%'
5 OR contactfirstName LIKE 'le%'
6
7
```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	customerNumber	customerName	contactLastName	contactFirstName	phone	addressLine1	addressLine2	city	state	postalCode	
	173	Cambridge Collectables Co.	Tseng	Jerry	6175555555	4658 Baden Av.	NULL	Cambridge	MA	51247	U
	198	Auto-Moto Classics Inc.	Taylor	Leslie	6175558428	16780 Pompton St.	NULL	Brickhaven	MA	58339	U
	233	Québec Home Shopping Network	Fresnière	Jean	(514) 555-8054	43 rue St. Laurent	NULL	Montréal	Québec	H1J 1C3	C
	344	CAF Imports	Fernandez	Jesus	+34 913 728 555	Merchants House	27-30 Merchant's Quay	27-30 Merchant's Quay		28023	S
	455	Super Scale Inc.	Murphy	Leslie	2035559545	567 North Pendale Street	NULL	New Haven	CT	97823	U
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	U

customers 1

Apply

Revert

Output

Action Output

#

Time

Action

Message

Duration / Fetch

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

classicmodels

Tables

- customers
- employees
- offices
- orderdetails
- orders
- payments
- productlines
- products
- student

Views

Administration Schemas

Information

No object selected

Query 1

SQL File 6\* SQL File 6\* SQL File 7\* SQL File 8\* SQL File 9\* SQL File 11\* SQL File 12\* x

Limit to 1000 rows

```
1
2 • SELECT * FROM Customers
3 WHERE CustomerName LIKE '%e1';
```

Result Grid

	customerNumber	customerName	contactLastName	contactFirstName	phone	addressLine1	addressLine2	city	state	postalCode	country	salesRepEmployeeNumber
▶	141	Euro + Shopping Channel	Freyre	Diego	(91) 555 94 44	C/Moralzarzal, 86	NULL	Madrid	NULL	28034	Spain	1370
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Customers 1 x

Apply Revert

Output

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

classicmodels

- Tables
  - customers
  - employees
  - offices
  - orderdetails
  - orders
  - payments
  - productlines
  - products
  - student
- Views

Administration Schemas

Information

No object selected

Query 1

SQL File 6\* SQL File 6\* SQL File 6\* SQL File 7\* SQL File 8\* SQL File 9\* SQL File 11\* SQL File 12\* x

Limit to 1000 rows

```
1
2 SELECT * FROM Customers
3 WHERE CustomerName LIKE '%e1' OR '%ie1'
```

Result Grid

Filter Rows:

Edit: Export/Import: Wrap Cell Content:

	customerNumber	customerName	contactLastName	contactFirstName	phone	addressLine1	addressLine2	city	state	postalCode	country	salesRepEmployeeNumber
▶	141	Euro + Shopping Channel	Freyre		(91) 555 94 44	C/ Moralzarzal, 86	NULL	Madrid	NULL	28034	Spain	1370
*	NULL	NULL	NULL		NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Customers 2 x

Apply Revert

Output

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

classicmodels

Tables

- customers
- employees
- offices
- orderdetails
- orders
- payments
- productlines
- products

Views

Stored Procedures

Administration Schemas

Information

Table: customers

Columns:

- customerNumber
- customerName
- contactLastName
- contactFirstName
- phone
- addressLine1
- addressLine2
- city

Query 1

SQL File 6\*

SQL File 6\*

Limit to 1000 rows

```
1 • SELECT
2   CustomerNumber,
3   CustomerName,
4   phone,
5   creditLimit,
6   creditLimit+2000 As creditLimit
7 FROM Customers;
```

Result Grid

	CustomerNumber	CustomerName	phone	creditLimit	creditLimit
▶	103	Atelier graphique	40.32.2555	21000.00	23000.00
	112	Signal Gift Stores	7025551838	71800.00	73800.00
	114	Australian Collectors, Co.	03 9520 4555	117300.00	119300.00
	119	La Rochelle Gifts	40.67.8555	118200.00	120200.00
	121	Baane Mini Imports	07-98 9555	81700.00	83700.00
	124	Mini Gifts Distributors Ltd.	4155551450	210500.00	212500.00

Result 2 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓	4 20:00:34	SELECT * FROM Customers LIMIT 0, 1000	122 row(s) returned	0.000 sec / 0.000 sec

Read Only

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

classicmodels

Tables

- customers
- employees
- offices
- orderdetails
- orders
- payments
- productlines
- products

Views

Stored Procedures

Administration Schemas

Information

Table: customers

Columns:

- customerNumber
- customerName
- contactLastName
- contactFirstName
- phone
- addressLine1
- addressLine2
- city

Query 1 SQL File 6\* SQL File 6\* x

Limit to 1000 rows

```
1 • SELECT
2   CustomerNumber,
3   CustomerName,
4   phone,
5   creditLimit,
6   creditLimit+2000 As creditLimit
7 FROM Customers;
```

Result Grid

	CustomerNumber	CustomerName	phone	creditLimit	creditLimit
▶	103	Atelier graphique	40.32.2555	21000.00	23000.00
	112	Signal Gift Stores	7025551838	71800.00	73800.00
	114	Australian Collectors, Co.	03 9520 4555	117300.00	119300.00
	119	La Rochelle Gifts	40.67.8555	118200.00	120200.00
	121	Baane Mini Imports	07-98 9555	81700.00	83700.00
	124	Mini Gifts Distributors Ltd.	4155551450	210500.00	212500.00

Result 2 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 4	20:00:34	SELECT * FROM Customers LIMIT 0, 1000	122 row(s) returned	0.000 sec / 0.000 sec



MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

classicmodels

- Tables
  - customers
  - employees
  - offices
  - orderdetails
  - orders
  - payments
  - productlines
  - products
- Views
- Stored Procedures

Administration Schemas

Information

Table: customers

Columns:

- customerNumber
- customerName
- contactLastName
- contactFirstName
- phone
- addressLine1
- addressLine2
- city

Query 1

```
SELECT *
FROM customers
WHERE creditLimit >=1000000 AND customerNumber <200 OR country = 'USA';
```

Limit to 1000 rows

Result Grid

	customerNumber	customerName	contactLastName	contactFirstName	phone	addressLine1	addressLine2	city	state	postalCode	country	salesRep
▶	112	Signal Gift Stores	King	Jean	7025551838	8489 Strong St.	NULL	Las Vegas	NV	83030	USA	1166
	124	Mini Gifts Distributors Ltd.	Nelson	Susan	4155551450	5677 Strong St.	NULL	San Rafael	CA	97562	USA	1165
	129	Mini Wheels Co.	Murphy	Julie	6505555787	5557 North Pendale Street	NULL	San Francisco	CA	94217	USA	1165
	131	Land of Toys Inc.	Lee	Kwai	2125557818	897 Long Airport Avenue	NULL	NYC	NY	10022	USA	1323
	151	Muscle Machine Inc	Young	Jeff	2125557413	4092 Furth Circle	Suite 400	NYC	NY	10022	USA	1286

customers 1

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓	7 20:02:31	SELECT CustomerName, City FROM Customers LIMIT 0, 1000	122 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

classicmodels

Tables

- customers
- employees
- offices
- orderdetails
- orders
- payments
- productlines
- products

Views

Stored Procedures

Administration Schemas

Information

Table: customers

Columns:

- customerNumber
- customerName
- contactLastName
- contactFirstName
- phone
- address line1

Query 1

SQL File 6\* SQL File 6\* SQL File 6\* SQL File 7\* SQL File 8\* x

Limit to 1000 rows

```
1 • SELECT
2     customerNumber,
3     customerName,
4     creditLimit
5 FROM
6     customers
7 ORDER BY creditLimit DESC
8 LIMIT 3;
```

Result Grid

	customerNumber	customerName	creditLimit
▶	141	Euro + Shopping Channel	227600.00
	124	Mini Gifts Distributors Ltd.	210500.00
	298	Vida Sport, Ltd	141300.00
*	NULL	NULL	NULL

customers 3 x

Apply Revert

Output