Bug Report

Title: Admin Can Create Room with Blank Room Number

Description: Admin users are able to create and update a room with a blank room number. The system should handle blank room numbers as invalid and display an appropriate error message.

Steps to Reproduce:

- 1. Open the URL: https://automationintesting.online/#/admin
- 2. Enter the username: admin
- 3. Enter the password: password
- 4. Enter a value in the roomNumber field (e.g., 101).
- 5. Select a room type from the RoomType drop-down list.
- 6. Select an option from the Accessible drop-down list.
- 7. Enter a price value (e.g., 100).
- 8. Click the Create button.
- 9. Click on the created room entry to view details.
- 10. You should be redirected to the Edit Room page.
- 11. Click the Edit button.
- 12. Remove the original room number and enter a single space character.
- 13. Click the Update button.

Expected Result:

- The system should treat the space character in the room number field as an empty value.
- An error message should be displayed indicating that the room number must be set. For example: "Room name must be set."

Actual Result:

• The system allows the room to be updated with a blank room number (a single space character) without displaying an error message.

Severity: High

G '.' 1

Priority: Critical

Environment:

- URL: https://automationintesting.online/#/admin
- **Browser**: (Google Chrome Browser, FireFox Browser)
- Operating System: (macOS)

Attachments:

• Screenshots: Screenshot attached at the end of file

Test to reproduce:

- test update room by admin with empty room number()

Additional Notes:

- This issue could lead to data integrity problems, as rooms can be created or updated with non-unique or blank identifiers.
- Ensure that validation checks are added to the backend as well as frontend to prevent blank or invalid room numbers.

Suggested Fix:

- Implement validation on the roomNumber field to ensure it cannot be empty or consist of only whitespace characters.
- Display an appropriate error message if the validation fails.

ScreenShot

