







<input type="checkbox"/>	Name		Type	Location	Resource Group	Subscription	Last accessed
<input type="checkbox"/>	 ecommercedb	...	SQL database	UAE North	ecommerceteam2	Azure subscription 1	2 hours ago
<input type="checkbox"/>	 Azure subscription 1	...	Subscription			Azure subscription 1	3 hours ago
<input type="checkbox"/>	 ecommercedbteam	...	SQL server	UAE North	ecommerceteam2	Azure subscription 1	3 hours ago
<input type="checkbox"/>	 ecommercedb	...	Power BI Embedded	South Africa North	ecommerceadb	Azure subscription 1	3 hours ago
<input type="checkbox"/>	 ecommercedb	...	Resource group		ecommerceadb	Azure subscription 1	3 hours ago
<input type="checkbox"/>	 ecommerceteam2	...	Resource group	UAE North	ecommerceteam2	Azure subscription 1	1 day ago



# ecommercedb (ecommercedteam/ecommercedb)

SQL database



## Overview

Activity log

Tags

Diagnose and solve problems

Query editor (preview)

Mirror database in Fabric (preview)

Resource visualizer

Settings

Compute + storage

Connection strings

Properties

Locks

Data management

Replicas

Sync to other databases

Integrations

Azure Synapse Link



Copy



Restore



Export



Set server firewall



Delete



Connect with...



Feedback



**Mirror databases in Microsoft Fabric** Easily replicate your existing databases in Fabric, and help your team achieve streamlined ETL and operational analytics goals. [Learn more](#)



## Essentials

[JSON View](#)

Resource group [\(move\)](#)

[ecommercedteam2](#)

Status

Online

Location

UAE North

Subscription [\(move\)](#)

[Azure subscription 1](#)

Subscription ID

894dc306-22e7-433a-b15b-c589dc769a65

Tags [\(edit\)](#)

[Add tags](#)

Server name

[ecommercedteam.database.windows.net](#)

Connection strings

[Show database connection strings](#)

Pricing tier

General Purpose - Serverless: Gen5, 1 vCore

Auto-pause delay

Disabled

Earliest restore point

2025-05-20 11:51 UTC

[Getting started](#)

[Monitoring](#)

[Properties](#)

[Features](#)

[Notifications \(1\)](#)

[Integrations](#)

[Tutorials](#)

## Start working with your database

Connect to your database and start working with data with a few simple steps. [Learn more](#)

Add or remove favorites by pressing **Ctrl+Shift+F**



ecommercedteam

SQL server



Search

+ Create database + New elastic pool + New dedicated SQL pool (formerly SQL DW) ↓ Import database ✎ Reset password ...

Overview

- Activity log
- Access control (IAM)
- Tags
- Quick start
- Diagnose and solve problems
- Resource visualizer
- Settings
  - Microsoft Entra ID
  - SQL databases
  - SQL elastic pools
  - Properties
  - Locks
- Data management
  - Backups
  - Deleted databases
  - Failover groups

Essentials

JSON View

Resource group [\(move\)](#)  
[ecommercedteam2](#)

Status:  
Available

Location:  
UAE North

Subscription [\(move\)](#)  
[Azure subscription 1](#)

Subscription ID:  
894dc306-22e7-433a-b15b-c589dc769a65

Tags [\(edit\)](#)  
[Add tags](#)

Server admin:  
mohamed

Networking:  
[Show networking settings](#)

Microsoft Entra admin:  
[Not configured](#)

Server name:  
ecommercedteam.database.windows.net

Notifications (1)

Features (6)

All

Info (1)

Recommendations (0)



Microsoft Defender for SQL Free Trial

Your free trial will expire in 29 days

Add or remove favorites by pressing Ctrl+Shift+F

ecommercecdteam | Networking

SQL server

Public network access

Public Endpoints allow access to this resource through the internet using a public IP address. An application or resource that is granted access with the following network rules still requires proper authorization to access this resource. [Learn more](#)

Public network access

☐ Disable

☒ Selected networks

Connections from the IP addresses configured in the Firewall rules section below will have access to this database. By default, no public IP addresses are allowed. [Learn more](#)

Virtual networks

Allow virtual networks to connect to your resource using service endpoints. [Learn more](#)

+ Add a virtual network rule

Rule	Virtual network	Subnet	Address range	Endpoint status	Resource group	Subscription	State
------	-----------------	--------	---------------	-----------------	----------------	--------------	-------

Firewall rules

Allow certain public internet IP addresses to access your resource. [Learn more](#)

+ Add your client IPv4 address (102.188.5.154) + Add a firewall rule

Rule name	Start IPv4 address	End IPv4 address	
ClientIp-2025-5-20_14-43-56	0.0.0.0	255.255.255.255	

Save

Discard

SQL server

ⓘ Connections from the IP addresses configured in the Firewall rules section below will have access to this database. By default, no public IP addresses are allowed. [Learn more](#)

Virtual networks

Allow virtual networks to connect to your resource using service endpoints. [Learn more](#)

+ Add a virtual network rule

Rule	Virtual network	Subnet	Address range	Endpoint status	Resource group	Subscription	State
------	-----------------	--------	---------------	-----------------	----------------	--------------	-------

Firewall rules

Allow certain public internet IP addresses to access your resource. [Learn more](#)

+ Add your client IPv4 address (102.188.5.154) + Add a firewall rule

Rule name	Start IPv4 address	End IPv4 address	
<input type="text" value="Clientip-2025-5-20_14-43-56"/>	<input type="text" value="0.0.0.0"/>	<input type="text" value="255.255.255.255"/>	

Exceptions

☒ Allow Azure services and resources to access this server ⓘ

Save

Discard

## Data source

### Server

ecommercedteam.database.windows.net

### Database

ecommercedb

### Authentication method

Basic

### Connection status

 Connection successful

[Go to settings](#)



SQL Server

ecommercedb-ecommercedteam.database.win...



team2bootcamp

Semantic model

Refreshed: 5/21/25, 8:07:26 PM



team2bootcamp



Report

...



### Outbound networking

Restrict network access to a specific set of resources by supplying their fully-qualified domain names.[Learn more](#)

Restrict outbound networking

**Restrictions disabled.**

[Configure outbound networking restrictions](#)

### Connection Policy

Configure how clients communicate with your SQL database server.[Learn more](#)

Connection policy

- ☐ Default - Uses Redirect policy for all client connections originating inside of Azure (except Private Endpoint connections) and Proxy for all client connections originating outside Azure
- ☐ Proxy - All connections are proxied via the Azure SQL Database gateways
- ☒ Redirect - Clients establish connections directly to the node hosting the database

### Encryption in transit

This server supports encrypted connections using Transport Layer Connections (TLS). Any login attempts from clients using a TLS version less than the Minimum TLS Version shall be rejected. For information on TLS version and certificates, refer to connecting with TLS/SSL.[Learn more](#)

Minimum TLS version

TLS 1.2