## Quiz 2

Test in WEEK 2 GRADED ASSIGNMENTS

.1

**1** The first part of a CSS rule is the selector.

- 5 Points
- True
- False

**2** What makes up a CSS rule?

- 5 Points
- Opening tag, attribute, and value
- Colon and semi-colon
- Property and value
- Selector and declaration

**3** Which character is used to separate multiple declarations in a CSS rule?

- 5 Points
- Colon (:)
- Comma(,)
- Semi-colon (;)
- O Equals sign ( = )

Which HTML element is used to link to an external stylesheet?


5 Points

4

- <a>

	<meta/>
5	Which selector would target any element with the ID of "content"?
	5 Points
	<ul><li>content</li></ul>
	*content
	○ !content
	• #content
6	Which selector applies to all links inside a <div> element?</div>
	5 Points
	div < a
	O div a
	O div, a
7	Which is <b>not</b> a valid way to specify a CSS color?
	5 Points
	<ul><li>50, 60, 70</li></ul>
	orgb(50, 60, 70)
	○ #323c46
	orgba(50, 60, 70, 0.5)
8	Which character is used to separate a property from a value in a CSS rule?
	5 Points
	O Colon(:)
	<ul><li>Comma ( , )</li></ul>
	Semi-colon (;)
	O Equals sign ( = )

<style>



|    | 5 Points   |
|----|--|
|    | O 102  |
|    | O 205  |
|    | <ul><li>170</li></ul>  |
|    |  |
| 14 | A serif typeface has extra details on the ends of strokes.   |
|    | 5 Points   |
|    | <ul><li>True</li></ul>   |
|    | ○ False  |
|    |  |
| 15 | The "style" of a typeface refers to its boldness.  |
|    | 5 Points   |
|    | <ul><li>True</li></ul>   |
|    | ○ False  |
| 16 | Which CSS rule allows you to link to fonts that are not installed on the users computer?                         |
|    | 5 Points   |
|    | <ul><li>@font-family</li></ul>   |
|    | @font-link   |
|    | @font-face   |
|    | @web-fonts   |
|    |  |
| 17 | Your first choice of font is Georgia, then Times, then the default serif font. Which of these values is correct? |
|    | 5 Points   |
|    | georgia, times, serif  |
|    | o serif, times, georgia  |
|    | O georgia serif  |
|    |  |

|        | 5 Points   |
|--------|--|
|        | ○ px   |
|        | %  |
|        | ○ large  |
|        | ● m  |
| 19     | Which CSS pseudo-class is used to set a different style for links a user has already clicked on? |
|        | 5 Points   |
|        | ○ :link  |
|        | • :visited   |
|        | :hover   |
|        | :active  |
| 20     | Which of the following values displays a numbered list like this: i. ii. iii.?                   |
|        |  |
|        | 5 Points   |
|        |  |
|        | O lower-alpha  |
|        |  |
|        | <ul><li>lower-alpha</li><li>roman-numeral</li></ul>  |
|        | <ul><li>lower-alpha</li><li>roman-numeral</li><li>lower-roman</li></ul>                          |
| Submit | <ul><li>lower-alpha</li><li>roman-numeral</li><li>lower-roman</li></ul>                          |
| Submit | <ul><li>lower-alpha</li><li>roman-numeral</li><li>lower-roman</li><li>decimal</li></ul>          |