Chapter 9 - Script and function index

Alphabetical navigation | 29 October 2026

Find a script by filename, or a function/configuration anchor by name. Task links open the exact page of Chapter 8. This indexes the source references in the 36 recipes; it is not an inventory of every function in the repository.

Keep the complete PDF set in the same folder. Cross-file navigation uses relative PDF links; opening them depends on the PDF reader and its local-file security policy. An individual PDF retains its own contents and bookmarks.

Line numbers are regenerated from the local source. Use the named anchor after lines move. Source checks establish that the file and anchor exist, not that every UI workflow has passed browser acceptance.

Open a guide

Complete condensed guide

1. Everyday updates and saving

2. Settings and shared interface

3. About cube and faces

4. Page content and document library

5. Video, Music and instruments

6. Assets, layout and performance

7. Troubleshooting and maintenance

8. Where to change things

10. Settings field reference

11. Asset and source reference

Index sections

Open a guide 1

Scripts A-Z 3

Functions and configuration A-Z 13

- # . . . 13
- A . . . 13
- C . . . 13
- D . . . 15
- E . . . 15
- F . . . 15
- G . . . 16
- H . . . 16
- I . . . 16
- L . . . 16
- M . . . 17
- O . . . 18
- P . . . 18
- R . . . 18
- S . . . 19
- T . . . 20
- U . . . 20
- V . . . 21

Scripts A-Z

_1-about/about.js

function focusFace(Line 205	Change face focus or the cube's framing (p. 8)
function frameBesideSettings(Line 490	Change face focus or the cube's framing (p. 8)

_1-about/faces/odd/addon-layout-editor.js

export function createAddonLayoutEditor Line 7	Oddio: move an entire physical add-on panel (p. 11)

_1-about/faces/odd/addon-layout.mjs

export function constrainAddon Line 77	Oddio: move an entire physical add-on panel (p. 11)
export function resolveAddonLayout Line 90	Oddio: move an entire physical add-on panel (p. 11)

_1-about/faces/skills/BeanBagThrower.mjs

export function createBeanBagThrower Line 27	Skills: change beanbag throwing or appearance (p. 10)

_1-about/faces/skills/BeanBagVisuals.mjs

export function createBeanBagVisuals Line 16	Skills: change beanbag throwing or appearance (p. 10)

_3-graphics/shelf/book-layout.mjs

export function focusPoses(Line 61	Move grid books, resize a reader or change page arrows (p. 14)
export function gridPoses(Line 25	Move grid books, resize a reader or change page arrows (p. 14)

_5-music/instruments/catalog.js

`const INSTRUMENT_CONFIG =` Line 41	Change instrument slots, group choices or the More picker (p. 17)
`const INSTRUMENT_TABS =` Line 69	Change instrument slots, group choices or the More picker (p. 17)

_7-shared-scripts/panel-assembly/CollapsibleSections.mjs

`export function mountCollapsibleSections` Line 9	Change section collapse behavior or remove a redundant wrapper (p. 5)

_7-shared-scripts/media/controls-input.js

`export function createControlsInput` Line 3	Change player controls, seek targets or hover previews (p. 16)

_7-shared-scripts/media/controls-view.js

`function drawHoverPreview(` Line 544	Change player controls, seek targets or hover previews (p. 16)
`function getLayout(cw, ch)` Line 272	Change player controls, seek targets or hover previews (p. 16)

_1-about/faces/clock/controls.js

`function setFinish(` Line 36	Clock: change gear finish, hands or winding math (p. 10)

_1-about/faces/refs/controls.js

`export function createRefsControls` Line 102	Refs: change cabinet controls, door geometry or picture storage (p. 9)

_7-shared-scripts/sticky-notes/data.js

`const MAX_TEXT =` Line 5	Change sticky-note UI, text bundles or read behavior (p. 21)

`_1-about/faces/odd/deck.mjs`

`createAudioEngine(` Line 77	Oddio: change folding speeds, colors or tape effects (p. 13)
`export function createSoundDeck` Line 17	Oddio: connect an existing 2D action to a 3D button (p. 12)

`_6-docs/desk-drawers.js`

`export function createDeskDrawers` Line 8	Change desk drawers or the web export (p. 21)
`const DURATION =` Line 6	Change desk drawers or the web export (p. 21)
`function toggle(entry)` Line 64	Change desk drawers or the web export (p. 21)

`_1-about/faces/refs/doors.js`

`export function createRefsDoors` Line 132	Refs: change cabinet controls, door geometry or picture storage (p. 9)

`_1-about/notes/drawing-editor.js`

`export function createDrawingEditor` Line 28	Notes: change toolbar tools or side-panel layout (p. 13)

`_1-about/notes/drawing-layers.js`

`export function createLayersPanel` Line 5	Notes: change layers or editable-file export (p. 14)

`_1-about/notes/drawing-library.js`

`export function createDownloadManager` Line 141	Notes: change layers or editable-file export (p. 14)
`export function validateDrawing` Line 11	Notes: change layers or editable-file export (p. 14)

_6-docs/library/editor.js

`<h2 data-section-static>` Line 14	Change section collapse behavior or remove a redundant wrapper (p. 5)
`function footprint(` Line 50	Move desk papers or change paper dimensions (p. 20)
`export function mountDocsEditor` Line 11	Add a document or change its source/title (p. 20)
`function persistDraft(` Line 121	Add a document or change its source/title (p. 20)
`function suggestPosition(` Line 55	Move desk papers or change paper dimensions (p. 20)
`function updateSuggestedPosition(` Line 102	Move desk papers or change paper dimensions (p. 20)

_1-about/faces/odd/face-runtime.js

`function perform(action)` Line 79	Oddio: connect an existing 2D action to a 3D button (p. 12)
`rig.update(dt,` Line 109	Oddio: change folding speeds, colors or tape effects (p. 13)

_1-about/faces/skills/face.js

`function applySettings(` Line 17	Skills: change beanbag throwing or appearance (p. 10)

_1-about/faces/about/fish-face.js

`function setFrameOptions(` Line 332	Fish: change frame, hover layout or deployed pose (p. 8)
`function setHoverOptions(` Line 256	Fish: change frame, hover layout or deployed pose (p. 8)
`function setPose(` Line 649	Fish: change frame, hover layout or deployed pose (p. 8)

_3-graphics/shelf/game-view-controls.mjs

`export function installGameViewControls` Line 5	Change board-game box rotation or focus framing (p. 15)

`_4-games/games.js`

`function setSharedVolume(` Line 1601	Change arcade menu, launched game or reel audio (p. 17)
`function setupMenu(` Line 1122	Change arcade menu, launched game or reel audio (p. 17)
`function updateCssGameObject(` Line 1378	Change arcade menu, launched game or reel audio (p. 17)

`_1-about/faces/clock/gear-appearance.js`

`export function createGearAppearance` Line 14	Clock: change gear finish, hands or winding math (p. 10)

`_3-graphics/shelf/graphics-preview.mjs`

`function applyScene(` Line 330	Reduce book surface relief or change its material style (p. 15)
`function choose(` Line 296	Change board-game box rotation or focus framing (p. 15)
`function frameGameArtwork(` Line 218	Change board-game box rotation or focus framing (p. 15)

`_7-shared-scripts/core/header.js`

`export function enhanceHeader` Line 44	Change header behavior or the keyboard help guide (p. 7)

`_1-about/faces/index.js`

`export function createFaceRegistry` Line 18	Change face focus or the cube's framing (p. 8)

`_7-shared-scripts/sticky-notes/index.js`

`export async function mountStickyNotes` Line 34	Change sticky-note UI, text bundles or read behavior (p. 21)
`function startPlacement(` Line 418	Change sticky-note UI, text bundles or read behavior (p. 21)

_5-music/music-piano-controls.v2.js

`async function loadInstrument(id)` Line 5531	Change instrument loading feedback or gain (p. 18)
`function openCategoryPicker(` Line 3252	Change instrument slots, group choices or the More picker (p. 17)
`function renderTopPadGrid(` Line 4575	Change song icons and their distribution (p. 18)
`async function selectTrack(` Line 8981	Change recorded-track files, MIDI timing or playback volume (p. 19)
`function setInstrumentAutoGain(` Line 812	Change instrument loading feedback or gain (p. 18)
`function showMusicInstrumentNotice(` Line 532	Change instrument loading feedback or gain (p. 18)
`function startTopPadZoom(` Line 1365	Change Music video focus and panel sizing (p. 19)
`const TRACKS =` Line 5773	Change recorded-track files, MIDI timing or playback volume (p. 19)

_5-music/music-recorded-volume.mjs

`export function createRecordedTrackVolumeRoute` Line 1	Change recorded-track files, MIDI timing or playback volume (p. 19)

_5-music/music-screen-layout.mjs

`export function layoutMusicVideoZones(` Line 42	Change Music video focus and panel sizing (p. 19)
`export function musicPlayerRect(` Line 34	Change Music video focus and panel sizing (p. 19)

_5-music/music-track-icon-layout.mjs

`export function layoutMusicTrackIcons` Line 20	Change song icons and their distribution (p. 18)
`export function layoutSelectedMusicTrackIcons` Line 4	Change song icons and their distribution (p. 18)

_1-about/notes/notes-face.js

`function layoutStyle(` Line 151	Notes: change toolbar tools or side-panel layout (p. 13)
`function showTools(` Line 267	Notes: change toolbar tools or side-panel layout (p. 13)

_1-about/faces/odd/oddio-settings.js

`export function createOddioSettings` Line 10	Oddio: change folding speeds, colors or tape effects (p. 13)

_3-graphics/shelf/page-controls.mjs

`export function pageControlPlacements(` Line 18	Move grid books, resize a reader or change page arrows (p. 14)

_7-shared-scripts/core/page-shortcuts.js

`export function createShortcutGuide` Line 210	Change header behavior or the keyboard help guide (p. 7)
`const PAGE_SHORTCUTS` Line 5	Change header behavior or the keyboard help guide (p. 7)

_7-shared-scripts/core/page-summary.js

`const pages =` Line 6	Change Page summary text, destinations or travel speed (p. 6)
`export function registerPageSummaryPoints` Line 36	Change Page summary text, destinations or travel speed (p. 6)

debug/panel-shell.js

`function registerConstructorContext(id, label, element` Line 338	Move a setting into another tab or Constructor (p. 4)
`function registerContext(id, label, element)` Line 358	Move a setting into another tab or Constructor (p. 4)
`function registerContextControls(id, element)` Line 373	Move a setting into another tab or Constructor (p. 4)

`_7-shared-scripts/core/panel-viewport.js`

`export function panelViewport` Line 3	Change reset speed/easing or centering beside side panels (p. 6)

`_1-about/faces/about/picture-library.mjs`

`export function createPictureLibrary` Line 92	Fish gallery: change picture preparation or stored imagery (p. 9)
`async function prepareImage(` Line 70	Fish gallery: change picture preparation or stored imagery (p. 9)

`_1-about/faces/refs/picture-source.js`

`export async function saveRefsOriginal` Line 44	Refs: change cabinet controls, door geometry or picture storage (p. 9)

`_1-about/faces/odd/pod-config.mjs`

`export const POD_ACTIONS` Line 2	Oddio: connect an existing 2D action to a 3D button (p. 12)
`export const POD_DEFAULTS` Line 4	Oddio: rearrange four buttons or change their shape (p. 12)

`_1-about/faces/odd/pod-editor.js`

`const CENTERS=` Line 8	Oddio: rearrange four buttons or change their shape (p. 12)

`_7-shared-scripts/core/presentation-ui.js`

`export function createPresentationUiMotion` Line 7	Change focused-media UI hiding and movement (p. 5)

`_0-start/start/project-overlays.js`

`export function mountStartProjectOverlays` Line 21	Change a featured project and how it opens (p. 7)

_7-shared-scripts/sticky-notes/scene-adapter.js

`function anchorAt(` Line 219	Change how a note sticks to a 3D surface (p. 22)
`export function createSceneStickyAdapter` Line 119	Change how a note sticks to a 3D surface (p. 22)
`function ownInput(` Line 289	Change how a note sticks to a 3D surface (p. 22)

_6-docs/library/schema.js

`export function validateLibrary` Line 21	Add a document or change its source/title (p. 20)

_7-shared-scripts/core/selected-work.js

`export function mountSelectedWork` Line 6	Change a featured project and how it opens (p. 7)

_7-shared-scripts/core/settings-controls.js

`export function mountSettingsControls` Line 6	Add a saved setting or change its default/range (p. 4)

debug/settings-focused-media.js

`export const focusedMediaMarkup` Line 2	Change focused-media UI hiding and movement (p. 5)
`export function mountFocusedMediaControls` Line 25	Change focused-media UI hiding and movement (p. 5)

debug/settings-poi.js

`export function mountPoiSettings` Line 6	Change Page summary text, destinations or travel speed (p. 6)

_7-shared-scripts/core/settings-schema.js

'graphics.pageSurfaceStrength' Line 74	Reduce book surface relief or change its material style (p. 15)
'graphics.pageSurfaceType' Line 73	Reduce book surface relief or change its material style (p. 15)
export const SETTINGS_FIELDS Line 64	Add a saved setting or change its default/range (p. 4)

_7-shared-scripts/core/settings.js

function patch(input) Line 85	Add a saved setting or change its default/range (p. 4)

_7-shared-scripts/shared-glb-mouse-controls.js

export function transformResetDuration Line 8	Change reset speed/easing or centering beside side panels (p. 6)

_1-about/faces/odd/shuttle-controls.js

const CENTERS= Line 9	Oddio: rearrange four buttons or change their shape (p. 12)

_2-videos/tablet-focus.js

export function createTabletFocus Line 6	Change Videos tablet focus or transport integration (p. 16)
function setFocus(Line 109	Change Videos tablet focus or transport integration (p. 16)

_7-shared-scripts/core/transform-easing.js

export function resolveTransformResetEasing Line 23	Change reset speed/easing or centering beside side panels (p. 6)

_2-videos/videos-video-adapter.js

export function createVideosVideoAdapter Line 3	Change Videos tablet focus or transport integration (p. 16)

_1-about/faces/clock/winding.js

`export function handAngles(` Line 16	Clock: change gear finish, hands or winding math (p. 10)

Functions and configuration A-Z

#

<h2 data-section-static> - `_6-docs/library/editor.js` (line 14)
Example of a static introduction above real collapsible groups.
Change section collapse behavior or remove a redundant wrapper (p. 5)

A

anchorAt - `_7-shared-scripts/sticky-notes/scene-adapter.js` (line 219)
Creates a surface anchor from a hit, with clearance logic.
Change how a note sticks to a 3D surface (p. 22)

applyScene - `_3-graphics/shelf/graphics-preview.mjs` (line 330)
Scene-level appearance settings entry point; follow imported material owner.
Reduce book surface relief or change its material style (p. 15)

applySettings - `_1-about/faces/skills/face.js` (line 17)
Face integration of shared settings.
Skills: change beanbag throwing or appearance (p. 10)

C

CENTERS - `_1-about/faces/odd/pod-editor.js` (line 8)
Authoring diagram positions; BUTTONS supplies button paths.
Oddio: rearrange four buttons or change their shape (p. 12)

CENTERS - `_1-about/faces/odd/shuttle-controls.js` (line 9)
Physical button geometry/icon/input placement; inspect buttonShape and applyShape too.
Oddio: rearrange four buttons or change their shape (p. 12)

choose - `_3-graphics/shelf/graphics-preview.mjs` (line 296)
Item selection/state transition; putAway restores shelf state.
Change board-game box rotation or focus framing (p. 15)

constrainAddon - `_1-about/faces/odd/addon-layout.mjs` (line 77)
Constrains a requested position.
Oddio: move an entire physical add-on panel (p. 11)

createAddonLayoutEditor - `_1-about/faces/odd/addon-layout-editor.js` (line 7)
Authoring diagram and fields; proposal/finish handle preview and commit.
Oddio: move an entire physical add-on panel (p. 11)

createAudioEngine - `_1-about/faces/odd/deck.mjs` (line 77)
Connects accessible UI to audio-engine.mjs; effects have their own audio owner.
Oddio: change folding speeds, colors or tape effects (p. 13)

createBeanBagThrower - `_1-about/faces/skills/BeanBagThrower.mjs` (line 27)
Throw/interaction mechanism and pose-dependent behavior.
Skills: change beanbag throwing or appearance (p. 10)

createBeanBagVisuals - `_1-about/faces/skills/BeanBagVisuals.mjs` (line 16)
Reusable visual geometry/material resources.
Skills: change beanbag throwing or appearance (p. 10)

createControlsInput - `_7-shared-scripts/media/controls-input.js` (line 3)
Pointer mapping and hit inspection; seekHitPadding is an input option.
Change player controls, seek targets or hover previews (p. 16)

createDeskDrawers - `_6-docs/desk-drawers.js` (line 8)
Drawer collection, accessible controls and integration.
Change desk drawers or the web export (p. 21)

createDownloadManager - `_1-about/notes/drawing-library.js` (line 141)
Download ownership/lifetime; drawingFile describes the editable wrapper.
Notes: change layers or editable-file export (p. 14)

createDrawingEditor - `_1-about/notes/drawing-editor.js` (line 28)
Tool UI and drawing-editor behavior.
Notes: change toolbar tools or side-panel layout (p. 13)

createFaceRegistry - `_1-about/faces/index.js` (line 18)
Face registration entry point.
Change face focus or the cube's framing (p. 8)

createGearAppearance - `_1-about/faces/clock/gear-appearance.js` (line 14)
Material appearance owner and generated surface resources.
Clock: change gear finish, hands or winding math (p. 10)

createLayersPanel - `_1-about/notes/drawing-layers.js` (line 5)
Layer tree UI, rename and drag/drop integration.
Notes: change layers or editable-file export (p. 14)

createOddioSettings - `_1-about/faces/odd/oddio-settings.js` (line 10)
Face-owned ordinary/Constructor controls and shared-store registration.
Oddio: change folding speeds, colors or tape effects (p. 13)

createPictureLibrary - `_1-about/faces/about/picture-library.mjs` (line 92)
Browser picture-library entry point.
Fish gallery: change picture preparation or stored imagery (p. 9)

createPresentationUiMotion - `_7-shared-scripts/core/presentation-ui.js` (line 7)
Measured edge offsets, animation and restoration.
Change focused-media UI hiding and movement (p. 5)

createRecordedTrackVolumeRoute - `_5-music/music-recorded-volume.mjs` (line 1)
Recorded-source gain connection and live settings update.
Change recorded-track files, MIDI timing or playback volume (p. 19)

createRefsControls - `_1-about/faces/refs/controls.js` (line 102)
Control markup, display/apply logic and control handlers.
Refs: change cabinet controls, door geometry or picture storage (p. 9)

createRefsDoors - `_1-about/faces/refs/doors.js` (line 132)
Physical door construction/configuration.
Refs: change cabinet controls, door geometry or picture storage (p. 9)

createSceneStickyAdapter - `_7-shared-scripts/sticky-notes/scene-adapter.js` (line 119)
Shared scene adapter and raycasting.
Change how a note sticks to a 3D surface (p. 22)

createShortcutGuide - `_7-shared-scripts/core/page-shortcuts.js` (line 210)
Help dialog construction and key rendering.
Change header behavior or the keyboard help guide (p. 7)

createSoundDeck - `_1-about/faces/odd/deck.mjs` (line 17)
Accessible controls, handlers and shared engine.
Oddio: connect an existing 2D action to a 3D button (p. 12)

createTabletFocus - `_2-videos/tablet-focus.js` (line 6)
Tablet focus controller with snapshot, fit, projection and restoration.
Change Videos tablet focus or transport integration (p. 16)

createVideosVideoAdapter - `_2-videos/videos-video-adapter.js` (line 3)
Page-to-shared-player adapter.
Change Videos tablet focus or transport integration (p. 16)

D

drawHoverPreview - `_7-shared-scripts/media/controls-view.js` (line 544)
Timeline preview rendering; setCameraGestureActive suppresses it during camera gestures.
Change player controls, seek targets or hover previews (p. 16)

DURATION - `_6-docs/desk-drawers.js` (line 6)
Current base duration; exported parent-local offset metadata controls travel.
Change desk drawers or the web export (p. 21)

E

enhanceHeader - `_7-shared-scripts/core/header.js` (line 44)
Shared header enhancement; markup/style owners include header.html, template.css and colors.css.
Change header behavior or the keyboard help guide (p. 7)

F

focusedMediaMarkup - `debug/settings-focused-media.js` (line 2)
Control labels, grouping and data-setting fields.
Change focused-media UI hiding and movement (p. 5)

focusFace - `_1-about/about.js` (line 205)
Shared camera/cube face focus.
Change face focus or the cube's framing (p. 8)

focusPoses - `_3-graphics/shelf/book-layout.mjs` (line 61)
Focused-book arrangement; tightView/readerFrame handle related fitting.
Move grid books, resize a reader or change page arrows (p. 14)

footprint - `_6-docs/library/editor.js` (line 50)
Physical document footprint calculation.
Move desk papers or change paper dimensions (p. 20)

frameBesideSettings - `_1-about/about.js` (line 490)
Host framing around side panels.
Change face focus or the cube's framing (p. 8)

frameGameArtwork - `_3-graphics/shelf/graphics-preview.mjs` (line 218)
Fits game artwork for closed/open states.
Change board-game box rotation or focus framing (p. 15)

G

getLayout - `_7-shared-scripts/media/controls-view.js` (line 272)
Control rectangles and display proportions.
Change player controls, seek targets or hover previews (p. 16)

graphics.pageSurfaceStrength - `_7-shared-scripts/core/settings-schema.js` (line 74)
Relief strength, with adjacent scale and ink controls.
Reduce book surface relief or change its material style (p. 15)

graphics.pageSurfaceType - `_7-shared-scripts/core/settings-schema.js` (line 73)
Surface type default and allowed options.
Reduce book surface relief or change its material style (p. 15)

gridPoses - `_3-graphics/shelf/book-layout.mjs` (line 25)
Grid object poses; gridView computes its camera framing.
Move grid books, resize a reader or change page arrows (p. 14)

H

handAngles - `_1-about/faces/clock/winding.js` (line 16)
Time-to-hand angle calculation; offsetForWinding handles winding offsets.
Clock: change gear finish, hands or winding math (p. 10)

I

installGameViewControls - `_3-graphics/shelf/game-view-controls.mjs` (line 5)
Inspection drag/camera interaction.
Change board-game box rotation or focus framing (p. 15)

INSTRUMENT_CONFIG - `_5-music/instruments/catalog.js` (line 41)
Instrument records, IDs, labels and source/backend configuration.
Change instrument slots, group choices or the More picker (p. 17)

INSTRUMENT_TABS - `_5-music/instruments/catalog.js` (line 69)
Instrument group inventory.
Change instrument slots, group choices or the More picker (p. 17)

L

layoutMusicTrackIcons - `_5-music/music-track-icon-layout.mjs` (line 20)
Fixed available area, margins and overview icon circles.
Change song icons and their distribution (p. 18)

layoutMusicVideoZones - `_5-music/music-screen-layout.mjs` (line 42)
Video zones and instrument slide layout inputs.
Change Music video focus and panel sizing (p. 19)

layoutSelectedMusicTrackIcons - `_5-music/music-track-icon-layout.mjs` (line 4)
Selected icon transition while keeping source indices stable.
Change song icons and their distribution (p. 18)

layoutStyle - `_1-about/notes/notes-face.js` (line 151)
Workspace panel style/layout helper; frameLayout and readPanelMargin supply related sizing.
Notes: change toolbar tools or side-panel layout (p. 13)

loadInstrument - `_5-music/music-piano-controls.v2.js` (line 5531)
Instrument-load coordination and failure handling.
Change instrument loading feedback or gain (p. 18)

M

MAX_TEXT - `_7-shared-scripts/sticky-notes/data.js` (line 5)
Content limits and validation; anchors are validated separately.
Change sticky-note UI, text bundles or read behavior (p. 21)

mountCollapsibleSections - `_7-shared-scripts/panel-assembly/CollapsibleSections.mjs` (line 9)
Shared heading/details enhancement, state and grouping.
Change section collapse behavior or remove a redundant wrapper (p. 5)

mountDocsEditor - `_6-docs/library/editor.js` (line 11)
Editor fields, type handling and Save to project/export actions.
Add a document or change its source/title (p. 20)

mountFocusedMediaControls - `debug/settings-focused-media.js` (line 25)
Disabled/linked controls and Reduced motion override.
Change focused-media UI hiding and movement (p. 5)

mountPoiSettings - `debug/settings-poi.js` (line 6)
Navigation animation/speed controls; getPoiMotion supplies effective timing.
Change Page summary text, destinations or travel speed (p. 6)

mountSelectedWork - `_7-shared-scripts/core/selected-work.js` (line 6)
Shared selected-work interface; inspect the selected project ID and launcher here.
Change a featured project and how it opens (p. 7)

mountSettingsControls - `_7-shared-scripts/core/settings-controls.js` (line 6)
Connects data-setting controls to the store.
Add a saved setting or change its default/range (p. 4)

mountStartProjectOverlays - `_0-start/start/project-overlays.js` (line 21)
Owns embedded project overlay setup and return behavior.
Change a featured project and how it opens (p. 7)

mountStickyNotes - `_7-shared-scripts/sticky-notes/index.js` (line 34)
Shared authoring/read interface and state.
Change sticky-note UI, text bundles or read behavior (p. 21)

musicPlayerRect - `_5-music/music-screen-layout.mjs` (line 34)
Player content rectangle.
Change Music video focus and panel sizing (p. 19)

O

openCategoryPicker - `_5-music/music-piano-controls.v2.js` (line 3252)
More picker opening; updateCategoryPickerColumns handles its columns.
Change instrument slots, group choices or the More picker (p. 17)

ownInput - `_7-shared-scripts/sticky-notes/scene-adapter.js` (line 289)
Suspends scene interaction while placing/editing.
Change how a note sticks to a 3D surface (p. 22)

P

PAGE_SHORTCUTS - `_7-shared-scripts/core/page-shortcuts.js` (line 5)
Page/state shortcut inventory; actual event handlers are separate.
Change header behavior or the keyboard help guide (p. 7)

pageControlPlacements - `_3-graphics/shelf/page-controls.mjs` (line 18)
Physical navigation placement; overviewPageControlPlacements handles overview.
Move grid books, resize a reader or change page arrows (p. 14)

pages - `_7-shared-scripts/core/page-summary.js` (line 6)
Shared page summary copy and fallback destinations.
Change Page summary text, destinations or travel speed (p. 6)

panelViewport - `_7-shared-scripts/core/panel-viewport.js` (line 3)
Measures the usable viewport with Settings and Debug.
Change reset speed/easing or centering beside side panels (p. 6)

patch - `_7-shared-scripts/core/settings.js` (line 85)
Applies and persists validated changes; inspect subscribe for consumers.
Add a saved setting or change its default/range (p. 4)

perform - `_1-about/faces/odd/face-runtime.js` (line 79)
Physical action dispatcher, including special mappings and deck-button forwarding.
Oddio: connect an existing 2D action to a 3D button (p. 12)

persistDraft - `_6-docs/library/editor.js` (line 121)
Browser draft persistence.
Add a document or change its source/title (p. 20)

POD_ACTIONS - `_1-about/faces/odd/pod-config.mjs` (line 2)
Assignable action inventory; schema validation has a matching allowlist.
Oddio: connect an existing 2D action to a 3D button (p. 12)

POD_DEFAULTS - `_1-about/faces/odd/pod-config.mjs` (line 4)
Default slot actions; assignPodAction and swapPodSlots preserve assignment rules.
Oddio: rearrange four buttons or change their shape (p. 12)

prepareImage - `_1-about/faces/about/picture-library.mjs` (line 70)
Image preparation; inspect stored blobs and entry metadata together.
Fish gallery: change picture preparation or stored imagery (p. 9)

R

registerConstructorContext - `debug/panel-shell.js` (line 338)
Registers the authoring context.
Move a setting into another tab or Constructor (p. 4)

registerContext - `debug/panel-shell.js` (line 358)
Registers an ordinary Settings context.
Move a setting into another tab or Constructor (p. 4)

registerContextControls - `debug/panel-shell.js` (line 373)
Registers controls pinned to a context.
Move a setting into another tab or Constructor (p. 4)

registerPageSummaryPoints - `_7-shared-scripts/core/page-summary.js` (line 36)
Page owner registers actual callbacks/destinations.
Change Page summary text, destinations or travel speed (p. 6)

renderTopPadGrid - `_5-music/music-piano-controls.v2.js` (line 4575)
Tablet drawing and integration of computed positions.
Change song icons and their distribution (p. 18)

resolveAddonLayout - `_1-about/faces/odd/addon-layout.mjs` (line 90)
Resolves complete layout; ADDON_SPECS and MAIN_PANELS define bounds.
Oddio: move an entire physical add-on panel (p. 11)

resolveTransformResetEasing - `_7-shared-scripts/core/transform-easing.js` (line 23)
Resolves the chosen reset curve.
Change reset speed/easing or centering beside side panels (p. 6)

rig.update - `_1-about/faces/odd/face-runtime.js` (line 109)
Feeds physical tape state from the shared engine each host tick.
Oddio: change folding speeds, colors or tape effects (p. 13)

S

saveRefsOriginal - `_1-about/faces/refs/picture-source.js` (line 44)
Original picture persistence rather than merely the preview texture.
Refs: change cabinet controls, door geometry or picture storage (p. 9)

selectTrack - `_5-music/music-piano-controls.v2.js` (line 8981)
Track selection/loading flow; loadTrackAudio chooses audio candidates.
Change recorded-track files, MIDI timing or playback volume (p. 19)

setFinish - `_1-about/faces/clock/controls.js` (line 36)
Commits the selected finish through the controls.
Clock: change gear finish, hands or winding math (p. 10)

setFocus - `_2-videos/tablet-focus.js` (line 109)
Changes focused state.
Change Videos tablet focus or transport integration (p. 16)

setFrameOptions - `_1-about/faces/about/fish-face.js` (line 332)
Commits normalized frame options and geometry/layout updates.
Fish: change frame, hover layout or deployed pose (p. 8)

setHoverOptions - `_1-about/faces/about/fish-face.js` (line 256)
Commits hover configuration.
Fish: change frame, hover layout or deployed pose (p. 8)

setInstrumentAutoGain - `_5-music/music-piano-controls.v2.js` (line 812)
Per-instrument gain calibration path.
Change instrument loading feedback or gain (p. 18)

setPose - `_1-about/faces/about/fish-face.js` (line 649)
Applies the physical pose; inspect deployment flow before changing it.
Fish: change frame, hover layout or deployed pose (p. 8)

setSharedVolume - `_4-games/games.js` (line 1601)
Shared player volume path for cabinet media.
Change arcade menu, launched game or reel audio (p. 17)

SETTINGS_FIELDS - `_7-shared-scripts/core/settings-schema.js` (line 64)
Canonical field paths, persistence keys, parsers and defaults.
Add a saved setting or change its default/range (p. 4)

setupMenu - `_4-games/games.js` (line 1122)
Cabinet menu setup; follow its actual IDs and launch handlers.
Change arcade menu, launched game or reel audio (p. 17)

showMusicInstrumentNotice - `_5-music/music-piano-controls.v2.js` (line 532)
Music feedback presentation.
Change instrument loading feedback or gain (p. 18)

showTools - `_1-about/notes/notes-face.js` (line 267)
Controls tool-panel presentation.
Notes: change toolbar tools or side-panel layout (p. 13)

startPlacement - `_7-shared-scripts/sticky-notes/index.js` (line 418)
Placement-mode entry; open/shut/animateDialog own reading presentation.
Change sticky-note UI, text bundles or read behavior (p. 21)

startTopPadZoom - `_5-music/music-piano-controls.v2.js` (line 1365)
Music-specific focus transition; inspect projected video bounds and restoration.
Change Music video focus and panel sizing (p. 19)

suggestPosition - `_6-docs/library/editor.js` (line 55)
Placement suggestions within tabletop/lamp bounds.
Move desk papers or change paper dimensions (p. 20)

T

toggle - `_6-docs/desk-drawers.js` (line 64)
Open/close transition; update samples it on the owned loop.
Change desk drawers or the web export (p. 21)

TRACKS - `_5-music/music-piano-controls.v2.js` (line 5773)
Per-track audio/MIDI/video records.
Change recorded-track files, MIDI timing or playback volume (p. 19)

transformResetDuration - `_7-shared-scripts/shared-glb-mouse-controls.js` (line 8)
Shared reset timing preference mapping.
Change reset speed/easing or centering beside side panels (p. 6)

U

updateCssGameObject - `_4-games/games.js` (line 1378)
CSS3D embedded-game placement relative to the model.
Change arcade menu, launched game or reel audio (p. 17)

updateSuggestedPosition - `_6-docs/library/editor.js` (line 102)
Updates automatic placement without blindly replacing explicit positioning.
Move desk papers or change paper dimensions (p. 20)

V

validateDrawing - `_1-about/notes/drawing-library.js` (line 11)
Editable drawing format validation.
Notes: change layers or editable-file export (p. 14)

validateLibrary - `_6-docs/library/schema.js` (line 21)
Collection validation; presentationUrl normalizes supported presentation sources.
Add a document or change its source/title (p. 20)