Chapter 10 - Settings field reference

Central schema catalog | 29 October 2026

This catalog contains all 187 fields currently declared in the central SETTINGS_FIELDS schema (version 2). It is generated from the schema, not manually copied. Paths are relative to C:/Dropbox/Resume Website/.

Look up a visible feature by section, or search the exact setting path. Each row gives the source default, validation category/range, storage key and schema location. A default is not the value currently saved in your browser.

UI routes and owners identify where to start tracing a control. They do not prove that every schema field is exposed, that a private face owner uses no additional settings, or that each consumer has passed acceptance. Generated definitions point to the SETTINGS_FIELDS object; search its templates/loops for the field suffix.

Numeric ranges below are the central parser clamp bounds. DOM sliders can expose narrower ranges or steps. Listed choice values were checked against the parser using schema string literals; custom formats/easing validators still require source inspection. Reduced motion default null follows the effective preference logic; it is not the same as false.

Private content is separate: drawings/libraries, Refs layouts/original pictures, Fish imported imagery, Oddio audio sessions, soundfont packages, sticky-note bundles and Docs manifests/files need their own save/export workflows. Do not clear all local storage to restore one preference.

Setting groups

Audio 4

Accessibility 4

Header 5

Interaction and motion 5

Scene lighting 6

Start appearance 7

Video preferences 7

About framing 8

Cube 8

Fish visibility 8

Skills visibility 8

Refs visibility 9

Notes 9

Oddio 10

Clock 14

Skills spheroid 16

Music 18

Graphics 19

Games 19

Videos 20

Docs 21

Controls and content outside the central schema 22

Fish frame and hover controls 22

Fish imported pictures 22

Refs cabinet and layout options 22

Skills panel and visual configuration 22

Oddio audio sessions 22

Notes editable drawings and library 22

Sticky-note drafts and published bundles 23

Docs collection and uploaded originals 23

Audio

General -> Audio. Owners: `debug/panel-shell.js`, `_7-shared-scripts/audio-settings.js`

audio.muted Default: `false`	Validation: boolean Storage: `site.audio.muted` Legacy: `a11y:mute` Schema line 178
audio.preservePitch Default: `false`	Validation: boolean Storage: `site.audio.preservePitch` Schema line 180
audio.syncMs Default: `-270`	Validation: number; clamp -3000 to 3000 Storage: `site.audio.sync` Legacy: `globalAudioMidiOffsetMs`, `a11y:audioSyncMs` Schema line 179
audio.volume Default: `0.25`	Validation: number; clamp 0 to 1 Storage: `site.audio.volume` Legacy: `a11y:masterVolume` Schema line 177

Accessibility

General -> Accessibility; effective motion also follows OS preferences. Owners: `debug/panel-shell.js`, `_7-shared-scripts/core/motion-preference.js`

accessibility.focusOutline Default: `"auto"`	Validation: choice Storage: `site.a11y.settings` Options: `auto`, `always` Object property: `focusOutline` Schema line 184
accessibility.highContrast Default: `false`	Validation: boolean Storage: `site.a11y.settings` Object property: `highContrast` Schema line 182
accessibility.reducedMotion Default: `null`	Validation: boolean Storage: `site.a11y.settings` Object property: `reducedMotion` Schema line 181
accessibility.shortcutHints Default: `"auto"`	Validation: choice Storage: `site.a11y.settings` Options: `auto`, `always`, `hidden` Object property: `shortcutHints` Schema line 185

accessibility.textScale Default: `1`	Validation: number; clamp 1 to 1.25 Storage: `site.a11y.settings` Object property: `textScale` Schema line 183

Header

General -> Header. Owners: `debug/panel-shell.js`, `_7-shared-scripts/core/header.js`

header.useLegacy Default: `false`	Validation: boolean Storage: `site.header.useLegacy` Schema line 65
header.useLegacyNavbar Default: `false`	Validation: boolean Storage: `site.header.useLegacyNavbar` Schema line 66

Interaction and motion

General -> Focused media / Transform resets / Points of interest. Owners: `debug/settings-focused-media.js`, `debug/settings-reset-easing.js`, `debug/settings-poi.js`

interaction.animateResets Default: `true`	Validation: boolean Storage: `site.interaction.animate-resets` Schema line 186
interaction.focusUiAnimate Default: `true`	Validation: boolean Storage: `site.interaction.focus-ui-animate` Schema line 188
interaction.focusUiHideGear Default: `false`	Validation: boolean Storage: `site.interaction.focus-ui-hide-gear` Schema line 193
interaction.focusUiHideHeader Default: `true`	Validation: boolean Storage: `site.interaction.focus-ui-hide-header` Schema line 191
interaction.focusUiHideNavbar Default: `true`	Validation: boolean Storage: `site.interaction.focus-ui-hide-navbar` Schema line 192
interaction.focusUiHideTopRight Default: `true`	Validation: boolean Storage: `site.interaction.focus-ui-hide-top-right` Schema line 194
interaction.focusUiInSpeedMs Default: `460`	Validation: number; clamp 0 to 2000 Storage: `site.interaction.focus-ui-in-speed-ms` Schema line 197

interaction.focusUiKeepBehind Default: `true`	Validation: boolean Storage: `site.interaction.focus-ui-keep-behind` Schema line 190
interaction.focusUiMoveAway Default: `true`	Validation: boolean Storage: `site.interaction.focus-ui-move-away` Schema line 187
interaction.focusUiOutSpeedMs Default: `460`	Validation: number; clamp 0 to 2000 Storage: `site.interaction.focus-ui-out-speed-ms` Schema line 195
interaction.focusUiSeparateInSpeed Default: `true`	Validation: boolean Storage: `site.interaction.focus-ui-separate-in-speed` Schema line 196
interaction.panResetEasing Default: `null`	Validation: custom Storage: `site.interaction.pan-reset-easing` Schema line 202
interaction.panResetSpeed Default: `1`	Validation: number; clamp 0.25 to 3 Storage: `site.interaction.pan-reset-speed` Schema line 200
interaction.poiAnimate Default: `true`	Validation: boolean Storage: `site.interaction.poi-animate` Schema line 198
interaction.poiSpeed Default: `1`	Validation: number; clamp 0.25 to 3 Storage: `site.interaction.poi-speed` Schema line 199
interaction.rotationResetEasing Default: `null`	Validation: custom Storage: `site.interaction.rotation-reset-easing` Schema line 203
interaction.rotationResetSpeed Default: `1`	Validation: number; clamp 0.25 to 3 Storage: `site.interaction.rotation-reset-speed` Schema line 201

Scene lighting

General -> Scene appearance; Start also has lighting/visual controls. Owners: `debug/panel-shell.js`

scene.lighting Default: `null`	Validation: number; clamp 0 to 1 Storage: `site.scene.lighting` Schema line 204

Start appearance

Start native/3D controls and its page settings; not every schema field has a visible control. Owners: `_0-start/start-page.js`, `debug/panel-shell.js`

start.animationAllowed Default: `null`	Validation: boolean Storage: `site.start.animation.allowed` Schema line 205
start.backgroundContrast Default: `0.5`	Validation: number; clamp 0 to 1 Storage: `site.start.background.contrast` Schema line 211
start.brightness Default: `0.5`	Validation: number; clamp 0 to 1 Storage: `site.start.brightness` Schema line 210
start.centerOnViewport Default: `false`	Validation: boolean Storage: `site.start.centerOnViewport` Schema line 206
start.contrast Default: `0.5`	Validation: number; clamp 0 to 1 Storage: `site.contrast.value` Schema line 209
start.look.speakerPurple Default: `0.65`	Validation: number; clamp 0 to 3 Storage: `site.start.look.speaker-purple` Schema line 213
start.look.underlight Default: `0.65`	Validation: number; clamp 0 to 3 Storage: `site.start.look.underlight` Schema line 212

Video preferences

Videos page settings; exposed shared-player controls depend on the adapter. Owners: `debug/panel-shell.js`, `_2-videos/videos.js`

media.syncDrag Default: `null`	Validation: choice Storage: `video-sync-unlimited-drag` Options: `enabled`, `disabled` Schema line 207
media.tabletFocus Default: `false`	Validation: boolean Storage: `video.tablet.focus` Schema line 208

About framing

About framing preference and host viewport behavior. Owners: `_1-about/about.js`, `debug/panel-shell.js`

about.centerOnViewport Default: `false`	Validation: boolean Storage: `site.about.centerOnViewport` Schema line 67

Cube

About -> Cube tab. Owners: `_1-about/faces/backing-controls.js`, `_1-about/about.js`

cube.faceSnap Default: `false`	Validation: boolean Storage: `site.cube.faceSnap` Schema line 88
cube.showShell Default: `true`	Validation: boolean Storage: `site.cube.showShell` Schema line 90
cube.uprightFaces Default: `true`	Validation: boolean Storage: `site.cube.uprightFaces` Schema line 89

Fish visibility

About -> Cube or pinned Fish visibility/backing controls; frame/gallery preferences have private owners. Owners: `_1-about/faces/backing-controls.js`, `_1-about/faces/about/fish-face.js`

about.about.enabled Default: `true`	Validation: boolean Storage: `site.about.about.enabled` Schema line 64 (generated definition)
about.about.showBacking Default: `true`	Validation: boolean Storage: `site.about.about.showBacking` Schema line 64 (generated definition)

Skills visibility

About -> Cube or pinned Skills visibility/backing controls; beanbag/panel settings have additional owners. Owners: `_1-about/faces/backing-controls.js`, `_1-about/faces/skills/face.js`

about.skills.enabled Default: `true`	Validation: boolean Storage: `site.about.skills.enabled` Schema line 64 (generated definition)
about.skills.showBacking Default: `true`	Validation: boolean Storage: `site.about.skills.showBacking` Schema line 64 (generated definition)

Refs visibility

About -> Cube or pinned Refs visibility/backing controls; cabinet/editor settings have private owners. Owners: `_1-about/faces/backing-controls.js`, `_1-about/faces/refs/controls.js`

about.refs.enabled Default: `true`	Validation: boolean Storage: `site.about.refs.enabled` Schema line 64 (generated definition)
about.refs.showBacking Default: `true`	Validation: boolean Storage: `site.about.refs.showBacking` Schema line 64 (generated definition)

Notes

About -> Notes ordinary/Constructor controls and pinned visibility; editable drawings are separate. Owners: `_1-about/notes/notes-face.js`, `_1-about/faces/backing-controls.js`

about.notes.armSpeed Default: `1`	Validation: number; clamp 0.25 to 3 Storage: `site.about.notes.armSpeed` Schema line 132
about.notes.backingProjection Default: `true`	Validation: boolean Storage: `site.about.notes.backingProjection` Schema line 138
about.notes.enabled Default: `true`	Validation: boolean Storage: `site.about.notes.enabled` Schema line 64 (generated definition)
about.notes.fitInterior Default: `false`	Validation: boolean Storage: `site.about.notes.fitInterior` Schema line 139
about.notes.foldSpeed Default: `1`	Validation: number; clamp 0.25 to 3 Storage: `site.about.notes.foldSpeed` Schema line 134
about.notes.projector Default: `true`	Validation: boolean Storage: `site.about.notes.projector` Schema line 137
about.notes.rearArtwork Default: `true`	Validation: boolean Storage: `site.about.notes.rearArtwork` Schema line 136
about.notes.separateSpeeds Default: `false`	Validation: boolean Storage: `site.about.notes.separateSpeeds` Schema line 133

about.notes.showBacking Default: `true`	Validation: boolean Storage: `site.about.notes.showBacking` Schema line 64 (generated definition)
about.notes.showClippedArt Default: `true`	Validation: boolean Storage: `site.about.notes.clipped` Schema line 135

Oddio

About -> Oddio Settings and Constructor; data-pref controls bind to about.odd fields. Owners: `_1-about/faces/odd/oddio-settings.js`, `_1-about/faces/odd/addon-layout-editor.js`

about.odd.addonMeterGap Default: `5`	Validation: number; clamp 0 to 30 Storage: `site.about.odd.addon-meter-gap` Schema line 64 (generated definition)
about.odd.addonMeterHost Default: `"upper"`	Validation: choice Storage: `site.about.odd.addon-meter-host` Options: `upper`, `lower` Schema line 64 (generated definition)
about.odd.addonMeterSide Default: `"left"`	Validation: choice Storage: `site.about.odd.addon-meter-side` Options: `left`, `right` Schema line 64 (generated definition)
about.odd.addonMeterY Default: `39.5`	Validation: number; clamp -82 to 82 Storage: `site.about.odd.addon-meter-y` Schema line 64 (generated definition)
about.odd.addonShuttleFlipX Default: `false`	Validation: boolean Storage: `site.about.odd.addon-shuttle-flip-x` Schema line 64 (generated definition)
about.odd.addonShuttleFlipY Default: `false`	Validation: boolean Storage: `site.about.odd.addon-shuttle-flip-y` Schema line 64 (generated definition)
about.odd.addonShuttleGap Default: `7.7`	Validation: number; clamp 0 to 30 Storage: `site.about.odd.addon-shuttle-gap` Schema line 64 (generated definition)
about.odd.addonShuttleHost Default: `"lower"`	Validation: choice Storage: `site.about.odd.addon-shuttle-host` Options: `upper`, `lower` Schema line 64 (generated definition)
about.odd.addonShuttleSide Default: `"left"`	Validation: choice Storage: `site.about.odd.addon-shuttle-side` Options: `left`, `right` Schema line 64 (generated definition)

about.odd.addonShuttleY Default: `-27`	Validation: number; clamp -82 to 82 Storage: `site.about.odd.addon-shuttle-y` Schema line 64 (generated definition)
about.odd.addonTrackMetersGap Default: `1.8`	Validation: number; clamp 0 to 30 Storage: `site.about.odd.addon-trackmeters-gap` Schema line 64 (generated definition)
about.odd.addonTrackMetersHost Default: `"upper"`	Validation: choice Storage: `site.about.odd.addon-trackmeters-host` Options: `upper`, `lower` Schema line 64 (generated definition)
about.odd.addonTrackMetersSide Default: `"right"`	Validation: choice Storage: `site.about.odd.addon-trackmeters-side` Options: `left`, `right` Schema line 64 (generated definition)
about.odd.addonTrackMetersY Default: `36.5`	Validation: number; clamp -82 to 82 Storage: `site.about.odd.addon-trackmeters-y` Schema line 64 (generated definition)
about.odd.addonTransportFlipX Default: `false`	Validation: boolean Storage: `site.about.odd.addon-transport-flip-x` Schema line 64 (generated definition)
about.odd.addonTransportFlipY Default: `false`	Validation: boolean Storage: `site.about.odd.addon-transport-flip-y` Schema line 64 (generated definition)
about.odd.addonTransportGap Default: `2`	Validation: number; clamp 0 to 30 Storage: `site.about.odd.addon-transport-gap` Schema line 64 (generated definition)
about.odd.addonTransportHost Default: `"lower"`	Validation: choice Storage: `site.about.odd.addon-transport-host` Options: `upper`, `lower` Schema line 64 (generated definition)
about.odd.addonTransportSide Default: `"right"`	Validation: choice Storage: `site.about.odd.addon-transport-side` Options: `left`, `right` Schema line 64 (generated definition)
about.odd.addonTransportY Default: `-29`	Validation: number; clamp -82 to 82 Storage: `site.about.odd.addon-transport-y` Schema line 64 (generated definition)
about.odd.armSpeed Default: `1`	Validation: number; clamp 0.25 to 3 Storage: `site.about.odd.armSpeed` Schema line 95
about.odd.color1 Default: `"#cf542c"`	Validation: color Storage: `site.about.odd.color1` Schema line 64 (generated definition)

about.odd.color2 Default: `"#188b91"`	Validation: color Storage: `site.about.odd.color2` Schema line 64 (generated definition)
about.odd.color3 Default: `"#dfaa27"`	Validation: color Storage: `site.about.odd.color3` Schema line 64 (generated definition)
about.odd.color4 Default: `"#788b36"`	Validation: color Storage: `site.about.odd.color4` Schema line 64 (generated definition)
about.odd.enabled Default: `true`	Validation: boolean Storage: `site.about.odd.enabled` Schema line 64 (generated definition)
about.odd.foldSpeed Default: `1`	Validation: number; clamp 0.25 to 3 Storage: `site.about.odd.foldSpeed` Schema line 103
about.odd.highlightColor Default: `"#d9f5ff"`	Validation: color Storage: `site.about.odd.highlightColor` Schema line 106
about.odd.innerRotation Default: `"none"`	Validation: choice Storage: `site.about.odd.inner-rotation` Options: `none`, `clockwise`, `counterclockwise` Schema line 97
about.odd.innerSpeed Default: `1`	Validation: number; clamp 0.2 to 5 Storage: `site.about.odd.inner-speed` Schema line 98
about.odd.jamFrequency Default: `10`	Validation: number; clamp 0 to 100 Storage: `site.about.odd.jamFrequency` Schema line 105
about.odd.jams Default: `false`	Validation: boolean Storage: `site.about.odd.jams` Schema line 104
about.odd.layoutSnapBoth Default: `0.1`	Validation: number; clamp 0.01 to 10 Storage: `site.about.odd.layout-snap-both` Schema line 121
about.odd.layoutSnapCtrl Default: `1`	Validation: number; clamp 0.01 to 10 Storage: `site.about.odd.layout-snap-ctrl` Schema line 119
about.odd.layoutSnapShift Default: `0.01`	Validation: number; clamp 0.01 to 10 Storage: `site.about.odd.layout-snap-shift` Schema line 120

about.odd.mainMeterHeight Default: `1`	Validation: number; clamp 0.6 to 1.1 Storage: `site.about.odd.mainMeterHeight` Schema line 64 (generated definition)
about.odd.mainMeterWidth Default: `1`	Validation: number; clamp 0.6 to 1.1 Storage: `site.about.odd.mainMeterWidth` Schema line 64 (generated definition)
about.odd.particleDensity Default: `90`	Validation: number; clamp 0 to 240 Storage: `site.about.odd.particleDensity` Schema line 125
about.odd.particleLife Default: `1`	Validation: number; clamp 0.25 to 3 Storage: `site.about.odd.particleLife` Schema line 126
about.odd.particles Default: `true`	Validation: boolean Storage: `site.about.odd.particles` Schema line 124
about.odd.particleSize Default: `1`	Validation: number; clamp 0.25 to 3 Storage: `site.about.odd.particleSize` Schema line 127
about.odd.particleSpread Default: `1`	Validation: number; clamp 0 to 3 Storage: `site.about.odd.particleSpread` Schema line 129
about.odd.particleWind Default: `1`	Validation: number; clamp -2 to 2 Storage: `site.about.odd.particleWind` Schema line 128
about.odd.podShuttleConfig Default: `""`	Validation: custom Storage: `site.about.odd.pod-shuttle-config` Schema line 64 (generated definition)
about.odd.podTransportConfig Default: `""`	Validation: custom Storage: `site.about.odd.pod-transport-config` Schema line 64 (generated definition)
about.odd.separateSpeeds Default: `false`	Validation: boolean Storage: `site.about.odd.separateSpeeds` Schema line 102
about.odd.sewingAnimations Default: `true`	Validation: boolean Storage: `site.about.odd.sewing-animations` Schema line 96
about.odd.showBacking Default: `true`	Validation: boolean Storage: `site.about.odd.showBacking` Schema line 64 (generated definition)

about.odd.stackBlends Default: `true`	Validation: boolean Storage: `site.about.odd.stackBlends` Schema line 122
about.odd.tickSpacingMs Default: `200`	Validation: custom Storage: `site.about.odd.tickSpacingMs` Schema line 123
about.odd.trackMeterHeight Default: `1`	Validation: number; clamp 0.6 to 1.1 Storage: `site.about.odd.trackMeterHeight` Schema line 64 (generated definition)
about.odd.trackMetersReady Default: `false`	Validation: boolean Storage: `site.about.odd.track-meters-ready` Schema line 107
about.odd.trackMeterWidth Default: `1`	Validation: number; clamp 0.6 to 1.1 Storage: `site.about.odd.trackMeterWidth` Schema line 64 (generated definition)

Clock

About -> Clock; hand, groove and gear sections depend on the loaded clock variant. Owners: `_1-about/faces/clock/controls.js`, `_1-about/faces/clock/face.js`

about.clock.enabled Default: `true`	Validation: boolean Storage: `site.about.clock.enabled` Schema line 64 (generated definition)
about.clock.gearFinishes Default: `""`	Validation: custom Storage: `site.about.clock.gearFinishes` Schema line 148
about.clock.gearSpeed Default: `150`	Validation: custom Storage: `site.about.clock.gearSpeed` Schema line 144
about.clock.grooveColor Default: `"#a98b55"`	Validation: color Storage: `site.about.clock.grooveColor` Schema line 143
about.clock.hourColor Default: `"#f4f0d9"`	Validation: color Storage: `site.about.clock.hourColor` Schema line 64 (generated definition)
about.clock.hourGirth Default: `0.035`	Validation: number; clamp 0.008 to 0.07 Storage: `site.about.clock.hourGirth` Schema line 64 (generated definition)
about.clock.hourLength Default: `0.39`	Validation: number; clamp 0.18 to 0.7 Storage: `site.about.clock.hourLength` Schema line 64 (generated definition)

about.clock.hourStyle Default: `"tapered"`	Validation: choice Storage: `site.about.clock.hourStyle` Options: `baton`, `tapered`, `skeleton`, `slim-arrow`, `chevron`, `art-deco`, `spade`, `breguet`, `rocket` Schema line 64 (generated definition)
about.clock.hourVisible Default: `true`	Validation: boolean Storage: `site.about.clock.hourVisible` Schema line 64 (generated definition)
about.clock.markerPhase Default: `0`	Validation: number; clamp -1000000 to 1000000 Storage: `site.about.clock.markerPhase` Schema line 141
about.clock.minuteColor Default: `"#c7e7ff"`	Validation: color Storage: `site.about.clock.minuteColor` Schema line 64 (generated definition)
about.clock.minuteGirth Default: `0.026`	Validation: number; clamp 0.008 to 0.07 Storage: `site.about.clock.minuteGirth` Schema line 64 (generated definition)
about.clock.minuteLength Default: `0.58`	Validation: number; clamp 0.45 to 0.82 Storage: `site.about.clock.minuteLength` Schema line 64 (generated definition)
about.clock.minuteStyle Default: `"tapered"`	Validation: choice Storage: `site.about.clock.minuteStyle` Options: `baton`, `tapered`, `skeleton`, `slim-arrow`, `chevron`, `art-deco`, `spade`, `breguet`, `rocket` Schema line 64 (generated definition)
about.clock.minuteVisible Default: `true`	Validation: boolean Storage: `site.about.clock.minuteVisible` Schema line 64 (generated definition)
about.clock.secondColor Default: `"#e27d66"`	Validation: color Storage: `site.about.clock.secondColor` Schema line 64 (generated definition)
about.clock.secondGirth Default: `0.018`	Validation: number; clamp 0.008 to 0.07 Storage: `site.about.clock.secondGirth` Schema line 64 (generated definition)
about.clock.secondLength Default: `0.3`	Validation: number; clamp 0.04 to 0.55 Storage: `site.about.clock.secondLength` Schema line 64 (generated definition)
about.clock.secondStyle Default: `"baton"`	Validation: choice Storage: `site.about.clock.secondStyle` Options: `baton`, `tapered`, `skeleton`, `slim-arrow`, `chevron`, `art-deco`, `spade`, `breguet`, `rocket` Schema line 64 (generated definition)

about.clock.secondVisible Default: `true`	Validation: boolean Storage: `site.about.clock.secondVisible` Schema line 64 (generated definition)
about.clock.showBacking Default: `true`	Validation: boolean Storage: `site.about.clock.showBacking` Schema line 64 (generated definition)
about.clock.showGroove Default: `true`	Validation: boolean Storage: `site.about.clock.showGroove` Schema line 142
about.clock.timeOffsetSeconds Default: `0`	Validation: number; clamp -1000000000 to 1000000000 Storage: `site.about.clock.timeOffsetSeconds` Schema line 140

Skills spheroid

About -> Skill/Skills -> Lattice -> Spheroid lattice, when that host section is present. Owners: `_1-about/faces/backing-controls.js`, `_1-about/faces/interior-drive.js`

about.spheroid.ascendingRotationDirection Default: `"counterclockwise"`	Validation: choice Storage: `site.about.spheroid.ascending-rotation-direction` Options: `clockwise`, `counterclockwise` Schema line 166
about.spheroid.ascendingRotationSpeed Default: `0.015`	Validation: number; clamp 0 to 0.25 Storage: `site.about.spheroid.ascending-rotation-speed` Schema line 167
about.spheroid.bridgeCount Default: `4`	Validation: number; clamp 1 to 36 Storage: `site.about.spheroid.bridge-count` Schema line 171
about.spheroid.bridgeEnabled Default: `true`	Validation: boolean Storage: `site.about.spheroid.bridge-enabled` Schema line 170
about.spheroid.bridgeGlow Default: `0.8`	Validation: number; clamp 0 to 1.5 Storage: `site.about.spheroid.bridge-glow` Schema line 172
about.spheroid.bridgeSpeed Default: `0.8`	Validation: number; clamp 0 to 3 Storage: `site.about.spheroid.bridge-speed` Schema line 173
about.spheroid.color Default: `"cyan"`	Validation: choice Storage: `site.about.spheroid.color` Options: `cyan`, `amber`, `violet` Schema line 162

about.spheroid.descendingRotationDirection Default: `"clockwise"`	Validation: choice Storage: `site.about.spheroid.descending-rotation-direction` Options: `clockwise`, `counterclockwise` Schema line 168
about.spheroid.descendingRotationSpeed Default: `0.015`	Validation: number; clamp 0 to 0.25 Storage: `site.about.spheroid.descending-rotation-speed` Schema line 169
about.spheroid.enabled Default: `true`	Validation: boolean Storage: `site.about.spheroid.enabled` Schema line 156
about.spheroid.glow Default: `0.65`	Validation: number; clamp 0 to 1 Storage: `site.about.spheroid.glow` Schema line 160
about.spheroid.pattern Default: `"crossed"`	Validation: choice Storage: `site.about.spheroid.pattern` Options: `crossed`, `ascending`, `descending` Schema line 157
about.spheroid.rearPull Default: `0.025`	Validation: number; clamp 0 to 0.08 Storage: `site.about.spheroid.rear-pull` Schema line 174
about.spheroid.rearPullEnabled Default: `true`	Validation: boolean Storage: `site.about.spheroid.rear-pull-enabled` Schema line 175
about.spheroid.rearPullInfluence Default: `0.22`	Validation: number; clamp 0.1 to 0.85 Storage: `site.about.spheroid.rear-pull-influence` Schema line 176
about.spheroid.rotationDirection Default: `"counterclockwise"`	Validation: choice Storage: `site.about.spheroid.rotation-direction` Options: `clockwise`, `counterclockwise` Schema line 164
about.spheroid.rotationMode Default: `"together"`	Validation: choice Storage: `site.about.spheroid.rotation-mode` Options: `together`, `independent` Schema line 163
about.spheroid.rotationSpeed Default: `0.015`	Validation: number; clamp 0 to 0.25 Storage: `site.about.spheroid.rotation-speed` Schema line 165
about.spheroid.speed Default: `0.24`	Validation: number; clamp 0 to 1 Storage: `site.about.spheroid.speed` Schema line 161
about.spheroid.strands Default: `9`	Validation: number; clamp 4 to 18 Storage: `site.about.spheroid.strands` Schema line 158

about.spheroid.turns Default: `1.35`	Validation: number; clamp 0.5 to 3 Storage: `site.about.spheroid.turns` Schema line 159

Music

Music settings -> Music / Music screen / Track icons; instrument and track content have separate owners. Owners: `debug/panel-shell.js`, `_5-music/music-piano-controls.v2.js`

music.centerOnViewport Default: `false`	Validation: boolean Storage: `site.music.centerOnViewport` Schema line 68
music.featherControls Default: `true`	Validation: boolean Storage: `site.music.feather-controls` Schema line 221
music.highlightsEnabled Default: `true`	Validation: boolean Storage: `site.music.highlights-enabled` Schema line 222
music.masterGain Default: `0.85`	Validation: number; clamp 0.2 to 3 Storage: `music.instrument.master` Schema line 214
music.midiSyncOffsets Default: `"{}"`	Validation: custom Storage: `site.music.midi-sync-offsets` Schema line 215
music.screenGrid Default: `false`	Validation: boolean Storage: `site.music.screen-grid` Schema line 219
music.showGridButton Default: `false`	Validation: boolean Storage: `site.music.show-grid-button` Schema line 220
music.trackIconSize Default: `0.27`	Validation: number; clamp 0.16 to 0.32 Storage: `site.music.track-icon-size` Schema line 216
music.trackIconSpacing Default: `0.26`	Validation: number; clamp 0.12 to 0.36 Storage: `site.music.track-icon-spacing` Schema line 217
music.trackIconVerticalOffset Default: `0.22`	Validation: number; clamp 0 to 0.34 Storage: `site.music.track-icon-vertical-offset` Schema line 218

Graphics

Graphics settings -> viewport, shelf/video navigation and page surface controls. Owners: `debug/panel-shell.js`, `_3-graphics/shelf/graphics-preview.mjs`

graphics.centerOnViewport Default: `false`	Validation: boolean Storage: `site.graphics.centerOnViewport` Schema line 69
graphics.pageSurfaceInk Default: `0.35`	Validation: number; clamp 0 to 1 Storage: `site.graphics.pageSurfaceInk` Schema line 76
graphics.pageSurfaceScale Default: `1`	Validation: number; clamp 0.5 to 3 Storage: `site.graphics.pageSurfaceScale` Schema line 75
graphics.pageSurfaceStrength Default: `0.18`	Validation: number; clamp 0 to 2 Storage: `site.graphics.pageSurfaceStrength` Schema line 74
graphics.pageSurfaceType Default: `"paper"`	Validation: choice Storage: `site.graphics.pageSurfaceType` Options: `paper`, `felt`, `woven`, `smooth` Schema line 73
graphics.shelfRotation Default: `false`	Validation: boolean Storage: `site.graphics.shelfRotation` Schema line 70
graphics.videoRotation Default: `false`	Validation: boolean Storage: `site.graphics.videoRotation` Schema line 71
graphics.videoZoom Default: `false`	Validation: boolean Storage: `site.graphics.videoZoom` Schema line 72

Games

Games settings -> Center on viewport. Owners: `debug/panel-shell.js`, `_4-games/games.js`

games.centerOnViewport Default: `false`	Validation: boolean Storage: `site.games.centerOnViewport` Schema line 77

Videos

Videos settings and page-specific explainer controls. Owners: `debug/panel-shell.js`, `_2-videos/videos.js`

videos.centerOnViewport Default: `false`	Validation: boolean Storage: `site.videos.centerOnViewport` Schema line 78
videos.explainer.a-list-videos Default: `"Promo edits and highlights."`	Validation: custom Storage: `site.videos.explainer.a-list-videos` Schema line 64 (generated definition)
videos.explainer.music-videos Default: `"Music-driven visuals and edits."`	Validation: custom Storage: `site.videos.explainer.music-videos` Schema line 64 (generated definition)
videos.explainer.neotube-studios Default: `"Studio-branded content."`	Validation: custom Storage: `site.videos.explainer.neotube-studios` Schema line 64 (generated definition)
videos.explainer.news-broadcast Default: `"Broadcast-style segments."`	Validation: custom Storage: `site.videos.explainer.news-broadcast` Schema line 64 (generated definition)
videos.explainer.online-classes Default: `"Remote learning cuts and overlays."`	Validation: custom Storage: `site.videos.explainer.online-classes` Schema line 64 (generated definition)
videos.explainer.random-vids Default: `"Favorite mixes and experiments."`	Validation: custom Storage: `site.videos.explainer.random-vids` Schema line 64 (generated definition)
videos.explainerAlign Default: `"center"`	Validation: choice Storage: `site.videos.explainerAlign` Options: `center`, `left`, `right` Schema line 85
videos.explainerFont Default: `"sans"`	Validation: choice Storage: `site.videos.explainerFont` Options: `sans`, `serif`, `mono` Schema line 83
videos.explainerPlacement Default: `"center"`	Validation: choice Storage: `site.videos.explainerPlacement` Options: `online-classes`, `a-list-videos`, `news-broadcast`, `neotube-studios`, `music-videos`, `random-vids`, `center`, `follow` Schema line 86
videos.explainerSize Default: 46	Validation: number; clamp 18 to 72 Storage: `site.videos.explainerSize` Schema line 82

videos.explainerStyle Default: `"normal"`	Validation: choice Storage: `site.videos.explainerStyle` Options: `normal`, `bold`, `italic`, `bold italic` Schema line 84

Docs

Docs settings -> Center on viewport; document content is in Constructor. Owners: `debug/panel-shell.js`, `_6-docs/docs-3d.js`

docs.centerOnViewport Default: `false`	Validation: boolean Storage: `site.docs.centerOnViewport` Schema line 87

Controls and content outside the central schema

Use this owner map when a face has many controls but only visibility fields appear in the catalog. These notes are source-checked entry points; the list does not claim every private property or export payload has been exercised in a browser.

Fish frame and hover controls

`_1-about/faces/about/fish-face.js`

Constructor -> Fish; normalizeFrameOptions/setFrameOptions and normalizeHoverSettings/setHoverOptions own these values. Private keys include site.about.fish.frame.v1 and site.about.fish.rings.v1; ordinary audio response uses site.about.fish.v1. Read their normalizers/defaults before changing ranges. These are separate from the central Fish visibility fields.

Fish imported pictures

`_1-about/faces/about/picture-library.mjs`

createPictureLibrary owns local metadata at site.about.picture-library.v2 and original image blobs in the site-about-picture-assets-v1 IndexedDB database. Caption overrides and prepared display images differ from originals. A preference backup alone may not contain the image blobs.

Refs cabinet and layout options

`_1-about/faces/refs/controls.js`

Constructor registration and createRefsControls own the detailed fields. The archive owner is about.refs.sketch; board.getOptions/apply and normalizeRefsOptions in snap-board.js define the content/validation boundary. The local fields list covers scale, width, height, placement, rotation, shoulder/opening/bay sizes, line weight and opacity. Original pictures have their own picture-source.js storage.

Skills panel and visual configuration

`_7-shared-scripts/panel-assembly/SkillsSettings.mjs`

mountSkillsSettings registers archive owner about.skills. The fields inventory groups Filaments, Color, Bursts, Particles, Cards and Structure/Frame; presets and the source read/apply bundle own additional settings. SkillsBaseline.mjs supplies the captured baseline. Central visibility preferences are not the complete panel configuration.

Oddio audio sessions

`_1-about/faces/odd/session-io.mjs`

sessionObject/unpackSession define editable sessions, currently format Oddio version 4, including sources/clips/lanes and session state. SAVE SESSION / OPEN SESSION in the accessible deck operate on this content. Physical panel preferences are mostly central schema fields; saving those is not an audio-session backup.

Notes editable drawings and library

`_1-about/notes/drawing-library.js`

createDrawingLibrary, validateDrawing and parseDrawingFile own editable content. Current databases are site.about.notes.library and site.about.notes.working. Editable format notes-drawing differs from a raster export and from shared preferences. Preserve document/layer/anchor data when changing formats.

Sticky-note drafts and published bundles

`_7-shared-scripts/sticky-notes/index.js`

General Constructor -> Sticky notes is the authoring entry. Shared index/data modules separate drafts, bundle validation and visitor read history; published content is assets/annotations/sticky-notes.json. Import/export the actual note bundle and preserve scene anchors rather than treating it as an ordinary scalar preference.

Docs collection and uploaded originals

`_6-docs/library/editor.js`

Constructor -> Docs uses browser draft docs-library-draft-v1, Save document, Save to project and metadata JSON transfer. documents.json is the project manifest; original files and generated covers/pages are separate assets. validateLibrary in library/schema.js governs allowed content. Back up the referenced files as well as the manifest.