Portrait plate selector

Working concept updated from the Blender sketch: two members swing outward, exchange plates, then return to the aligned display position.

FRONT ELEVATION | DISPLAY STATION



Portrait plates wait behind the current plate.

Only the selected plate occupies the front station.

SIDE / STACK RELATION | CONCEPT ONLY



The current plate backs onto the selector,

then the selector returns it to the left slot.

Close the assembly after the next plate is back at the front station.

One plate exchange

The opening pose follows the Blender sketch: selector and stack each swing 60° outward from the aligned position.

1 DISPLAY P1



aligned / closed

P1 occupies the reserved front slot; the remaining portraits wait behind it.

2 SWING OPEN



open pose: opposed 60° swings

Selector and plate stack turn away from one another. Each is 60° out from home.

3 RETRACT P1



back onto selector

The selector receives P1 from the current station and pulls it clear.

4 RETURN P1 LEFT



The selector carries P1 to its left return slot and parks it there.

5 BRING P2 FORWARD



selected plate moves to front

The selector takes the chosen next plate from the stack and brings it to the front.

6 ALIGN AND CLOSE

aligned / closed

When P2 is seated at the current station, both moving members swing back together.

Permanent front station remains reserved throughout the cycle; it is never used for storage.

Swing geometry and operating rules

The model depicts two moving members on separate pivots; this sheet treats the shown angles as concept positions.

TOP / PLAN MOTION SKETCH



Open: each member rotates 60° outward from its closed alignment.

Exchange: retract old plate → return left → fetch next plate → present front.

Close: once the selected plate is seated at the front station, swing both members home.

MECHANISM RULES

1. One permanent display station

The current portrait always returns to the same front slot. Keep it open and reserved.

2. Open before moving plates

Swing the selector and stack apart to provide room for the exchange.

3. Return the outgoing plate

Back the current plate onto the selector and park it in its left slot.

4. Present the next plate

Select one stored portrait and carry it into the front station.

5. Close after alignment

Bring the two members together only after the new plate is seated at the front.

MODEL READING

The Blender scene has rot.selector and rot.stack on opposite ±60° open poses. The drawing shows each member 60° from its aligned position.

Pivot hardware, plate count, clearances, and drive details remain to be designed.