

USER GUIDE

App version: v0.1.0-dev

This guide must be updated after user-facing workflow or screen changes.

OVERVIEW

The Crypto Wallet Intelligence and Paper Trading App monitors watched wallets, detects patterns, researches wallet-triggered coin activity, creates scored paper-trade candidates and reports whether signals worked.

KEY PAGES

- Dashboard
- Settings
- Whale Wallets
- Wallet Movements
- Whale Trend Clusters
- Wallet Relationships
- Pattern Alerts
- Research Notes
- Copy Trade Candidates
- Paper Trading
- Reports
- Agent Logs
- Model Task Logs

IMPORTANT CONCEPTS

- Data Quality Score
- Liquidity Score
- Source Reliability Score
- Too-Late Score
- Wallet Influence Score
- Decision Snapshot
- Manual Review Required
- Emergency Stop

SAFETY LIMITS

V1 is paper trading only. It cannot execute live trades.

WHALE WALLETS PAGE

The Whale Wallets screen started as the first Stage 1 user-facing workflow and now includes the Stage 2 signal outcome review loop. It connects to the backend /wallets, /wallet-movements, /agent-alerts, /wallet-polling and /signal-outcomes APIs.

Current wallet actions:

- View wallet summary counts.
- List watched wallets.
- Filter listed wallets by chain.
- Add a watched wallet.
- Classify wallet type.
- Set alert threshold, watch priority and confidence weighting.
- Add tags and sectors of interest.
- Mark a wallet as paper copy-review allowed.
- Mark a wallet as Do Not Copy.
- Enable or disable an existing wallet.

Current movement actions:

- Manually store a wallet movement for smoke testing and research history.
- Record movement type, transaction hash, token, estimated USD value, protocol, transaction time and data quality score.
- View recent movements.
- Filter movements by manual-review requirement or large-alert status.
- Automatically create a review alert when a stored movement crosses the watched wallet's configured USD threshold.

Current alert, polling and outcome actions:

- Review generated agent alerts.
- Inspect decision snapshots for paper-trading-only context.
- Acknowledge reviewed alerts.
- Run a dry-run polling skeleton that checks enabled, non-Do-Not-Copy wallets without using external provider keys.
- Run deterministic mock ingestion to validate the full provider pipeline without real chain APIs.
- Review data quality score reasons on movement decision snapshots.
- Track alert status, candidate decision and analyst notes through the backend API.
- Run deterministic mock signal outcomes for 15m, 1h, 4h, 24h and 7d horizons.
- Run due-only outcome checks so only horizons whose due time has passed are scored.
- Run the narrow read-only CoinGecko public provider for wallet-led token price checks without committed API keys.
- Review whether each movement outcome was favorable, unfavorable, neutral or needs manual review.
- Inspect provider detail to distinguish mock outcomes from public market-data outcomes.
- Review wallet performance ranking by confidence score, win rate, average return, outcome count and data quality.
- Filter wallet ranking by provider so mock and public market-data outcomes can be evaluated separately.
- Import curated wallet lists from JSON while skipping duplicates by chain/address.
- Map wallet-led token symbols/contracts to provider IDs, such as CoinGecko IDs, so

future real-price outcomes can resolve token identity cleanly.

Available backend routes:

- GET /wallets â list watched wallets.
- POST /wallets â add a watched wallet.
- GET /wallets/{wallet_id} â get one watched wallet.
- PATCH /wallets/{wallet_id} â update wallet metadata and policy fields.
- PATCH /wallets/{wallet_id}/enabled â enable or disable a watched wallet.
- GET /wallets/summary â wallet and movement counts.
- GET /wallet-movements â list/filter wallet movements.
- POST /wallet-movements â manually store a wallet movement and create review alerts when thresholds are crossed.
- GET /agent-alerts â list/filter generated alerts.
- PATCH /agent-alerts/{alert_id}/acknowledge â acknowledge an alert after review.
- POST /wallet-polling/run-once?provider=dry_run â run the Stage 1 dry-run polling skeleton.
- POST /wallet-polling/run-once?provider=mock â run deterministic mock provider ingestion through validate, score, dedupe, store and alert.
- GET /signal-outcomes â list/filter price outcome records.
- GET /signal-outcomes/summary â outcome counts by result.
- POST /signal-outcomes/run-once?provider=mock â create deterministic mock outcomes for existing movements.
- POST /signal-outcomes/run-due?provider=mock â create deterministic mock outcomes only for due horizons.
- POST /signal-outcomes/run-due?provider=coingecko_public â create due outcomes with read-only public CoinGecko price checks for supported wallet-led token symbols.
- GET /wallet-performance â rank wallets by signal outcomes, with optional provider, horizon, min_outcomes and limit filters.
- POST /wallets/import â bulk import curated wallets; duplicate chain/address records are skipped.
- GET /token-mappings â list token identity mappings.
- POST /token-mappings â create or update a token/provider identity mapping.

Wallet records support enabled/disabled status, wallet type, tags, sectors, alert threshold, watch priority, confidence weighting, copy-trade disabled/enabled flag, and Do Not Copy policy. Movement records support data quality score, data quality reasons and manual-review flags. Alerts preserve decision snapshots and support review status, analyst notes and candidate decisions. Signal outcomes preserve paper-trading-only horizon validation for 15m, 1h, 4h, 24h and 7d. Wallet performance ranking is confidence-adjusted to avoid over-trusting tiny samples. Token mappings let the read-only price provider resolve wallet-led tokens without broad market discovery. Public market-data checks are read-only, narrow and wallet-led; they do not perform broad market discovery or live trading. V1 remains paper-trading only.