

Walmart Outparcels For Sale

Sherwood, AR

Store #7

9053 Highway 107



For more information
about this site, contact:

David Elrod

Phone : 501-412-0678

elrodrealestate@sbcglobal.net

Other sites available at
www.walmartrealty.com



Lot 1: ±2.43 Acres -

Lot 2: ±0.92 Acres (±0.73 Usable) -

Lot 4: ±1.26 Acres -

Demographic Summary

1 Mile


Population: 5,700
Median HH Income: \$54,300

3 Mile:


Population: 41,500
Median HH Income: \$56,400

5 Mile:

Population: 81,000
Median HH Income: \$49,600



The information above has been obtained from sources believed reliable. While we do not doubt its accuracy, we have not verified it and make no guarantee, warranty or representation about it. It is your responsibility to independently confirm its accuracy and completeness.



Carlson Consulting Engineers

7068 LedgeStone Commons

Bartlett, TN 38133

Casey Wilder

(901) 384-0404

(901) 384-0710

joejustin@carlsonconsulting.net

ENGINEER'S FACT SHEET

Location of Project:

Sherwood, AR

Store Type:

Supercenter

Store Size:

195 Proto

Store Number: 7

Date of this Report: Thursday, May 10, 2007

OUTLOT / EXCESS PROPERTY			SETBACKS				ZONING
** Please do not include Gas lot **			Minimum building setbacks for each property				Current zoning
Lot #	Size (in Acres)	Square footage	Front	Left Side	Right Side	Back	Zoning
Lot 1	2.43 AC	105,816	40'	10'	10'	10'	C-3
Lot 2	0.92 AC	40,244	40'	10'	10'	10'	C-3
Lot 3	0.93 AC	40,492	40'	10'	10'	10'	C-3
Lot 4	1.25 AC	54,656	40'	10'	10'	10'	C-3

ZONING

1. What is the zoning for the outlot(s)/excess property?

C-3

2. Is a restaurant permitted?

Yes

3. Is patio seating permitted?

Yes

4. Is a drive thru permitted?

Yes

5. What jurisdiction is the property in?

City of Sherwood

6. Are any of the outlot properties in a Flood Plain?

No

7. If each outlot have a separate zoning please describe below or you may also add any additional notes on the zoning:

PARKING REQUIREMENTS:

1. Wal-Mart's required parking ratio:

Restaurant	15 / 1,000
Retail	5 / 1,000

2. Is the City or County's parking requirement greater than Wal-Mart's

No

If Yes, what is the requirement?

Restaurant	
Retail	

SIGNAGE:

1. What type of signage is allowed for the outlots

Both

2. If other please define:

3. What is the maximum height allowed for the signage

60 feet

4. What is the maximum square footage allowed for the signage?

160 square feet

5. Explain how the square footage is calculated:

The area of a sign face shall be computed by means of the smallest square, circle, rectangle, triangle, or combination thereof that will encompass the extreme limits of the writing, representation, emblem, color, or other display, together with any material or color forming an integral part of the background of the display or used to differentiate the sign from the backdrop, but not including any supporting framework.

6. If Other or No signage is permitted explain why and give options to change the signage regulations:

7. Is roof signage permitted?

Yes

8. What is the maximum size?

Not specified

9. Are wall logo's and/or signs permitted?

Yes

10. Is Neon signage permitted?

Yes

11. How long is the variance process for outlot signage and what is required?

Typically a month and a half

12. Describe all reviews, hearings, variances and general requirements known at this time:

Submit in writing the request to the Board of Zoning Adjustment specifying the grounds for the appeal. The Board will fix a time for a public hearing on the appeal. The applicant must publish a notice in the newspaper

7 days prior to the hearing. Fee of \$50 dollars required.

PLATTING

1. Is it required that the property be platted?

Yes

1a. If no please explain:

1b. If yes has the plat been recorded?

Yes

1c. What is the book, page or volume?

Book 1 Page 32

1d. What was the date it was recorded?

2. If the property has not been platted, please describe the process and who will be responsible for the cost of platting. Also indicate an approximate time line for this to be completed.

STREET & HIGHWAY CUTS:

1. Who has jurisdiction on this site?

City

1a. If Other please define:

No

2. Is a permit required?

Select One

2a. If yes, is a bond required?

No

3. Will the D.O.T., City or County allow direct access and curb cuts from the main street or highway in front of the Wal-Mart/Sam's?

3a. If no, please explain:

For Lots 1, 2, and 3 access shall be internal to the Wal-Mart lot. Lot 4 will have access directly to Maryland Avenue.

4. If there is a median in front of the property, can it be cut?

Select Yes/No

4a. Please describe:

No median

4b. At whose expense:

5. Are any future highway/street changes anticipated?

Yes

5a. If yes, please describe along with the time line and location:

Maryland Avenue is being widened to three lanes with the Wal-Mart construction which should be completed by April 2008. Maryland Avenue will eventually be widened to a four lane road. Timeline is unknown.

6. Are sidewalks required?

Yes

6a. If so what type and size:

Concrete sidewalk 5 feet wide. Sidewalks are being built with the Wal-Mart construction.

7. Was a traffic study made for Wal-Mart?

Yes

7a. If yes, were the outlot(s) included?

yes

7b. What was the estimated traffic for each parcel?

**24-Hour Two-Way Weekday Volume
Lot 1: 532; Lot 2: 509; Lot 3: 360; Lot 4: 591**

7c. Will an additional traffic study be required for each user?

No

7d. If yes, please explain why, and the timeline after submitted:

UTILITIES:

Water

1. Is a waterline stubbed to the outlot property line(s)?

No

2. If no, please explain where water is accessed.

Water is available along frontage

3. What is the jurisdiction of the water line?

Central Arkansas Water

4. What is the size of the water main?

8"

5. What is the normal pressure?

Static 86 psi

6. What is the Tap Fee?

Depends on tap size

7. What is the 1 1/2" meter fee?

Cost is included in tap fee

8. Can the hose bibs & irrigation be on a separate meter?

Yes

9. What is the size of the line required?

Depends on required demand

10. Are backflow preventer valves required for fire sprinkler lines?

Yes

11. Is an easement required by the jurisdiction for the water line?

No

Sanitary Sewer

1. Is sanitary sewer available at the property line(s)?	Yes				
2. What is the size of the sewer line?	10"				
3. What is the Jurisdiction of the sewer line?	North Little Rock Wastewater Utility				
4. Nearest manhole:	Lot 1	Rim El.	stub	Inv.El.Out	434.61
	Lot 2	Rim El.	418.98	Inv.El.Out	411.79
	Lot 3	Rim El.	418.98	Inv.El.Out	411.79
	Lot 4	Rim El.	392.88	Inv.El.Out	383.75
5. Is a grease trap required for a restaurant?	Yes				
6. Are tap fees based on water usage?	No				
7. Is the tap to be made by the city or a local plumber?	local plumber				
8. What is the sewer tap fee?	\$150 Commercial Permit				
9. Are there any special assessments?	No				
10. Is there a current moratorium or a chance for one in the future?	No				
11. Is an easement required for sanitary sewer?	No				
12. If sanitary sewer is not available, can a septic system be used?	N/A				
12a. What type?	N/A				
12b. Remarks:	N/A				
13. Can the septic field be paved over?	N/A				
14. Has a percolation test been performed?	N/A				
14a. When?	N/A				
14b. What were the results? (1' in 30 minutes is required for a restaurant)	N/A				
14c. If the test did not meet the above requirements, what are the alternative solutions?	N/A				

*Note: Purchaser is responsible for their own percolation test on the outlot(s) if septic system is required.

Storm Sewer:

1. Is storm sewer available or will surface drainage be used?

Storm sewer is available

2. Has Wal-Mart's detention facility been sized to accept the drainage?

No

- 2a. Please explain the alternative solution(s):

There is no detention pond for the development. Stormwater runoff is collected in the storm sewer system and drains into Woodruff Creek.

3. Is the Wal-Mart detention pond included in any of the outlots?

Select Yes/No

4. Has the storm sewer line been stubbed to the outlot(s)?

Yes

5. Who has jurisdiction of the storm sewer?

Private

6. What is the size of the storm sewer?

Varies: 12-18 inch

7. What is the depth?

5-6 feet

8. What is the tap fee?

none

9. Are catch basins required?

No

10. Is an easement required for storm sewer?

No

****Note: Purchaser will have to comply fully with any federal, state or local laws, regulations, ordinances, permits or other authorizations or approvals or other requirements relating to storm water discharges or the control of erosion or sediment discharges from construction projects, including but not limited to the Clean Water Act, 33 U.S.C.- 1251 et seq., and the Storm Water General Permit for Discharges associated with Construction Activities (collectively the "Storm Water Requirements") including without limitation preparing a Storm Water Pollution Prevention Plan (if applicable) to avoid negatively impacting any erosion or sediment controls during earth-disturbing activities, if any.**

Electric

1. What is the location of the electric

Along Maryland Avenue

2. Is it overhead or underground?

Overhead

3. What is the voltage?

Not known

4. What is the phase?

3 phase

5. What is the wire?

Not known

6. What is the jurisdiction of the electricity?

North Little Rock Electric

7. Is underground service required?

No

- 7a. If yes, will the power company bring conduit and wire to the transformer and/or building?

- 7b. Is there a standard cost per L F for the utility installation?

- 7c. Transformer location:

Coordiante with electric company

- 7d. Can the outlots be serviced with either a pole mounted or pad mounted transformer?
8. Is the primary service connected to the existing transformer?
- 8a. Is there any service charges or connection fees?
- 8b. What is the cost?
9. Is an additional utility easement required for electric service to the outlot(s)?

Coordiante with electric company

N/A

No

No

Gas

1. What is the location of the gas line?
2. What is the maximum amount available?
3. What is the jurisdiction of the gas line?
4. What type of commitment will the gas company give?
5. Will the gas company bring the line to the building?
- 5a. What is the estimated cost to do so?
- 5b. What is the size of the gas line?
- 5c. What is the pressure of the gas line?
- 5d. What is the BTU/CF rating?
- 5e. What is the specific gravity?
- 5f. Is a meter fee required?

Along Maryland Avenue

Not known

Centerpoint Energy

Not known

Yes

Depends on required length of gas line

2"

Not known

Not known

Not known

No

6. Is an easement required for gas?

No

Telephone

1. What is the location of the telephone line?
2. Is under ground service required?
3. Who is responsible for bringing telephone lines to the building?

Along Maryland Avenue

Yes

Owner responsible for installing conduit and telephone company will install cables

FEES:

1. Are there any unusually expensive fees or assessments relating to the future development of this property? If so please describe in detail and attach a schedule if available.
2. Explain:

No

BUILDING CODES:

1. What are the building codes by which the architectural plans must comply with on the outlot(s)?

Civil does not have that information.

- 1a. What is the date they were adopted:

2. What is the building permit fee schedule?

Civil does not have that information.

3. Are the parcels located in a fire zone or district?

No

4. Are there any special fire department requirements in addition to standard plans?

No

SITE / LANDSCAPING:

1. Is there a landscaping ordinances in place?

Yes

- 1a. What is the ordinance number:

1492

- 1b. What is the date it was adopted?

9/25/2000

2. What type of solid waste disposal is permitted?

- 2a. Compaction:

Select Yes/No

- 2b. Bulk pick up:

Select Yes/No

- 2c. Front loader:

Select Yes/No

- 2d. Side loader:

Select Yes/No

- 2e. Rear loader:

Select Yes/No

- 2f. Who are the service providers of solid waste?

N/A

****Wal-Mart requires minimum of concrete block screening for compactors and dumpsters.**

3. Is this requirement adequate for the jurisdiction?

Yes

4. Is a drain required in the trash area?

Select Yes/No

5. Are hot and cold water hose bibs required in the trash area?

Select Yes/No

SOILS / ENVIRONMENTAL:

1. Will the outlot/excess property be rough graded and the utilities brought to the propety line?

Yes

2. Are they compacted to Wal-Mart's specs?

Yes

3. Did the Phase 1 Environmental report indicate contamination?

No

3a. Report prepared by:

Terracon

3b. Dated:

12/18/2006

4. Is any portion of this property in a flood plain or wetland area?

No

TRAFFIC:

1. What is the average daily traffic of the roads that connect to our site?

6,189 on Maryland Avenue and 18,197 on Hwy 107

2. What is the volume of traffic per day on the roads that connect to our site?

3. What are the traffic counts per year on the roads that connect to our site?

The purpose of these "Fact Sheets" are to provide general information regarding the subject property. It shall be the prospective buyer's obligation to perform due diligence to insure that the property is capable of meeting the intended use.

Civil Consultant: Please add anything that you can think of that would effect the title to the parcels or the ability to develop these parcels.

PLEASE MAKE ANY ADDITIONAL NOTES THAT ARE IMPORTANT TO THIS PROJECT IN THE BOX BELOW:

CONTACTS:

You should attach a document to your e-mail with all the local contacts (from your cover sheet).