

Walmart Outparcel For Sale

Bastrop, LA
Store #98
6091 Mer Rouge Road



For more information
about this site, contact:

B. Shane Guin
Carlton & Associates
Real Estate
(985)-859-8994
shane@carltonre.net

Other sites available at
www.walmartrealty.com


FOR SALE—1.21 AC. - \$245,000

Demographic Summary

1 Mile:
Population: 578
Median HH Income: \$57,611

3 Mile:
Population: 9,080
Median HH Income: \$38,069

5 Mile:
Population: 15,922
Median HH Income: \$37,359



The information above has been obtained from sources believed reliable. While we do not doubt its accuracy, we have not verified it and make no guarantee, warranty or representation about it. It is your responsibility to independently confirm its accuracy and completeness.

2 GENERAL NOTES

- ALL WORK AND MATERIALS SHALL COMPLY WITH ALL CITY/STATE REGULATIONS AND CODES AND O.S.H.A. STANDARDS.
- CONTRACTOR SHALL REFER TO ARCHITECTURAL PLANS FOR EXACT LOCATIONS AND DIMENSIONS OF VESTIBULES, SLIDED PAVING, EXIT PORCHES, RAMPS, TRUCK DOCKS, PRESSURE BUILDING DIMENSIONS, EXISTING BUILDING UTILITY ENTRANCE LOCATIONS, TOTAL NUMBER LOCATIONS AND SIZES OF ROOF COMPONENTS, ETC.
- CONTRACTOR IS RESPONSIBLE FOR PROTECTION AND REPLACEMENT OF ALL PROPERTY CORNERS AND ALL CONSTRUCTION STAKING CONTROL POINTS SET BY ENGINEER.
- REFER TO ARCHITECTURAL PLANS FOR SITE LIGHTING AND PILEON SIGN ELECTRICAL.
- CURB RAIN INDICATED ARE TO BACK OF CURB.
- TRAFFIC CONTROL SIGNS AND DEVICES SHALL BE FURNISHED IN CONFORMANCE WITH STANDARDS AS OUTLINED WITHIN THE NATIONAL MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES FOR STREETS AND HIGHWAYS.
- WORK SHALL BE SET BY THE WAL-MART STANDARD SIGNWORK SPECIFICATIONS.
- REFER TO UTILITY AND DRAINAGE PLANS FOR ROUTES OF UNDERGROUND FACILITIES.
- CONTRACTOR IS RESPONSIBLE FOR REPAIRS OF DAMAGE TO ANY EXISTING IMPROVEMENTS DURING CONSTRUCTION, SUCH AS BUT NOT LIMITED TO DRAINAGE UTILITIES, PAVEMENTS, STRIP CURBS, ETC.
- ALL SIGNS IN AREAS ACCESSIBLE BY VEHICLE TRAFFIC SHALL BE PLACED IN GUARD POST DURING PAVING LOT SIGN POST DETAIL NO. 12/23.
- SEE SHEET NOS. 20-22 FOR DETAILS OF PARKING LOT STRIPING AND SIGNAGE RESPECTIVELY.
- THE FUTURE LEASE LOT AREA IS TO BE KEPT FREE OF JOB TRAILERS OR STORAGE BY CONTRACTOR.
- BALES/PALLETS SHALL BE STORED IN THE AREA DESIGNATED ON THIS SHEET.
- ALL PAVING LOT MATERIALS TO BE FURNISHED WITH LAMPS, BRIGGS AND STRONG SHALL BE PROVIDED BY WAL-MART AND INSTALLED BY THE ELECTRICAL CONTRACTOR. THE ELECTRICAL CONTRACTOR SHALL PROVIDE WAL-MART A ONE YEAR WARRANTY CERTIFICATE. ALL REQUIRED COST FOR RECEIVING, STORAGE, HANDLING OF FACTORY PACKAGED PILES, LIABILITY AND WARRANTY LABOR SHALL BE INCLUDED IN THE INSTALLATION CONTRACT PRICE.
- THE CITY OF BASTROP (BY SEPARATE CONTRACT) WILL BE INSTALLING THE HIGHWAY IMPROVEMENTS AS SHOWN. CONTRACTOR TO COORDINATE WITH CITY CONTRACTORS FOR ANY IMPROVEMENTS/WORK SHOWN IN U.S. HIGHWAY 165 RIGHT-OF-WAY.
- PAVING SIGN SHALL BE CONSTRUCTED BY OTHERS. CONTRACTOR SHALL FURNISH ELECTRICAL, CONDUIT AND WIRING TO PAVING LOCATION AS PART OF THE CONTRACT.
- ALL DESIGNATED AREAS ARE TO RECEIVE FOUR INCHES OF TOPSOIL, HYDROSEED, MULCH AND WATER UNTIL A HEALTHY STAND OF GRASS IS ESTABLISHED.
- EXISTING STRUCTURES WITHIN CONSTRUCTION LIMITS ARE TO BE ABANDONED, REMOVED OR RELOCATED AS NECESSARY. ALL COST SHALL BE INCLUDED IN BASE BID.
- CONTRACTOR SHALL BE RESPONSIBLE FOR ALL RELOCATIONS, INCLUDING BUT NOT LIMITED TO ALL UTILITIES, STORM DRAINAGE, SIGNS, TRAFFIC SIGNALS AND PROTECT, ETC. AS REQUIRED. ALL WORK SHALL BE IN ACCORDANCE WITH GOVERNING AUTHORITIES' SPECIFICATIONS AND SHALL BE APPROVED BY SUCH. ALL COST SHALL BE INCLUDED IN BASE BID.
- COORDINATE SHOWING THE LOT AT U.S. HIGHWAY 165 WITH CITY HIGHWAY CONTRACTOR. WORK WITHIN L.D.O.'S. RIGHT-OF-WAY SHALL CONFORM TO L.D.O.'S. STANDARDS.

3 LEGEND

— — — — —	PROPERTY LINE	□	STANDARD DUTY PAVEMENT
— — — — —	INNER BOUNDARY LINE	□	HEAVY DUTY CONCRETE PAVEMENT
— — — — —	EXISTING PUBLIC STREET RIGHT OF WAY	□	TYPE C/NO. LIGHTING (16' ROAD)
— — — — —	PAVING STRIPING	□	TYPE K/L LIGHTING (8' ROAD)
— — — — —	DESIGNER STANDARD PAVING SPACES - "YELLOW" STRIPING (EXCLUDING HANDICAPPED PARKING)	□	TYPE BY LIGHTING (16' ROAD)
— — — — —	DESIGNER ASSOCIATE PAVING SPACES - "WHITE" STRIPING	□	PAINTED STENCILED LETTERS
— — — — —	PAINTED NO PARKING STRIPING	□	BEEN INTERNAL P.C.C. 8" BARRIER CURB
R	RADIUS	□	BEEN P.C.C. MONOLITHIC BARRIER CURB AND GUTTER SECTION (IF ASPHALTIC CONCRETE PAVEMENT)
F.C.	FACE OF CURB	□	CHART CORRAL (18' REQUIRED)
B.C.	BACK OF CURB	□	SON TYPE SEE SIGNAGE SCHEDULE
— — — — —	YELLOW PAINTED TRAFFIC DIRECTIONAL ARROW	□	
— — — — —	SON	□	
— — — — —	PAVING LINE 4" WIDE RED STRIPE	□	
— — — — —	TRAFFIC WHITE PAINTED STOP BAR	□	

4 PARKING RATIO

PROPOSED PARKING RATIO
1:1 (25 ACCESSIBLE SPACES INCLUDED)
1:4 (ACCESSIBLE PARKING SPACES INCLUDED)
BUILDING + APPROX. 100,000 SQ. FT. OF BUILDING
= 4.5 SPACES / 1000 SQ. FT. OF BUILDING

NOTE: NUMBER OF PARKING SPACES SHOWN INCLUDES 16 SPACES FOR THE REQUIRED CHART CORRAL (18' x 18' - THE TOTAL PARKING WILL BE 100 TO 5.0 ONCE THE CORRALS ARE INSTALLED).

5 FIRE LANE STRIPING NOTE

FIRE LANE STRIPING (16' WIDE) SHALL BE 4" RED PAINTED STRIPES ALONG SIDE OF PAVEMENT TOP AND FACE OF CURB. FACE OF SIDEWALK OR SIDEWALK SHALL BE 4" RED PAINTED STRIPES ALONG SIDE OF SIDEWALK. FIRE LANE STRIPING SHALL BE 4" RED PAINTED STRIPES ALONG SIDE OF SIDEWALK AND SIDE OF PARKING STRIPES FOR CLARITY ONLY.

6 "NOTICE TO CONTRACTOR"

THE PRESENCE OF GROUNDWATER SHOULD BE ANTICIPATED FOR ADDRESSING THIS ISSUE.








PROJECT: CONTRACTORS BID SHALL INCLUDE CONSIDERATION FOR ADDRESSING THIS ISSUE.

ALL NECESSARY INSPECTIONS AND OR CERTIFICATIONS REQUIRED BY CODES AND OR CITY SERVICE COMPANIES SHALL BE PERFORMED PRIOR TO ANNOUNCING BUILDING POSSESSION AND THE FINAL CONNECTION OF SERVICES.

IF ASPHALTIC CONCRETE PAVEMENT IS UTILIZED, THE CONTRACTOR SHALL MAKE A FIELD DETERMINATION AS TO WHICH CURB AND GUTTER SECTION SHALL BE USED TO MATCH THE PAVING CONTRACTOR'S PAVING CONTRACTOR'S LOCATION AND GRADING PLAN TO ENSURE POSITIVE DRAINAGE.


7 SIGNAGE/PAVEMENT MARKING SCHEDULE

TYPE	DESCRIPTION
A	"NO TRUCKS" SIGN (16' x 23')
B	"DELIVERY TRUCKS ONLY" SIGN (16' x 23')
C	"TRUCK LANE" SIGN (16' x 23')
D	"TRUCK LANE" SIGN (16' x 23')
E	"TRUCK LANE" SIGN (16' x 23')
F	"TRUCK LANE" SIGN (16' x 23')
G	"STOP" SIGN (16' x 23')
H	"TRUCK LANE ONLY" SIGN (16' x 23')
I	"TRUCK ENTRANCE" SIGN (16' x 23')
J	"TRUCK ENTRANCE" SIGN (16' x 23')
K	"TRUCK ENTRANCE" SIGN (16' x 23')
L	"ONLY PAINTED ON PAVEMENT (16' x 23')
M	ACCESSIBLE PARKING SIGN (16' x 23')
N	ACCESSIBLE PARKING SIGN (16' x 23')
O	"TRUCK LANE ONLY" SIGN (16' x 23')
P	"STOP" STENCILED LETTERS AND STOP BAR PAINTED ON PAVEMENT (16' x 23')
Q	PAINTED PARKING STRIPING (16' x 23')
R	PAINTED DIRECTIONAL ARROW (16' x 23')
S	4" TRAFFIC YELLOW PAINTED STRIPE
T	4" TRAFFIC YELLOW PAINTED STRIPE
U	4" TRAFFIC YELLOW PAINTED STRIPE
V	END FIRE LANE STRIPING
W	16' x 16' x 16' CRANE STRIPING ALIGNED STRIPES CENTER ON ALL DOCK DOORS (8' REQUIRED @ 16' ON 4' EACH TRUCK WELL)
X	16' x 16' x 16' CRANE STRIPING ALIGNED STRIPES CENTER ON ALL DOCK DOORS (8' REQUIRED @ 16' ON 4' EACH TRUCK WELL)
Y	PAINTED CROSSWALK STRIPES - TRAFFIC WHITE (16' x 23')
Z	WHITE PAINTED CAPPED STRIPE
AA	16' x 16' x 16' CRANE STRIPING
AB	THE DIRECTIONAL STRIPING (16' x 23')
AC	"THE PILEON SIGN" (NO POWER REQUIRED)
AD	"THE ENTRY SIGN"
AE	"DO NOT ENTER" SIGN



8 SITE DATA

WAL-MART TRACT: 23.93 ± ACRES
(INCLUDES FUTURE FUELING STATION: 0.81 ± ACRES)
OUTLOT NO. 1: 1.21 ± ACRES
TOTAL LAND PURCHASE: 25.14 ± ACRES



9 DETAIL "A" N.T.S.

10 DEMOLITION ITEMS

1. REMOVE CONCRETE SLABS
2. REMOVE CABLE FENCE AND GATES
3. REMOVE GRAVEL SURFACE AREA
4. REMOVE PAVEMENT AND CONCRETE SLAB
5. REMOVE 4" HIGH VINYL FENCE
6. REMOVE 4" HIGH CHAIN LINK FENCE
7. REMOVE CHAIN BUILDING AND CONCRETE SLAB
8. REMOVE CONCRETE RUMBLE
9. REMOVE 34" DIA. STEEL SIGN POST
10. REMOVE 12" DIA. CONCRETE STEEL SIGN POST
11. REMOVE 4" HIGH BARBED WIRE FENCE

11 DEMOLITION NOTE

THE PREVIOUS PROPERTY OWNER HAS REQUESTED THE REMOVAL OF THE EXISTING BUILDING AND STRUCTURES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE REMOVAL OF THE EXISTING BUILDING AND STRUCTURES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE REMOVAL OF THE EXISTING BUILDING AND STRUCTURES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE REMOVAL OF THE EXISTING BUILDING AND STRUCTURES.



THIS DRAWING IS THE PROPERTY OF THE ENGINEER. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREON. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF THE ENGINEER. THE ENGINEER ASSUMES NO LIABILITY FOR ANY DAMAGE OR INJURY TO PERSONS OR PROPERTY, OR FOR ANY CONSEQUENCES OF ANY ACTION OR INACTION TAKEN OR NOT TAKEN IN RELIANCE ON THIS DRAWING.

THIS DRAWING IS NOT TO BE USED FOR ANY OTHER PROJECT WITHOUT THE WRITTEN PERMISSION OF THE ENGINEER. THE ENGINEER ASSUMES NO LIABILITY FOR ANY DAMAGE OR INJURY TO PERSONS OR PROPERTY, OR FOR ANY CONSEQUENCES OF ANY ACTION OR INACTION TAKEN OR NOT TAKEN IN RELIANCE ON THIS DRAWING.

DRAWN BY: PAE
DATE: 4/05

REVISION DATE
FINAL PLANS 12/05

ADD #1 12/19/05

SCD #2 4/21/06

CHECKED: TCD

BOOK NO. NA

JOB NO. 6545

DWG. NO. 10184

SCALE: 1"=50'

SITE PLAN

FINAL CIVIL PLANS

DECEMBER, 2005

WAL-MART LOUISIANA, LLC

WAL-MART SUPERCENTER (STORE NO. 98-00)

U.S. HIGHWAY 165

BASTROP, LOUISIANA

OTHER PROJECT

SHEET NUMBER

6

OF 28



PAN AMERICAN ENGINEERS - ALEXANDRIA, INC.
P.O. BOX 88 / 1717 JACKSON STREET
ALEXANDRIA, LA 71308
PHONE: (504) 478-2100

FOUNDATION SUBSURFACE PREPARATION

FOUNDATION SUBSURFACE PREPARATION
BAY-MART SUPERSTREET NO. 40-00
BASTROP, LOUISIANA

UNLESS SPECIFICALLY INDICATED OTHERWISE IN THE DRAWINGS AND/OR THE SPECIFICATIONS, THE LIMITS OF SUBSURFACE PREPARATION ARE CONSIDERED TO BE THAT PORTION OF THE SUBSURFACE OF THE BUILDING FOOTING OR FOUNDATION WHICH IS NECESSARY TO PROVIDE THE REQUIRED STRENGTH AND STABILITY OF THE FOUNDATION. THE SUBSURFACE PREPARATION SHALL NOT BE LIMITED TO THE BUILDING SIDEWALK, GROUND, FLOORS, RAMP, STAIRS, TRUCK, TRAILER, CONCRETE, ASPHALT AT THE AUTOMOTIVE CENTER, CONTRACT PARK, ETC. AND SHALL BE LIMITED TO THE SUBSURFACE OF THE BUILDING FOOTING OR FOUNDATION.

ESTABLISH THE MINIMUM FILL SURFACE ELEVATION AT 36 INCHES BELOW THE FINISHED FLOOR ELEVATION TO ALLOW FOR A 6 INCH SLAB OR AT 1/2 INCH BELOW THE FINISHED FLOOR ELEVATION TO ALLOW FOR A 5 1/2 INCH SLAB AND A 6 INCH LAYER OF SUBGRADE. CONSTRUCT A 2 INCH LAYER OF FINE AGGREGATE FOLLOWS BY 4 INCHES OF DOGSE AGGREGATE OVER A MINIMUM OF 36 INCHES OF STRUCTURAL FILL. THE FINE AGGREGATE SHALL MEET THE AGGREGATE REQUIREMENTS OF THE NO. 10 SIEVE SIZE AS SET FORTH IN ASTM D446 WITH 10% PERCENT TO 12% PERCENT BELOW THE NO. 200 SIEVE. THE COARSE AGGREGATE SHALL BE UNDER THE FLOOR SLAB SHALL MEET THE REQUIREMENTS OF LOUISIANA STANDARD SPECIFICATIONS FOR CONCRETE. SPECIES CEMENT (COLOR) SPECIES LIMESTONE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING AGGREGATE ANALYSIS FROM AN ACCREDITED TESTING LABORATORY. PALS, PAYMENTS, AND BELOW GRADE STRUCTURE SHALL BE REMOVED FROM THE BUILDING AREA. FINE SURFACE VEGETATION, TROOP, ROOT SYSTEMS, AND OTHER OBSTRUCTIONS SHALL BE REMOVED FROM THE BUILDING AREA. THE BUILDING AREA SHALL BE FREE OF OBSTRUCTIONS, INCLUDING BUT NOT LIMITED TO, STUMP, ROOTS, AND OTHER OBSTRUCTIONS. REMOVE AND REPLACE UNSUITABLE AREAS WITH SUITABLE MATERIAL. FILL MATERIAL SHALL BE FREE OF ORGANIC AND OTHER ELUOTIVIOUS MATERIALS. HAVE A MAXIMUM OF 3% OF ORGANIC MATERIAL.

FILL LOCATION WITH RESPECT TO SLAB SURFACE	L.L.
PARTICLE SIZE OF THREE (3) INCHES	28 MPAS
BUILDING AREA, UPST 2.0 FT	40 MAX.
BUILDING AREA, UPST 2.0 FT	20 MAX.

GRADE THE EXISTING MATERIAL TO ALLOW FOR A MINIMUM OF 4 INCHES OF STRUCTURAL FILL. SUBGRADE MATERIAL SHALL BE PLACED IN LOOSE LIFT'S NOT EXCEEDING 8 INCHES IN THICKNESS AND COMPACTED TO LEAST 80 PERCENT OF THE STANDARD PROCTOR MAXIMUM DENSITY (CLASS C) O&M AT A MOISTURE CONTENT WITHIN +1 PERCENT TO 3 PERCENT OF OPTIMUM.

THE FOUNDATION SYSTEM SHALL BE ISOLATED SEEP FOOTINGS AT COLUMNS AND CONTINUOUS DEGREE FOOTINGS AT THE WALLS.

THIS FOUNDATION SUBSURFACE PREPARATION DOES NOT CONSTITUTE A COMPLETE SITE WORK SPECIFICATION. IN CASE OF CONFLICT, INFORMATION CONTAINED IN THIS PREPARATION SHALL BE SUPERSEDED BY THE INFORMATION CONTAINED IN THE SPECIFICATIONS. THIS PREPARATION IS NOT PREPARED BY PROFESSIONAL ENGINEERING OR SURVEYING. IT IS NOT A CONSTRUCTION CONTRACT. DATE: MARCH 2004. THIS PREPARATION NOT COVERED IN THIS PREPARATION. THE GEOLOGICAL REPORT IS FOR INFORMATION ONLY AND IS NOT A CONSTRUCTION CONTRACT.

13 FOUNDATION SUBSURFACE PREPARATION
WAL-MART SUPERCENTER STORE NO. 98-00 BASTROP, LOUISIANA
PREPARED BY: PSD, INC.
DATE: DECEMBER 7, 2005

12 "NOTICE TO CONTRACTOR"

IF CONTRACTOR DOES NOT ACCEPT EXISTING TOPOGRAPHY AS SHOWN ON THE PLANS WITHOUT EXCEPTION, HE SHALL MAKE A MAP. AT HIS EXPENSE, A TOPOGRAPHIC SURVEY BY A REGISTERED LAND SURVEYOR SHALL BE ORDERED BY THE OWNER AND SHALL BE MADE AT THE EXPENSE OF THE OWNER. THE SURVEY SHALL BE A COMPREHENSIVE RECORD FOR VERTICAL HORIZONTAL AND VERTICAL LOCATION OF ALL EXISTING STORM DRAINAGE STRUCTURES, PIPES, AND ALL UTILITIES PRIOR TO CONSTRUCTION AND SHALL BE SUBMITTED TO THE OWNER WITHIN 10 DAYS OF THE DATE OF THE SURVEY. THE SURVEY SHALL BE CORROBORATED BY THE INFORMATION SHOWN ON THE PLANS. ANY ADDITIONAL COST INCURRED DUE TO NON-VERIFICATION OF THESE EXISTING ITEMS SHALL BE AT THE CONTRACTOR'S EXPENSE.

"NOTICE TO CONTRACTOR"

THE PRESENCE OF OROGRAPHIC MATERIAL SHALL BE ANTICIPATED ON THIS PROJECT. CONTRACTOR'S BID SHALL INCLUDE CONSIDERATION FOR ADDRESSING THIS ISSUE.

11 "CAUTION - NOTICE TO CONTRACTOR"

10 WET WEATHER MANAGEMENT

THE SURFICIAL SOILS ACROSS THE PROJECT SITE ARE EXTREMELY SENSITIVE TO DISTURBANCES CAUSED BY CONSTRUCTION TRAFFIC AND CHANGES IN MOISTURE CONTENT AND MAY CREATE OFFICIAL WORKING CONDITIONS DURING WET WEATHER. ADDITIONALLY, SOILS THAT BECOME WET MAY BE SLOPED TO DRY AND THIS SIGNIFICANTLY REDUCES THE CONSTRUCTION PROCESS. THE SITE SHOULD BE MANAGED DURING CONSTRUCTION TO MINIMIZE DETORIORATION OF THESE UNSTEADY SOILS DURING WET WEATHER. THE EXPOSED SURFACE SHOULD BE SLOPED TO PROMOTE RAPID RUNOFF OF RAIN WATER AND PREVENT PONDING. IF THESE SOILS BECOME WET, IT MAY BE NECESSARY TO UNDERGO AND REPLACE THE SURFICIAL SOILS WITH SUITABLE FILL MATERIAL, DRY/THERMIZED WITH HYDRATED LIME OR FLY ASH OR INSTALL GEOTEXTILE PRODUCTS AS NECESSARY (SEE GEOTECHNICAL INVESTIGATION REPORT).

9 GENERAL NOTES

- 1) THE MATERIAL IS TO BE MANUALLY CLEANED PASTURE LAND WITH VARIOUS PINCH LINES WHICH HAVE GROWN UP WITH SPRING TREES AND UNDERGROW ALL WEEDS AND BRUSH. THE CONTRACTOR SHALL REMOVE ALL WEEDS AND BRUSH AND STRIP THE TOP OF EXISTING VEGETATION AND EXPOSE UNDERLYING UNDESIRABLE SOIL. THE AREAS TO BE CLEANED SHALL BE CLEANED IN ACCORDANCE WITH THE EROSION AND SEDIMENTATION CONTROL PLAN SPECIFICATIONS, AND THIS SHEET.
- 2) CONTRACTOR SHALL REFER TO THE SPECIFICATIONS FOR EXACT SIZE, NAME, AND LOCATION OF BOLLING ROAD PILES.
- 3) THE EARTHWORK FOR ALL BOLLING ROADS AND SLABS SHALL BE IN ACCORDANCE WITH ARCHITECTURAL, BOLLING ROAD, AND PILE SPECIFICATIONS. IF THE CONTRACTOR REQUESTS A CHANGE IN THE BOLLING ROAD PILE DIMENSIONS, IT SHALL BE RELOCATED WITH A TOLERANCE OF 500'.
CONSTRUCTION SHALL COMPLY WITH COLORADO CODES.
- 4) SEE DETAIL S AND SHEET 15S FOR SPECIFICATIONS FOR BOLLING PILE AND CONSTRUCTION REQUIREMENTS.
- 5) GRADES ABOVE DETAIL S SHALL BE EXISTING FOR ROADS 14' WIDE OR TYPICAL, AND BE EXISTING FOR ROADS 24' WIDE OR TYPICAL.
- 6) PILES EXTENDING THROUGH ROAD STRUCTURES SHALL BE GRADED WITH NON-SPRING PILES TOY TO ADJUST A "TWO-FOOT-TIGHT".
- 7) STORM DRAIN MANHOLE IN PAVED AREAS SHALL BE FLUSH WITH GRADE AND SHALL HAVE TYPICAL BEARING LIDS. MANHOLES IN UNPAVED AREAS SHALL BE 6" ABOVE GRADE. LIDS SHALL BE 6" ABOVE GRADE.
- 8) CONTRACTOR SHALL ADHER TO ALL TIMES AND CONDITIONS AS OUTLINED IN THE LATEST DRAINAGE FORMS FOR SPECIFICATIONS AND ASSOCIATED WITH CONSTRUCTION ACTIVITY.
- 9) THE MINIMUM SLOPE FOR UNPAVED AREAS SHALL BE 3:1.
- 10) REFER TO SHEET NO. "C" AND DETAIL S, SHEET 16S FOR ROAD R-IMP TO BE INSTALLED AT THE END OF ALL CULMS UNDERGROW, PILE PROTECTION, FILLINGS AND STORM DRAIN STRUCTURES THAT COLLECT OR DISCHARGE WATER FROM UNPAVED AREAS.
- 11) REFER TO SKEWED SPECIFICATION SECTION 02375 FOR ROAD R-IMP SIZE AND PLACEMENT REQUIREMENTS.
- 12) REFER TO ORIGINAL STORM DRAIN PIPE SIZE OR DRAINAGE PLAN FOR USE OF STORM DRAIN PIPE OTHER THAN THAT OBSERVED ON PLANS.
- 13) CURB AND GUTTER SECTIONS SHALL BELOCALLY AS DETAILED AND TRANSVERSELY SLOPED TO DRAINAGE DITCHES OR TO THE STREET. EXISTING POSITIVE DRAINAGE BARRIERS TO EXISTING LOW SPOTS AND CATCH BASINS AS REQUIRED.
- 14) EXISTING GRADE CONTOURS SHALL BE LOCATED AT ONE FOOT (1') INTERVALS.
- 15) FINISHED GRADE CONTAINS BOLLING AT ONE FOOT (1') INTERVALS.
- 16) CLEANING AND UNPAVED LOTS SHALL INCLUDE ALL AREAS DISTURBED BY GRADING OPERATIONS. CONTRACTOR SHALL MAINTAIN ALL EXISTING POSITIVE DRAINAGE PROPERTY CORNERS, AND REPLACING ALL PINS BELONGING TO DAMAGED DRAINAGE CONSTRUCTION.
- 17) CONTRACTOR RESPONSIBLE FOR MAINTAINING TYPICAL STOOPING SITE FOR TOPSOIL, AND FOR RETURNING AN ADEQUATE QUANTITY OF TOPSOIL MATERIALS FOR THE FINAL RESEEDING WORKS.
- 18) CONTRACTOR TO CONTRACT TEXAS GAS (281-287-2264) PRIOR TO PERFORMING ANY WORK IN THE VICINITY OF THE EXISTING GAS MAINS.

6-14-78

20' (C.C.) 13.5'

SLOPE: 2.5%

7 TYPICAL ROAD SECTION "D"

24.5' 12.0'

SLOPE: 2.5% SLOPE: 2.5%

20' (C.C.) 13.5'

SLOPE: 2.5% SLOPE: 2.5%

7 TYPICAL ROAD SECTION "C"

N.T.S.

36' (C.C.) 18.0'

SLOPE: 2.0% SLOPE: 2.0%

6 TYPICAL ROAD SECTION "B"

N.T.S.

37' (C.C.) 18.0'

SLOPE: 2.5% SLOPE: 2.5%

13.5' 13.5'

SLOPE: 2.5% SLOPE: 2.5%

7 TYPICAL ROAD SECTION "A"

14 TYPICAL FILL GRADING
N.T.S.

"NOTICE TO CONTRACTOR"
THE PRESENCE OF GROUNDWATER SHOULD BE ANTICIPATED ON THIS PROJECT. CONTRACTOR BID SHALL INCLUDE CONSIDERATION FOR ADDRESSING THIS ISSUE.

WAL-MART
SUPERCENTER No. 98-00
C-176-SGR-OR
F.F.E.= 147.00 (ARCH = 100.00')
TOTAL BUILDING SF = 184,368

WAL-MART TRACT "A"
23.93+ ACRES

THESE DRAWINGS DO NOT INCLUDE COMPONENTS FOR CONSTRUCTION SAFETY.

CALL "LOUISIANA ONE-CALL"
BEFORE DIGGING
PH. 1-(800)-272-3020

THE LOCATION OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE MANNER ONLY. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK. HE AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED BY HIS FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.

4 LEGEND :

138.48

TC 145.60	TC = TOP OF CURB ELEVATION
TP 145.10	TP = TOP OF PAVEMENT ELEVATION
TC 143.90	TC = TOP OF CURB ELEVATION
G 143.40	G = CATCH BASIN GRATE ELEVATION
145.70	FINISHED GRADE ELEVATION

"CAUTION"
THIS SYMBOL DENOTES APPARENT
EXISTING UTILITIES EITHER BURIED

3 INSET
N.T.S.

2INSET
N.T.S.

◆**T.B.M.#1**
60d NAIL IN POWER POLE
ELEVATION = 151.88

◆**T.B.M.#2**
60d NAIL IN POWER POLE
ELEVATION = 145.14



This drawing and design are the property of Pan American Engineers - Alex., Inc. They are submitted on the condition that they are not to be used, reproduced, or copied, in whole or in part, or used for furnishing information to others, without the prior written consent of Pan American Engineers - Alex., Inc. All common law rights of copyright and otherwise are hereby specifically reserved.

DRAWN BY	PAE
DATE	4/08

REVISION	DATE
FINAL PLANS	12/05
SCD #2	4/21/06
CHECKED	TCD
BOOK NO.	NA
JOB NO.	6545

--	--

GRADING PLAN

L-L-MART LOUISIANA, LLC
SUPERCENTER (STORE NO. 98-00)
U.S. HIGHWAY 165
BASTROP, LOUISIANA

SHEET NUMBER
7
OF 28

 **PAN AMERICAN ENGINEERS - ALEXANDRIA, INC.**
P.O. BOX 88 / 1717 JACKSON STREET
ALEXANDRIA, LA. 71308
PHONE: (518) 473-2100

Pan American Engineers - Alexandria, Inc.

1717 Jackson Street
Alexandria, LA 71301

Ron Bordelon
(318) 473-2100
(318) 473-2275
ron@paealex.com

RECEIVED DEC 16 2005

ENGINEER'S FACT SHEET

Location of Project: **Bastrop, LA**
Store Type: **Supercenter**
Store Size: **176** Store Number: **98**
Date of this Report: **Friday, December 16, 2005**

OUTLOT / EXCESS PROPERTY			SETBACKS				ZONING
** Please do not include Gas lot **			Minimum building setbacks for each property				Current zoning
Lot #	Size (in Acres)	Square footage	Front	Left Side	Right Side	Back	Zoning
Lot 1	23.93 AC	1,042,402	0'	0'	0'	0'	N/A
Lot 2	1.21 AC	52,637	0'	0'	0'	0'	N/A

ZONING

1. What is the zoning for the outlot(s)/excess property?

There is no zoning within the City of Bastrop or Morehouse Parish.

2. Is a restaurant permitted?

Yes

3. Is patio seating permitted?

Yes

4. Is a drive thru permitted?

Yes

5. What jurisdiction is the property in?

City

6. Are any of the outlot properties in a Flood Plain?

No

7. If each outlot have a separate zoning please describe below or you may also add any additional notes on the zoning:

N/A

PARKING REQUIREMENTS:

1. Wal-Mart's required parking ratio:

Restaurant 15 / 1,000

Retail	5 / 1,000
--------	-----------

2. Is the City or County's parking requirement greater than Wal-Mart's

No

If Yes, what is the requirement?

Restaurant	N/A
Retail	N/A

SIGNAGE:

1. What type of signage is allowed for the outlots

Both

2. If other please define:

N/A

3. What is the maximum height allowed for the signage

No restrictions

4. What is the maximum square footage allowed for the signage?

No restrictions

5. Explain how the square footage is calculated:

N/A

6. If *Other* or *No* signage is permitted explain why and give options to change the signage regulations:

N/A

7. Is roof signage permitted?

Yes

8. What is the maximum size?

No restrictions

9. Are wall logo's and/or signs permitted?

Yes

10. Is Neon signage permitted?

Yes

11. How long is the variance process for outlot signage and what is required?

No restrictions on signage for WM or outlot parcel.

12. Describe all reviews, hearings, variances and general requirements known at this time:

No public hearings are required.

PLATTING

1. Is it required that the property be platted?

No

1a. If no please explain:

Although a plat is not required, Wal-Mart will file a Plat with the City for separating the Wal-Mart tract from the outparcel.

If platting is not required, a metes and bounds legal description for each outlot & excess property should be furnished to Wal-Mart as soon as possible.

1b. If yes has the plat been recorded?

No

1c. What is the book, page or volume?

N/A

1d. What was the date it was recorded?

N/A

2. If the property has not been platted, please describe the process and who will be responsible for the cost of platting. Also indicate an approximate time line for this to be completed.

Wal-Mart will submit a preliminary plat to the City and upon approval will have it signed and recorded. Wal-Mart will be responsible for the cost of the platting.

STREET & HIGHWAY CUTS:

1. Who has jurisdiction on this site?

D.O.T.

1a. If Other please define:

N/A

2. Is a permit required?

Yes

2a. If yes, is a bond required?

No

3. Will the D.O.T., City or County allow direct access and curb cuts from the main street or highway in front of the Wal-Mart/Sam's?

No

3a. If no, please explain:

Wal-Mart has negotiated with the LDOTD to have the driveways as shown on the Plan with the understanding that no additional curb cuts will be allowed from the site.

4. If there is a median in front of the property, can it be cut?

No

4a. Please describe:

There is no median in front of the property.

4b. At whose expense:

N/A

5. Are any future highway/street changes anticipated?

Yes

5a. If yes, please describe along with the time line and location:

U.S. Highway 165 is currently a two lane roadway. The City will be widening the highway to include a middle turnlane for the portion of the Highway in front of the site and install a traffic signal at Wal-Mart's western entrance.

6. Are sidewalks required?

No

6a. If so what type and size:

N/A

7. Was a traffic study made for Wal-Mart?

Yes

7a. If yes, were the outlot(s) included?

Yes

7b. What was the estimated traffic for each parcel?

1,389 vehicles per 24hr. (weekday volume); Peak is 50 vph

7c. Will an additional traffic study be required for each user?

No

7d. If yes, please explain why, and the timeline after submitted:

N/A

UTILITIES:

Water

1. Is a waterline stubbed to the outlot property line(s)?

Yes

2. If no, please explain where water is accessed.

Water is available within the U.S. Highway 165 right-of-way via a 2" galvanized main (north side). A 12" water main is proposed to be installed by the City on the north side of the Highway to accommodate the Supercenter.

3. What is the jurisdiction of the water line?

People's Water Service Company

4. What is the size of the water main?

2" existing, 12" future line proposed

5. What is the normal pressure?

N/A

6. What is the Tap Fee?

3/4"-\$539; 1"-\$754; 1-1/2"-\$1,396

7. What is the 1 1/2" meter fee?

\$1,396

8. Can the hose bibs & irrigation be on a separate meter?

Yes

9. What is the size of the line required?

N/A

10. Are backflow preventer valves required for fire sprinkler lines?

Yes

11. Is an easement required by the jurisdiction for the water line?

No

Sanitary Sewer

1. Is sanitary sewer available at the property line(s)? **Yes**
2. What is the size of the sewer line? **6"**
3. What is the Jurisdiction of the sewer line? **City of Bastrop**
4. Nearest manhole:
- | | | | | |
|-------|---------|--|------------|--|
| Lot 1 | Rim El. | | Inv.El.Out | |
| Lot 2 | Rim El. | | Inv.El.Out | |
5. Is a grease trap required for a restaurant? **Yes**
6. Are tap fees based on water usage? **No**
7. Is the tap to be made by the city or a local plumber? **People's Water Service Company**
8. What is the sewer tap fee? **\$235**
9. Are there any special assessments? **No**
10. Is there a current moratorium or a chance for one in the future? **No**

11. Is an easement required for sanitary sewer? **No**

12. If sanitary sewer is not available, can a septic system be used? **N/A**

12a. What type?

N/A

12b. Remarks:

N/A

13. Can the septic field be paved over? **N/A**

14. Has a percolation test been performed? **N/A**

14a. When? **N/A**

14b. What were the results? (1' in 30 minutes is required for a restaurant)

N/A

14c. If the test did not meet the above requirements, what are the alternative solutions?

N/A

*Note: Purchaser is responsible for their own percolation test on the outlot(s) if septic system is required.

Storm Sewer:

1. Is storm sewer available or will surface drainage be used?

Storm sewer is available

2. Has Wal-Mart's detention facility been sized to accept the drainage? **Yes**

2a. Please state the criteria:

3. Is the Wal-Mart detention pond included in any of the outlots?

No

4. Has the storm sewer line been stubbed to the outlot(s)?

Yes

5. Who has jurisdiction of the storm sewer?

Wal-Mart

6. What is the size of the storm sewer?

15" and 18"

7. What is the depth?

143.38' and 141.93'

8. What is the tap fee?

N/A

9. Are catch basins required?

No

10. Is an easement required for storm sewer?

No

****Note to Developer: Under Phase II EPA regulation, federal and state law requires authorization for storm water discharges associated with construction activity for construction disturbing one or more acres or construction regardless of disturbed area, which is a part of a larger common plan of development or sale (this would apply if out parcel construction occurs at the same time as the Wal-Mart Store construction).**

Wal-Mart will require implementation of Best Management Practices in conjunction with this construction project. Owners and/or contractors will also be required to obtain coverage under the applicable General Permit as required by the governing regulations and authority.

Electric

1. What is the location of the electric

Along U.S. Highway 165

2. Is it overhead or underground?

Overhead

3. What is the voltage?

13.2 kVa

4. What is the phase?

3

5. What is the wire?

6. What is the jurisdiction of the electricity?

Entergy

7. Is underground service required?

No

7a. If yes, will the power company bring conduit and wire to the transformer and/or building?

7b. Is there a standard cost per L F for the utility installation?

Contractor to install underground conduit

7c. Transformer location:

not yet located

- 7d. Can the outlots be serviced with either a pole mounted or pad mounted transformer?
8. Is the primary service connected to the existing transformer?
- 8a. Is there any service charges or connection fees?
- 8b. What is the cost?
9. Is an additional utility easement required for electric service to the outlot(s)?
- 9a. Will it be platted?

yes, either

Yes

Yes

specific to development

yes

Yes

Gas

1. What is the location of the gas line?
2. What is the maximum amount available?
3. What is the jurisdiction of the gas line?
4. What type of commitment will the gas company give?
5. Will the gas company bring the line to the building?
- 5a. What is the estimated cost to do so?
- 5b. What is the size of the gas line?
- 5c. What is the pressure of the gas line?
- 5d. What is the BTU/CF rating?
- 5e. What is the specific gravity?
- 5f. Is a meter fee required?
- 5g. What is the cost?
6. Is an easement required for gas?
- 7a. Will it be platted?

proposed gas line at northwest corner of outlot

Atmos

Yes

specific to development

4"

???

???

???

Yes

specific to development

Yes

Yes

Telephone

1. What is the location of the telephone line?
2. Is under ground service required?
3. Who is responsible for bringing telephone lines to the building?

Along Peach Orchard Road

Yes

Contractor to intall underground conduit

FEES:

1. Are there any unusually expensive fees or assessments relating to the future development of this property? If so please describe in detail and attach a schedule if available.
2. Explain:

No

BUILDING CODES:

1. What are the building codes by which the architectural plans must comply with on the outlot(s)?

IBC (Louisiana State Code)

1a. What is the date they were adopted:

2003

2. What is the building permit fee schedule?

**\$50,000-\$100,000-\$260 for the first \$50,000 plus \$4.00 for each additional thousand or fraction thereof;
\$100,000-\$500,000-\$460 for the first \$100,000 plus \$3.00 for each additional thousand or fraction thereof;
\$500,000 and up-\$1,660 for the first \$500,000 plus \$2.00 for each additional thousand or fraction thereof**

3. Are the parcels located in a fire zone or district?

Yes

3a. Designate zone:

City of Bastrop

4. Are there any special fire department requirements in addition to standard plans?

No

SITE / LANDSCAPING:

1. Is there a landscaping ordinances in place?

No

2. What type of solid waste disposal is permitted?

2a. Compaction:

Yes

2b. Bulk pick up:

Yes

2c. Front loader:

Yes

2d. Side loader:

Yes

2e. Rear loader:

Yes

2f. Who are the service providers of solid waste?

N/A

****Wal-Mart requires minimum of concrete block screening for compactors and dumpsters.**

3. Is this requirement adequate for the jurisdiction?

Yes

4. Is a drain required in the trash area?

Yes

5. Are hot and cold water hose bibs required in the trash area?

Yes

SOILS / ENVIRONMENTAL:

1. Will the outlot/excess property be rough graded and the utilities brought to the property line?

Yes

2. Are they compacted to Wal-Mart's specs?

Yes

3. Did the Phase 1 Environmental report indicate contamination?

No

3a. Report prepared by:

Professional Services Industries

3b. Dated:

8/17/2005

4. Is any portion of this property in a flood plain or wetland area?

Yes

4a. Please explain: (This should be noted clearly on the grading plan)

Located in Flood Plain Zone C (minimal flooding). Wetlands has been mitigated.

TRAFFIC:

1. What is the average daily traffic of the roads that connect to our site?

U.S. Highway 165-6,965: Peach Orchard Rd-1,918

2. What is the volume of traffic per day on the roads that connect to our site?

U.S. Highway 165-6,965: Peach Orchard Rd-1,918

3. What are the traffic counts per year on the roads that connect to our site?

U.S. Highway 165-2,549,525: Peach Orchard Rd-700,070

The purpose of these "Fact Sheets" are to provide general information regarding the subject property. It shall be the prospective buyer's obligation to perform due diligence to insure that the property is capable of meeting the intended use.

Civil Consultant: Please add anything that you can think of that would effect the title to the parcels or the ability to develop these parcels.

PLEASE MAKE ANY ADDITIONAL NOTES THAT ARE IMPORTANT TO THIS PROJECT IN THE BOX BELOW:

CONTACTS:

You should attach a document to your e-mail with all the local contacts (from your cover sheet).

LOCAL CONTACTS	
GOVERNING AGENCIES AND UTILITY COMPANIES	
L.D.O.T.D. District 05 Office 8010 Desiard (P.O. Box 4068) Monroe, Louisiana 71203 (71211) (318) 342-0100/(800) 256-1595 Attention: Mr. Don Tolar	ELECTRIC: Entergy 2901 Cypress Street West Monroe, Louisiana 71294 (318) 329-5437 Attention: Mr. David Little
LOUISIANA DEPT. OF HEALTH Region VIII Office 1650 Desiard Street, Second Floor Monroe, Louisiana 71201 (318) 361-7210 Attention: Mr. Buddy Smith	NATURAL GAS: Atmos Energy 2809 Louisville Avenue Monroe, Louisiana 71201 (318) 651-6327 Attention: Mr. Terry McCarty
BUILDING CODE OFFICIAL: City of Bastrop P.O. Box 431 Bastrop, Louisiana 71221 (318) 283-3353 Attention: Mr. James Boyd/Mr. David Jester	SANITARY SEWER: City of Bastrop P.O. Box 706 Bastrop, Louisiana 71221 (318) 283-3326 Attention: Mr. Keith Jeselink
CITY ENGINEER: Denmon Engineering P.O. Box 8460 Monroe, Louisiana 71211 (318) 388-1422 Attention: Mr. Chris Patrick, P.E.	WATER: The Peoples Water Service Co. 217 North Liberty Bastrop, Louisiana 71221 (318) 281-2160 Attention: Mr. Fernando Calvo
L.D.E.Q. WATER QUALITY DIVISION LA Dept. of Environmental Quality P.O. Box 4313 Baton Rouge, Louisiana 70821-4313 (225) 219-3074 Attention: Ms. Jan Cedars	TELEPHONE: Bellsouth 301 Catalpa St., Room 402 Monroe, Louisiana 71201 (318) 388-8309 Attention: Mr. Larry Bratton
	TELEVISION CABLE: Cox Communications 1611 Park Loop Drive Bastrop, Louisiana 71220 (318) 281-0094 Attention: Mr. Roland J. Miers