Westgate Supply Line Card

EXPERTS IN BALON VALVES · WARREN VALVE · K-DYNE · Swagelok · Magnetrol · OleumTech

PIPE & TUBE

CARBON STEEL PIPE — A106 GR B/C · A53 GR B · API 5L · B36.10M

SIZE RANGE	1/8" to 48"
SCHEDULES	STD, XS, XXS, 10, 20, 30, 40, 60, 80, 100, 120, 140, 160
DESIGNS	Seamless, ERW, DSAW; black, galvanized, FBE coated; API 5L Gr B, X42 to X65
ENDS	Plain end, beveled, threaded and coupled, grooved; SRL, DRL, cut to length

LOW TEMP PIPE — A333 GR 6, GR 3 · B36.10M

SIZE RANGE	1/2" to 24"
SCHEDULES	STD, XS, XXS, 40, 80, 160
DESIGNS	Seamless, normalized; impact tested to -50°F (-46°C)

CHROME-MOLY PIPE — A335 P5, P9, P11, P22, P91 · B36.10M

SIZE RANGE	1/2" to 24"
SCHEDULES	STD, XS, XXS, 40, 80, 120, 160
DESIGNS	Seamless; normalized and tempered; hardness certified; P91 with heat treat report

STAINLESS & DUPLEX PIPE — A312 · A358 · A790 · B36.19M

SIZE RANGE	1/8" to 36"
SCHEDULES	5S, 10S, 40S, 80S, 160, XXS
GRADES	TP304/L, 316/L, 317L, 321, 347, 904L; duplex S31803/S32205; super duplex S32750/S32760
DESIGNS	Seamless, welded, EFW; pickled, bright annealed, polished

NICKEL ALLOY PIPE — B161 · B165 · B167 · B407 · B444 · B423 · B622

SIZE RANGE	1/4" to 24"
SCHEDULES	5S, 10S, 40S, 80S, XXS
ALLOYS	200, 400, 600, 625, 800H, 825, C276, Alloy 20; seamless and welded

TUBE — A213 · A269 · A249 · A519 · A500

SIZE RANGE	OD 1/4" to 6"; walls .028" to .500"; HSS to 12" square
DESIGNS	Boiler and heat exchanger (T11, T22, T91), stainless instrument and heat exchanger, mechanical, square and rectangular HSS

BUTT WELD FITTINGS

CARBON STEEL FITTINGS — A234 WPB/WPC · B16.9 · B16.28

SIZE RANGE	1/2" to 48"
SCHEDULES	STD, XS, XXS, 10, 20, 40, 60, 80, 120, 160; wall matched to pipe
DESIGNS	LR/SR 45 and 90 elbows, 3R elbows, 180 returns, tees, reducing tees, laterals, crosses, concentric and eccentric reducers, caps, stub ends, swages

HIGH YIELD & LOW TEMP FITTINGS — A860 WPHY 42 TO 70 · A420 WPL6, WPL3 · MSS SP-75

SIZE RANGE	2" to 48" (WPHY); 1/2" to 42" (WPL6)
SCHEDULES	STD, XS, 10 to 160, .625 to 1.00 WT
DESIGNS	LR and 3R elbows, 45 elbows, tees, reducers, caps; 3D and 5D bends to order

CHROME-MOLY FITTINGS — A234 WP5, WP9, WP11, WP22, WP91 · B16.9

SIZE RANGE	1/2" to 24"
SCHEDULES	STD, XS, XXS, 40, 80, 120, 160
DESIGNS	Elbows, returns, tees, reducers, caps; normalized and tempered per spec

STAINLESS & DUPLEX FITTINGS — A403 · A815 · MSS SP-43

SIZE RANGE	1/2" to 36"
SCHEDULES	5S, 10S, 40S, 80S, 160, XXS
GRADES	WP304/L, 316/L, 317L, 321, 347; duplex S31803/S32205; super duplex S32750
DESIGNS	S (seamless), W (welded), WX (radiographed); elbows, returns, tees, reducers, caps, stub ends

NICKEL ALLOY FITTINGS — B366 · B16.9

SIZE RANGE	1/2" to 24"
GRADES	WPNC (200), WPNCI (400), WPNIC (600), WPNCMC (625), WPHX (C276), WP20CB (Alloy 20)
DESIGNS	Elbows, tees, reducers, caps, stub ends; seamless and welded

NIPPLES & SWAGES — A106 · A53 · A312 · MSS SP-95

SIZE RANGE	1/8" to 12"; close to 72" long
SCHEDULES	40, 80, 160, XXS
DESIGNS	TBE, TOE, POE, hex nipples; concentric and eccentric swage nipples, bull plugs; carbon, 304/316, brass, Alloy 400

Westgate Supply Line Card

FORGED FITTINGS & FLANGES

FORGED STEEL FITTINGS

A105 · A350 LF2 · A182 · B16.11 · MSS SP-83, SP-95

SIZE RANGE	1/8" to 4"
CLASSES	2000, 3000, 6000 (THD, SW); 9000 (SW)
DESIGNS	90 and 45 elbows, street elbows, tees, crosses, laterals, couplings (full, half, reducing), caps, plugs, bushings, unions, inserts, hex and swage nipples
MATERIALS	A105/N, LF2, F5, F11, F22, F91, F304/L, F316/L, F321, F347, F51, F53; B564 nickel alloys

BRANCH OUTLETS

MSS SP-97 · A105 · A350 LF2 · A182

SIZE RANGE	Run 1/2" to 36"; branch 1/4" to 24"
CLASSES	3000, 6000 (SW, THD); butt weld to run and branch schedule
DESIGNS	Weldolet, Sockolet, Threadolet, Elbolet, Latrolet, Nipolet, Sweepolet, Flexolet, Brazolet, Coupolet

CARBON STEEL FLANGES

A105 · A350 LF2 · A694 F52 TO F70 · B16.5 · B16.47 A & B

SIZE RANGE	1/2" to 60"
CLASSES	150, 300, 400, 600, 900, 1500, 2500
DESIGNS	Weld neck (incl. Series A and B), slip-on, blind, socket weld, threaded, lap joint, reducing, orifice, expander, anchor, swivel ring; bored to any schedule
FACES	Raised face, flat face, ring type joint, tongue and groove, male and female

ALLOY & STAINLESS FLANGES

A182 F5 TO F91, F304/L, F316/L, F321, F347, F51, F53 · B564

SIZE RANGE	1/2" to 48"
CLASSES	150, 300, 600, 900, 1500, 2500
DESIGNS	Weld neck, slip-on, blind, socket weld, threaded, lap joint, orifice; nickel alloys 400, 600, 625, 825, C276, Alloy 20; overlay to order
FACES	Raised face, flat face, ring type joint

LONG WELD NECKS & NOZZLES

A105 · A350 LF2 · A182 · B16.5 DIMENSIONS

SIZE RANGE	1/2" to 24"; barrel lengths to 36"
CLASSES	150, 300, 600, 900, 1500, 2500
DESIGNS	Standard LWN, heavy barrel, equal barrel, nozzle, studding outlet; custom bore, length and bevel to drawing
FACES	Raised face, ring type joint

BLINDS & SPECIAL FLANGES

B16.48 · API 6A · AWWA C207 · EN 1092-1

SIZE RANGE	1/2" to 48"; larger to drawing
CLASSES	150 to 2500; API 2000 to 10000 psi; AWWA B, D, E, F; PN10 to PN100
DESIGNS	Spectacle blinds, spades and spacers, paddle blanks, line blinds, drip and bleed rings; API 6A 6B/6BX weld neck and blind

VALVES

GATE VALVES

API 600, 602, 603 · API 6D · B16.34

SIZE RANGE	1/4" to 36"
CLASSES	150 to 2500; forged 800, 1500, 2500
DESIGNS	Bolted bonnet, pressure seal, OS&Y, rising and non-rising stem; solid, flexible and split wedge; slab and expanding gate
MATERIALS	WCB, LCB, CF8M, CF8, WC6, WC9; A105, LF2, F316; trim 1, 5, 8, 10, 12
ENDS	Flanged, butt weld, socket weld, threaded

GLOBE & CHECK VALVES

BS 1873 · API 623 · API 594 · BS 1868 · API 602

SIZE RANGE	1/4" to 36"
CLASSES	150 to 2500; forged 800, 1500
DESIGNS	Globe: T, Y and angle pattern, stop-check, bellows seal. Check: swing, dual plate, wafer, piston, lift, ball, tilting disc, silent
MATERIALS	WCB, LCB, CF8M, CF8, WC6; A105, F316; ductile iron, bronze
ENDS	Flanged, butt weld, socket weld, threaded, wafer, lug

BALL VALVES

API 608 · API 6D · ISO 17292 · API 607 / 6FA

SIZE RANGE	1/4" to 24"
CLASSES	150 to 2500; 800, 1500, 2000, 3000 WOG
DESIGNS	Floating and trunnion; 1, 2 and 3 piece; full and reduced port; top entry, split body; double block and bleed; fire safe
MATERIALS	WCB, LCB, CF8M; A105, F316; bronze, brass; PTFE, RPTFE, PEEK and metal seats
ENDS	Flanged, butt weld, socket weld, threaded, wafer, tube

BUTTERFLY & PLUG VALVES

API 609 CAT A AND B · API 599

SIZE RANGE	Butterfly 2" to 48"; plug 1/2" to 24"
CLASSES	150, 300, 600; 200 CWP; plug 150 to 900
DESIGNS	Resilient seated, high performance double offset, triple offset metal seated; lubricated, sleeved and lined plug; 2, 3 and 4 way
MATERIALS	Ductile iron, WCB, CF8M; EPDM, Buna-N, PTFE, metal seats; 316 and 17-4PH trim
ENDS	Wafer, lug, double flanged, threaded

Westgate Supply Line Card

SEALING, BOLTING & SUPPORTS

GASKETS — B16.20 · B16.21

SIZE RANGE	1/2" to 60"; Class 150 to 2500; API 6A ring sizes
SPIRAL WOUND	304, 316, 321, Monel, 625 windings; graphite, PTFE or mica filler; CS or 316 outer ring; inner ring
RING JOINT	R oval and octagonal, RX, BX; soft iron, low carbon, 304, 316, 625
SHEET & METAL	Kammprofile, corrugated, double jacketed; flexible graphite, compressed non-asbestos, PTFE, EPDM, Buna-N, Viton; full face and ring; cut to drawing
OTHER	Flange insulation kits, thread sealant, PTFE tape, flange protectors

STUD BOLTS & NUTS — A193 · A320 · A194 · A453 · NACE MR0175

SIZE RANGE	1/4" to 4" diameter, lengths to 48"; metric M10 to M64
STUDS	B7, B7M, B16, B8, B8M Cl 1 and 2, B8T; L7, L7M, L43; A453 660; duplex and nickel alloy to order
NUTS	2H, 2HM, 4, 7, 7M, 8, 8M, 8MA heavy hex; jam nuts; F436 and 316 washers
COATINGS	Plain, zinc, hot dip galvanized, PTFE (Xylan 1070, 1424), cadmium, ceramic
KITS	Flange bolt kits by size, class and facing, with gasket

PIPE SUPPORTS & EXPANSION — MSS SP-58 · MSS SP-69

SUPPORTS	U-bolts (plain, PVC and PTFE coated), pipe and riser clamps, clevis and band hangers, beam clamps, strut and fittings, all-thread rod, shoes, saddles, spring hangers, anchors and guides
EXPANSION	Rubber and metal bellows expansion joints, flexible metal hose, braided connectors

PROCESSING & DOCUMENTATION — ALL PIPE, TUBE AND FITTINGS

PROCESSING	Cut to length, beveling (30 and 37.5 deg), threading, grooving, end capping, pup pieces
TESTING	Hydro, PMI (XRF), hardness, impact and NDE (UT, MT, PT, RT) on request
CERTS	MTRs to EN 10204 3.1 (3.2 on request), traceable to heat numbers marked on material; country of melt and manufacture stated

INSTRUMENT VALVES, CUSTOM PARTS & SERVICES

INSTRUMENT VALVES & STRAINERS — B16.34 · MSS SP-85

SIZE RANGE	Instrument 1/8" to 2"; strainers 1/2" to 24"
CLASSES	3000, 6000, 10000 psi; strainers 150 to 1500, 800 forged
DESIGNS	Needle, mini ball, gauge and root valves, 2, 3 and 5 valve manifolds, bleed and vent; Y, basket, duplex, tee and cone strainers, 20 to 400 mesh
MATERIALS	A105, 316 SS, Monel, C276; WCB, CF8M, bronze, ductile iron

VALVE OPERATION & ACTUATION — ISO 5211 MOUNTING

MANUAL	Handwheel, lever, bevel and worm gear operators, chainwheels, extended stems and bonnets, locking devices, position indicators
POWERED	Pneumatic, electric and hydraulic actuators with limit switches, positioners and solenoids on request

CUSTOM & FABRICATED PARTS — BUILT TO PRINT, SAMPLE OR P&ID

FLANGES	Long weld necks and nozzles to drawing; special flanges, blinds and spacers in any size, class, bore or drilling; overlay and clad
FITTINGS	Mitered and fabricated elbows, rolled-cone reducers, special reducing tees and outlets, hot-tap and repair fittings, split tees, sleeves, pup pieces, spools
PIPE	Non-standard wall and OD, special lengths, machined adapters and transition pieces, bends, U-bolts and anchor bolts
DOCUMENTS	MTRs, WPS/PQR and welder qualifications, weld map, dimensional and visual inspection reports; RT or UT on request

SERVICES & DOCUMENTATION — ALL PRODUCT LINES

CERTS	MTRs to EN 10204 3.1 and 3.2, traceable to heat numbers marked on material; certificates of conformance; NACE MR0175 / ISO 15156 statements; country of melt and origin when flowed down
TESTING	PMI (XRF), hydrotest, NDE (UT, MT, PT, RT), hardness and impact testing, third-party inspection and witness points
PROCESSING	Cut to length, beveling (30 and 37.5 deg), threading, grooving, end capping, coating and galvanizing, marking and tagging
LOGISTICS	Kitting by line, spool or flange set; staged release; VMI; hot-shot and expedited delivery from Houston, Oakland and Burbank; turnaround and outage support

Westgate Supply Line Card

STRUCTURAL STEEL & PLATE

STRUCTURAL SHAPES — A36 · A992 · A572 GR 50 · A588

DESIGNS	Wide flange beams (W), standard beams (S), channels (C, MC), angles (equal and unequal leg), tees (WT, ST), H-pile, rail
SIZE RANGE	W4 to W44; channels 3" to 18"; angles 1/2" to 8" leg, 1/8" to 1" thick
LENGTHS	20', 40', 60' stock; cut to length
FINISH	Bare, primed, hot dip galvanized

PLATE & SHEET — A36 · A572 GR 50 · A516 GR 70 · A514 · A240 · A786

SIZE RANGE	Plate 3/16" to 6" thick, to 96" x 480"; sheet 26 ga to 10 ga; floor plate 1/8" to 1"
DESIGNS	Carbon plate, pressure vessel plate (A516-70 normalized), AR400/AR500 abrasion resistant, floor (checker) plate, expanded metal, bar grating; stainless 304/316 and aluminum 5052/6061 plate
PROCESSING	Plasma and oxy-fuel burning, shearing, bevel cutting, forming, rolling; MTRs with every plate

BAR & TUBE — A36 · A108 · A311 · A500 · A513

BAR	Flat, round, square, hex; hot rolled A36, cold finished 1018/1045, stress proof 1144, 4140; stainless 303/304/316, aluminum 6061
SIZE RANGE	Flat 1/8" x 1/2" to 2" x 12"; round 1/4" to 12"; square 1/4" to 6"
TUBE	A500 Gr B/C square and rectangular HSS 1" to 20"; round HSS to 20" OD; A513 mechanical tube; pipe to A53/A106 for structural service

STEEL PROCESSING & DOCUMENTATION — CUT TO SIZE, IN HOUSE AND PARTNER SHOPS

PROCESSING	Saw cutting (mitre to 60 deg), plasma and flame cutting, shearing, drilling and punching, beveling, forming, rolling, welding and fabrication to drawing
FINISH	Blast and prime, hot dip galvanizing, powder coat, epoxy
CERTS	MTRs, domestic and DFARS material on request, buy-American compliance when flowed down

FASTENERS, APPROVALS & ORDERING

FASTENERS & BOLTING — A193 · A320 · A194 · A325 / F3125 · A307 · F593

DESIGNS	Stud bolts, heavy hex and structural bolts (A325, A490, F3125, TC bolts), hex cap screws, anchor bolts, J and L bolts, U-bolts, threaded rod, nuts, washers, Belleville springs, socket products, custom machined hardware
MATERIALS	Carbon, alloy, low temp, stainless 304/316, duplex, nickel alloy, titanium; 150+ grades
COATINGS	Zinc, hot dip galvanized, PTFE (Xylan), cadmium, ceramic, phosphate; 25+ finishes
SIZE RANGE	#4 to 4" diameter; metric M3 to M100; lengths to 72"

ORDERING — QUOTES WITHIN ONE BUSINESS DAY

QUOTES	Send a part list, drawing, P&ID or spec sheet to sales@westgatesupply.com. Quotes reference your line numbers and carry lead time, material spec and documentation per line.
TERMS	Net 30 on approved credit; card and ACH accepted
SHIPPING	Houston, Oakland and Burbank warehouses; LTL, flatbed, hot-shot and will call; drop ship from mill or manufacturer

APPROVED MANUFACTURER LISTS — AML MATERIAL SUPPLIED BY PRODUCT

CONOCOPHILLIPS	Pipe, flanges, BW and forged fittings, olets, stud bolts, nuts, washers, gaskets
PHILLIPS 66	Pipe, flanges, BW and forged fittings, stud bolts, nuts, washers
ENTERPRISE PRODUCTS	Pipe, flanges, BW and forged fittings, olets, stud bolts, nuts
KINDER MORGAN	Pipe, flanges, BW and forged fittings, stud bolts, nuts, gaskets
ENERGY TRANSFER	Pipe, flanges, BW and forged fittings, stud bolts, nuts, gaskets
EDP	Pipe, flanges, BW and forged fittings, olets, stud bolts, nuts
ENLINK	Bolts, nuts
CHEVRON	Pipe, nuts; stud bolts, nuts
MARATHON / MPLX	Stud bolts, nuts, washers
OCCIDENTAL	Stud bolts, gaskets
EXXONMOBIL	Stud bolts, nuts

STANDARDS & INDUSTRIES — SPECIFICATIONS SUPPLIED TO

STANDARDS	ASTM, ASME, ANSI, API, MSS SP, AWWA, AISC, AWS, ISO, DIN / EN, NACE, PED
INDUSTRIES	Oil and gas, refining and petrochemical, power generation, LNG and gas processing, water and wastewater, pipe fabrication and mechanical contracting, structural and industrial construction, data centers, aerospace and advanced manufacturing