

Walter Alejandro Suárez Fonseca - 20272020707

WorkShop No. 2

1)

(i) Identifier:

$r'^{\wedge}[a-zA-Z_][a-zA-Z0-9_]*\$'$

(II) Integer Literal:

$r'^{\wedge}\backslash d + \$'$

(III) Floating point Literal

$r'^{\wedge}\backslash d + \backslash . \backslash d + \$'$

(IV) String Literal

$r'^{\wedge}[^"]^* \$'$

(V) Single line comment

$r'^{\wedge} // . * \$'$

(VI) multiline comment

$r'^{\wedge} / \backslash ^* [\backslash s \backslash S] + ? \backslash / \$'$

(VII) White space

$r'^{\wedge} \backslash s + \$'$

(VIII) Operators

$r'^{\wedge} [\backslash + \backslash - \backslash * \backslash / \backslash = \backslash \& \backslash < \backslash > \backslash ! \backslash ^ \backslash ~] \$'$


(1x) keywords

r.1 (if | else | while | return | for | break | continue | class | def | import | from | as | try | except | finally | with | lambda) |


(X) Hexadecimal Literal

r.1 0x[0-9a-fA-F]+

2) a) $x = 5 + 3 * 2;$



6) $\text{if}(x > 0) \{$
 $y = x - 1;$
 $\} \text{ else } \{$
 $y = 0;$
 $\}$



c) $\text{while}(x < 10) \{$
 $\quad x = x + 1;$
 $\}$

5

Program

Statement List

Statement (Wahrheitserklärung)

while (Expression) { StatementList }

Expression ($x < 70$) Statement (Assignment)

Identifizier = Expression;

x	Expression (x+1)
---	------------------

D) `return(a+b) * C;`

