

Research on Altius and the Execution Marketplace Concept

Table of Contents

Table of Contents

1. Introduction and Motivation	4
2. Landscape Overview and Analogies.....	5
3. Formalization of the Execution Marketplace Concept	7
4. Technical Basis: Altius Architecture	9
5. Integration Models	10
6. Interfaces and Formats	11
7. Verification of Results	12
8. Scheduling and Orchestration	14
9. Economics and Pricing	16
10. Incentives and Game Theory	17
11. MEV and Privacy.....	18
12. Threat Model and Security.....	19
13. Decentralization and Concentration.....	20
14. Performance and SLA.....	22
15. Modeling and Simulations	24
16. Benchmarking and Experiments	25
17. Tokenomics.....	26
18. Legal and Compliance	27
19. Governance of the Marketplace	28
20. UX and Developer Experience	29
21. Interoperability and Cross-Chain.....	30
22. Business Model and Execution Marketplace Deployment	31
23. Provider Ecosystem	33
24. Ethics and Social Effects	34
25. Roadmap and MVP	35
26. Comparative Analysis.....	37
27. Open Questions and R&D	38

28. Conclusions.....	39
29. Appendices.....	40
Sources for Chapters	41

1. Introduction and Motivation

1.1. The Execution Problem

Modern blockchains face a systemic limitation: the execution layer of transactions remains the bottleneck. Despite advances in consensus mechanisms and data availability, for example modular DA layers, the execution of smart contracts still occurs mostly sequentially. During sudden demand spikes, networks overheat: transactions accumulate in the mempool, fees surge, and confirmation times increase.

To mitigate this effect, projects are forced to maintain overprovisioned infrastructure, dozens or hundreds of servers that remain idle most of the time but are required for rare peak events such as token launches, airdrops, and NFT mints. This strategy results in high CAPEX and OPEX and reduces overall economic efficiency.

1.2. The Role of Altius

Altius Labs proposes to treat execution not as an inherent property of a blockchain, but as a service layer. Its engine is a modular, VM agnostic execution environment that can be integrated into any chain. Core principles include:

- Instruction Level Parallelism: splitting transactions into instructions and executing them in parallel.
- Parallel Scalable Storage: multithreaded state management with sharding and distributed caching.
- Application Code Assessor: incentive mechanisms for writing code optimized for parallel execution.

By combining these features, Altius aims to remove the execution bottleneck and deliver infrastructure capable of handling Web2 level scale and performance.

1.3. Hypothesis: From Accelerator to Execution Marketplace

If execution becomes a service, the next logical step is the emergence of a market. In such a model:

- Chains do not maintain idle infrastructure but instead rent compute slots only when necessary.
- Infrastructure providers run Altius runtimes and offer execution slots under competitive conditions.

- Execution costs are determined dynamically, reflecting real computational demand rather than artificial gas market logic.

Consequently, Altius could evolve from a high-performance execution engine into a full-fledged execution marketplace, where independent providers and networks interact through transparent supply and demand dynamics.

This hypothesis, that Altius can transform from an execution accelerator into a genuine marketplace for computational resources, forms the central research thread of this work. In the chapters that follow, we will systematically examine its viability, considering technical architecture, verification mechanisms, economic models, risks, and potential deployment scenarios.

2. Landscape Overview and Analogies

2.1. Cloud Computing and On Demand Model

The development of cloud platforms such as Amazon Web Services, Microsoft Azure, and Google Cloud fundamentally changed the way computational resources are consumed. Instead of purchasing and maintaining on premises infrastructure, organizations use on demand provisioning and spot pricing models, paying only for the resources they actually consume and scaling elastically during peak loads. This eliminates costly overprovisioning.

Cloud usage is not without compromises: additional network latency and the overhead of virtualization can slightly increase response times. However, industry studies show that these trade offs are offset by economic and operational benefits. For example, IDC in 2025 reports that AWS customers reduced operational costs by about 51 percent compared with on premises deployments. Thus, elasticity and cost efficiency outweigh minimal increases in latency.

Parameter	On Premises Infrastructure	Cloud Services AWS Azure GCP	Source

CAPEX, capital expenditures	High, purchase of servers and datacenter setup.	Low, no upfront hardware and pay as you go.	<i>Armbrust et al., 2010</i>
OPEX, operational expenses	High, electricity, cooling, staffing.	Reduced, economies of scale. About 51 percent OPEX savings reported for AWS customers.	<i>IDC and AWS, 2025</i>
Scalability	Low, expansion may take weeks or months.	High, minutes to provision hundreds of instances.	<i>Armbrust et al., 2010</i>
Latency	Minimal, local execution.	Slightly higher, network and virtualization overhead.	<i>Armbrust et al., 2010</i>
Reliability	Depends on local setup, often lower.	Up to 99.99 percent SLA and global redundancy.	<i>AWS Service Level Agreements</i>
Flexibility and elasticity	Low, fixed capacity.	Very high, elastic scaling on demand.	<i>Armbrust et al., 2010</i>
Functionality	Limited to owned hardware and software.	Broad ecosystem including ML, analytics, databases, and APIs.	<i>AWS and Azure service catalogs</i>

2.2. Delegation Practices in Web3

The Web3 ecosystem already shows a trend toward outsourcing critical infrastructure tasks to specialized providers. RPC services such as Infura and Alchemy let applications connect to blockchains without maintaining full nodes. Sequencer as a service models are emerging within rollup ecosystems, while indexers such as The Graph provide structured blockchain data to decentralized applications. These examples indicate that the market accepts externalization of infrastructure components. By modularizing execution, itself, Altius positions execution capacity as a tradable commodity (*Buterin, 2021*).

2.3. Limitations of Existing Approaches

Attempts to scale execution have already been made. Examples include parallelized EVMs such as Fuel and Monad, high performance L1 chains such as Solana and Aptos, and modular data availability solutions such as Celestia. Each approach faces trade offs. Parallel EVMs require developers to refactor contracts for concurrency safety. High throughput L1s may risk centralization due to demanding hardware. Data availability solutions alleviate storage constraints but do not address execution bottlenecks. In contrast, Altius is designed for VM agnosticism and instruction level parallelism, enabling integration across diverse ecosystems without requiring developers to rewrite smart contracts. This universality strengthens the plausibility of an execution as a service model (*Altius Labs, 2025*).

3. Formalization of the Execution Marketplace Concept

3.1. Definition

In the context of Altius, an execution marketplace can be defined as a decentralized platform where computational resources (execution capacity) are treated as tradable commodities. Unlike the traditional model, where each blockchain must execute all transactions internally, here responsibilities are separated: blockchains package transactions, independent execution providers perform the computation and return verifiable results, and the marketplace layer coordinates allocation, pricing, and settlement.

3.2. Core Participants

The marketplace involves four main actors, each with clear incentives:

- **Consumers (chains, rollups, dApps).** They buy execution slots when demand spikes. Instead of maintaining idle infrastructure year-round, they pay only for what they use, reducing both capital and operational expenses.
- **Providers.** Independent operators who run the Altius runtime on their hardware. For them, the marketplace is an opportunity to monetize spare compute, similar to how miners monetize hashing power.
- **Marketplace Layer.** A neutral coordination plane that assigns jobs, enforces service-level agreements (SLA), handles billing, and resolves disputes. Without such a layer, the system would fragment into isolated bilateral contracts; the marketplace ensures liquidity and fairness.
- **Verifiers.** Participants that confirm correctness of results through receipts, fraud proofs, or succinct proofs. They make the market trustworthy: consumers know they are paying for valid computation, and providers know they will be compensated if they deliver honest work.

3.3. Unit of Trade

A functioning market needs a clearly defined commodity. In the case of Altius, several candidates exist:

- **Processor time** (milliseconds of CPU/GPU work).
- **Instruction units** (atomic operations measured by the Altius runtime).
- **Transaction batches** (fixed sets of user transactions).
- **Resource bundles** (combinations of CPU, memory, and storage).

From a theoretical standpoint, instruction units are the most natural choice: they align with Altius’s design of instruction-level parallelism and make execution measurable at its smallest divisible unit. However, in early stages, time slots or transaction batches may be more practical, as they are easier to price and meter.

Importantly, whichever unit is chosen, the existence of a standardized “currency of execution” is what enables the marketplace at all. Without a common unit, supply and demand cannot be matched efficiently. Defining this tradeable unit is therefore not a technical curiosity but the prerequisite for building a fair and liquid market for execution. (*Altius Labs, 2025*)

3.4. Analogies

The idea of an execution marketplace in Altius resonates with three existing models:

- **Cloud computing markets.** In systems like AWS Spot Instances, users rent compute on demand instead of maintaining idle servers. This reduces overprovisioning costs and enables elastic scaling. For Altius, the parallel is clear: chains can secure a baseline of execution capacity and buy additional slots during peaks.
- **Electricity markets.** Power systems distinguish between base load and peak demand, with different pricing mechanisms such as day-ahead and real-time auctions. Similarly, Altius could support both reserved and on-demand execution slots, where congestion or latency drive dynamic price differences across providers.
- **Proof-of-Work mining. In Bitcoin,** miners sell computation to secure the network. Providers in Altius also monetize compute, but here the output is transaction execution, which requires verifiable correctness rather than probabilistic rewards.

Together these analogies show that Altius can borrow elasticity from cloud markets, pricing logic from electricity markets, and incentive mechanisms from PoW-adapting them into a new model where execution itself becomes a tradable service.

4. Technical Basis: Altius Architecture

4.1. Execution Core

The execution core of Altius is based on instruction-level parallelism (ILP). Transactions are decomposed into operations and transformed into Static Single Assignment (SSA) form. This representation enables independent instructions to be executed in parallel. Conflicts are handled via optimistic concurrency control (OCC), which preserves correctness under high load (*Altius Labs, 2025*).

Beyond raw throughput, this structure makes computation discrete and measurable. Such measurability enables defining standardized execution units that can be allocated or shared across networks when capacity must be burst-scaled.

4.2. Parallel Scalable Storage

Altius employs a Scalable State Merkle Trie (SSMT) to organize state. Data is segmented into shards so that reads and writes can proceed concurrently. A memory-first strategy keeps hot data in RAM and reduces disk I/O, which testing shows materially improves both throughput and latency (*Altius Labs, 2025*).

This organization provides predictable performance without specialized hardware upgrades, a prerequisite for setting clear service-level expectations when external execution capacity is used.

4.3. VM Agnosticism

The Altius architecture is designed to be VM-agnostic. It supports the Ethereum Virtual Machine (EVM) and WebAssembly (WASM), with planned extensions to other environments. Adapters translate each VM's bytecode into SSA, enabling a unified approach to parallel execution (*Altius Labs, 2025*).

This universality allows execution capacity to be treated in a common format across ecosystems, so that applications do not need to be rewritten to benefit from parallelism.

4.4. Separation of Execution and Consensus

Altius separates execution from consensus. It can be attached to L1 or L2 networks as an external execution module that receives transaction bundles, processes them, and returns results. This approach preserves the base network's security model while avoiding hard forks or consensus changes (*Buterin, 2021; Altius Labs, 2025*).

Separation lowers integration friction and enables multiple networks to access shared execution capacity without altering their canonical validation rules.

5. Integration Models

5.1. Integration with L1 Networks

Altius can be integrated into existing layer-one (L1) blockchains as an additional execution layer.

This approach modifies client implementations so that transactions are delegated to the Altius core for parallel execution, after which results are returned to the network. A potential use case includes integration with Ethereum clients such as Reth. Direct L1 adoption enables substantial throughput improvements without altering the underlying consensus mechanisms.

5.2. Integration with L2 and Rollups

Another scenario involves employing Altius to scale layer-two (L2) solutions, including optimistic and zk-rollups. Here, Altius handles the parallel execution of transaction batches, thereby reducing the burden on sequencers. This can enhance predictability in response times and lower infrastructure costs. The approach is especially valuable for high-volume rollups, where execution speed is a key competitive factor (*Buterin, 2021; Arbitrum, 2023; Optimism, 2023*).

5.3. App-Chains and Specialized Networks

Independent application-specific blockchains (app-chains) may also benefit from Altius integration. Such networks often lack the resources to develop scalable execution infrastructure. By connecting to Altius, they can rent execution capacity on demand, lowering the entry barrier for emerging projects. Enterprise and sector-specific blockchains can similarly take advantage of this model to adapt flexibly without maintaining surplus infrastructure.

5.4. Shared Execution Layer

Finally, Altius can serve as a shared execution layer accessible to multiple networks simultaneously. In this model, a common pool of computational resources is made available, with blockchains accessing execution capacity under agreed conditions. Service-level agreements (SLAs) and prioritization mechanisms can govern allocation. This approach lays the groundwork for a broader market in execution capacity, where demand and supply converge on a unified platform (*Celestia, 2022*).

6. Interfaces and Formats

6.1. API and SDK

In the Altius architecture, the Execution API is a key component, enabling clients to submit

transaction bundles, receive results, and monitor execution status. In addition, SDKs for popular languages such as Rust, TypeScript, and Python are provided, lowering integration barriers and ensuring compatibility with a wide range of applications.

6.2. Proofs of Correctness

Altius implements execution proofs, generating verifiable records once transaction bundles are processed. These proofs can be validated independently, without re-executing the workload. For L2s and app-chains, this function is particularly valuable, as base networks can confirm outcomes at reduced computational cost, increasing both trust and transparency (*Buterin, 2021*).

6.3. Standardization of Data Formats

The Altius design ensures standardized formats for execution proofs and related data structures. This enables seamless transmission between networks and verification regardless of execution environment. Standardization also lays the foundation for treating execution results as a universal resource (*Celestia Labs, 2022; Polkadot, 2023*).

6.4. Integration with Monitoring Tools

Altius provides performance metrics including latency, SLA compliance, and resource usage. These metrics can be exported to popular monitoring systems like Prometheus and Grafana. Additionally, Altius maintains its own dashboard with specialized indicators, such as execution proof statistics. This hybrid approach reduces development overhead while enhancing transparency.

7. Verification of Results

7.1. Motivation

Verification of results is a fundamental task in decentralized computation. Participants must be assured that execution outputs are correct and tamper-resistant. Altius addresses this through a modular system of execution proofs, where multiple verification schemes (zk-proofs, optimistic verification, light clients) can be applied within a unified format (*Buterin, 2021*).

7.2. zk-Proofs

Zero-knowledge proofs provide cryptographic guarantees of correctness without exposing underlying data. In Altius, zk-proofs are integrated into the modular verification layer and are particularly suited for scenarios where privacy and maximum security are required.

7.3. Optimistic Verification

Optimistic verification reduces computational overhead by assuming correctness unless a fraud

proof is presented. Altius incorporates this approach as part of its modular architecture, providing flexibility and scalability.

7.4. Light Clients

Light clients allow results to be verified in base networks without running full validation. Altius enables this mode to simplify integration with L1s and L2s.

7.5. Execution Marketplace

In Altius, different verification methods are unified under one infrastructure. Providers can adopt the scheme most suitable for their operations, while consumers receive standardized proofs that can be validated across multiple supported networks.

8. Scheduling and Orchestration

8.1. Motivation

In a distributed execution system, tasks must be assigned to multiple providers. Without scheduling and orchestration mechanisms, the market turns into a chaotic set of requests where load is distributed unpredictably. Scheduling ensures predictability, while orchestration coordinates execution across dynamic environments.

Approach	Advantages	Disadvantages
Static scheduling	Simplicity, predictability	Inflexibility, cannot adapt to changes
Dynamic scheduling	Adaptiveness, efficient resource utilization	Complexity, monitoring overhead
Hybrid scheduling	Balance between stability and flexibility	More complex to implement
SLA prioritization	Enables service tiers, transparent for users	May lead to unequal access, costly premium options

8.2. Scheduling Models

There are three primary models:

- Static scheduling. Tasks are assigned in advance, without adapting to changing conditions. Simple to implement but inflexible.
- Dynamic scheduling. Adjusts in real time, accounting for latency, provider load, and resource cost. More flexible but requires constant monitoring.
- Hybrid scheduling. Combines baseline allocation with dynamic adjustments during peak demand.

8.3. Orchestration Mechanisms

Orchestration involves provider monitoring, failure management, and workload redistribution. Frameworks such as Kubernetes demonstrate the effectiveness of these systems in distributed environments. In the context of Altius, orchestration ensures that multiple applications and chains can access providers under predictable conditions.

8.4. SLA and Prioritization

Service-level agreements (SLAs) define expected latency, reliability, or throughput. Users may choose to pay more for guaranteed performance or select lower-cost options without strict guarantees. This mechanism enables segmentation of offerings within the execution marketplace.

8.5. Market Implications

Scheduling and orchestration transform raw compute resources into structured market offerings. With these mechanisms, the execution marketplace gains transparency: workloads are distributed fairly, and providers compete on both performance and service quality. SLAs thus become the unit of trade.

9. Economics and Pricing

9.1. Motivation

For the execution marketplace to function, pricing mechanisms are required. Computational resources become tradable goods, and their cost must reflect both technical and economic factors.

Model	Advantages	Disadvantages
Fixed	Simple, predictable	Does not reflect demand changes
Dynamic	Flexible, reflects market conditions	Uncertainty for clients
Auction	Efficient resource allocation	Price spikes, complex to understand

9.2. Pricing Models

Several approaches exist:

- Fixed pricing. A simple model with predefined rates. Useful for predictability but ignores demand shifts.
- Dynamic pricing. Prices adjust according to demand, load, and resource availability.
- Auction-based pricing. Users bid, and resources are allocated to the highest bidders.

9.3. Cost Factors

Key elements influencing price include:

- Hardware costs (CPU, memory, storage).
- Energy consumption.
- Risk of failure and redundancy needs.
- SLA levels.
- Market competition among providers (*Armbrust et al., 2010*).

9.4. Execution Marketplace

In the execution marketplace, pricing reflects not only cost but also demand and supply signals. Providers compete at different SLA levels, creating market segments such as basic, standard, and premium. Thus, pricing turns computation into a structured and tradable resource.

10. Incentives and Game Theory

10.1. Motivation

For decentralized systems to remain stable, mechanisms are required that encourage participants to act honestly. If incentives are misaligned, providers may cut costs at the expense of quality, consumers may avoid paying fairly, and verifiers may remain passive. Game theory offers tools to model such interactions as strategic games, where each actor chooses their optimal behavior while considering the actions of others (*Osborne & Rubinstein, 1994*). In distributed computation, these models clarify how to design incentives so that honest participation becomes the rational strategy.

10.2. Roles of Participants

The execution ecosystem consists of several distinct roles: computation providers, consumers, verifiers, and coordinating nodes. Providers aim to maximize profit, which may tempt them to reduce quality. Consumers seek to minimize costs while ensuring correct results. Verifiers are responsible for maintaining trust but may become inactive without sufficient rewards. Coordinators balance these interests, assigning tasks and enforcing agreements. The interplay between these roles requires carefully aligned incentives that ensure systemic stability.

10.3. Incentive Mechanisms

Effective mechanisms extend beyond simple rewards and penalties. They include bonuses for exceeding SLA guarantees, dynamic pricing adjustments under heavy load, and collective liability schemes in which multiple providers share the risk of failure. Such layered incentives create resilience: providers are encouraged to maintain reliability, consumers gain confidence in service levels, and cooperation becomes more attractive than deviation (*Buterin, 2021*).

Compared to binary reward/punishment systems, multi-level incentives better sustain equilibrium in dynamic markets.

10.4. Game-Theoretic Models

Game-theoretic models test the stability of incentive schemes. Nash equilibrium demonstrates that, with well-designed rules, players prefer to cooperate rather than cheat. In repeated games, where decisions have long-term consequences, honest behavior becomes even more rational. Evolutionary models add another perspective, showing how markets can converge to stable states even when some actors initially behave dishonestly. These frameworks highlight how incentives shape collective behavior in execution networks.

10.5. Execution Marketplace

In the execution marketplace, incentive structures underpin trust. Providers are motivated to deliver reliable results, consumers to engage in long-term agreements, and verifiers to actively ensure correctness. Together, these incentives transform the marketplace from a loose collection of transactions into a system governed by predictable economic rules.

11. MEV and Privacy

11.1. Motivation

Maximal Extractable Value (MEV) is one of the most disruptive forces undermining fairness in blockchains. It occurs when validators or other actors reorder transactions for personal gain. Combined with full data transparency, this reduces user trust and creates systemic inefficiencies. At the same time, demand for privacy is rising, since unprotected transactions remain highly vulnerable to manipulation.

11.2. Forms of MEV

MEV manifests in multiple forms: arbitrage across venues, front-running where a transaction is placed before a profitable user action, and back-running where an actor positions themselves immediately after. While these strategies provide short-term profit to validators, they erode predictability, degrade user experience, and destabilize decentralized markets.

11.3. Mitigation Strategies

Current approaches include transaction-ordering auctions, trusted execution environments (TEE), and private mempools for concealed submissions. Each mitigates exploitation but introduces trade-offs: auctions may centralize power, TEEs require trust in hardware vendors, and private channels reduce transparency. These compromises illustrate the difficulty of suppressing MEV while preserving openness.

11.4. Transaction Privacy

Privacy can be achieved using encryption or zero-knowledge proofs that conceal transaction details from validators. This reduces opportunities for manipulation and strengthens user trust. However, such mechanisms increase computational overhead and latency. Thus, privacy introduces a fundamental trade-off between security and performance.

11.5. Execution Marketplace

Within the execution marketplace, MEV mitigation and transaction privacy can be implemented through a tiered model. At the base level, public transactions remain low-cost but exposed to manipulation. Higher tiers introduce private mempools operated by verified providers, combined with zk-proofs certifying that transaction order has not been tampered with. Dynamic pricing aligns costs with the level of privacy chosen. This hybrid approach enables flexibility for users, cryptographic guarantees for fairness, and clear market incentives for.

12. Threat Model and Security

12.1. Motivation

Security is a fundamental requirement for any distributed marketplace of computation. Unlike centralized systems where trust is concentrated in a single operator, decentralized architectures face a wide spectrum of risks: from technical exploits to economic manipulation and social attacks. Threat modeling provides a systematic framework for identifying vulnerabilities and designing mitigation strategies that ensure resilience in adversarial environments.

12.2. Classification of Threats

Threats in distributed systems can be grouped into three major categories. Technical threats include DDoS attacks, smart contract exploits, and cryptographic protocol weaknesses.

Economic threats consist of price manipulation, collusion among providers, and intentional low-quality execution for profit. Social threats involve governance manipulation, misinformation campaigns, or coercion of community members. This taxonomy enables the design of layered defenses that address risks at multiple levels.

12.3. Mitigation Techniques

Different categories of threats require distinct mitigation strategies. Technical risks can be reduced through formal verification, continuous monitoring, and regular updates. Economic risks are mitigated by incentive alignment, penalties, and slashing mechanisms. Social threats are addressed by transparency, decentralized governance, and reputation systems (*Buterin, 2020*). Resilience is achieved when technical, economic, and social defenses are combined in a holistic security model.

12.4. Execution Marketplace

In the execution marketplace, unique risks emerge, such as coordinated sabotage by providers through inflated latencies or falsified proofs. A robust solution involves multi-layered insurance: slashing for provable misbehavior, reputation-based ratings for ongoing trust, and fallback redundancy through backup executors. By treating security threats as quantifiable risks within the economic model, the marketplace can remain reliable even under adversarial pressure (*Buterin, 2021*).

13. Decentralization and Concentration

13.1. Motivation

Decentralization is a core value of blockchain systems, ensuring resilience, fairness, and distributed control. Yet in practice, complete decentralization is rarely achieved. As networks scale, the drive for efficiency often leads to concentration of resources and decision-making power. This creates a paradox: systems designed to distribute authority naturally gravitate toward centralization over time. Understanding this dynamic is crucial for designing sustainable computational marketplaces.

13.2. Factors of Decentralization

Several factors influence whether a network remains decentralized. Technical and economic conditions, such as the number of independent providers, barriers to entry, cost of hardware, and transparency of allocation algorithms, determine accessibility. If participation is cheap and widely available, decentralization thrives. If participation requires specialized, costly infrastructure, concentration is inevitable. Thus, decentralization is tightly coupled with the inclusiveness of system design.

13.3. Risks of Concentration

Concentration of resources among a few actors introduces three primary risks. First, it increases censorship vulnerability: dominant providers may filter or block transactions. Second, it creates monopolistic dynamics, discouraging new entrants and concentrating economic benefits in few hands. Third, it reduces innovation, since decision-making is controlled by a small group with little incentive to experiment. Historical cases illustrate these dynamics: in 2014, the mining pool GHash.io reached 42% of Bitcoin's hashrate, while today staking providers like Lido control over 30% of Ethereum's staking market.

13.4. Balancing Decentralization

Achieving balance requires mechanisms that encourage small participants and constrain overly dominant players. Approaches include rewards for smaller providers, progressive fees for large operators, and transparent governance structures that weight decisions not only by stake size but also by reputation or proven activity. Such measures maintain competition and diversity while avoiding the inefficiencies of excessive fragmentation.

13.5. Execution Marketplace

In the execution marketplace, concentration poses a particular threat: a handful of providers could dominate computational capacity, distorting pricing and reducing access. To counter this, decentralized reputation systems and targeted incentives for smaller providers can sustain diversity and competition. By embedding decentralization into the market's incentive structure, the system preserves both fairness and resilience (*Buterin, 2020*).

14. Performance and SLA

14.1. Motivation

Performance in distributed computational systems is a key determinant of competitiveness. Yet raw transaction throughput alone does not guarantee user satisfaction. Predictability is crucial: if a system is fast on average but collapses under peak load, trust is undermined. To reduce uncertainty, Service Level Agreements (SLAs) are introduced, translating technical metrics into formalized guarantees of quality. They allow consumers and providers to communicate in standardized terms, clearly defining accountability for system behavior.

14.2. Key Metrics

SLAs typically encompass four primary categories of metrics. Latency measures the response time of the system, directly affecting user experience. Throughput captures the number of operations processed per unit of time, defining scalability. Availability is measured as the percentage of operational uptime, reflecting resilience against outages. Finally, reliability describes the probability of transactions completing successfully without errors. Together, these indicators form a multidimensional profile of quality, enabling meaningful comparison across providers.

14.3. Optimization Techniques

Optimizing SLAs involves more than simply increasing hardware capacity. Horizontal scaling distributes workloads across nodes, load balancing prevents bottlenecks, and caching accelerates repeated queries. Data replication enhances availability but introduces synchronization challenges. Crucially, attention must be given to tail latency: even if average performance is high, a few slow requests can severely degrade overall user experience.

14.4. Execution Marketplace

Within the execution marketplace, SLAs become a competitive product. Providers are expected to publish their performance guarantees and validate them through independent measurement. Consumers then select services not only by price but also by verifiable quality. This shifts computation into an economic commodity, where providers with strong SLA adherence gain a significant market advantage.

15. Modeling and Simulations

15.1. Motivation

Before deploying new protocols or economic mechanisms, their robustness must be assessed. In blockchain networks, design errors can lead to catastrophic financial losses, making live experimentation prohibitively risky. Modeling and simulations allow developers to reproduce system behavior in controlled environments, predict bottlenecks, and test hypotheses safely. They serve as essential tools for designing decentralized computation markets.

Model Type	Characteristics	Applications
Deterministic	Fixed rules, predictable outcomes	Evaluate theoretical system performance
Stochastic	Randomness and uncertainty included	Analyze failures, latency, and resilience
Agent-based	Actors with independent strategies	Test incentives and emergent market behavior

15.2. Modeling Methods

Models are typically divided into three categories. Deterministic models operate under fixed rules and are suitable for evaluating performance in stable conditions. Stochastic models incorporate randomness, capturing unpredictable factors such as network delays or failures. Agent-based models go further, representing multiple actors with individual strategies, producing emergent system behavior. The diversity of approaches ensures that both technical and economic risks can be explored comprehensively.

15.3. Simulation Tools

Specialized simulators are widely used to analyze distributed systems. NS-3 provides detailed modeling of network protocols, including latency and congestion. SimGrid focuses on computational systems, evaluating resource allocation across distributed infrastructures. CadCAD is designed for blockchain economies, enabling the testing of incentive mechanisms and token models in virtual environments. Together, these tools allow researchers to explore

both technical and economic aspects of system design.

15.4. Execution Marketplace

For the execution marketplace, simulation is indispensable for evaluating not only technical metrics such as throughput and latency, but also the economic dynamics of pricing and incentives. By testing provider and consumer behavior under varying market conditions, simulations reduce the risk of systemic failures after deployment. They enable proactive identification of weaknesses in both infrastructure and economic design.

16. Benchmarking and Experiments

16.1. Motivation

Benchmarking plays a critical role in evaluating the efficiency of decentralized systems, as it allows objective comparison across implementations. For Altius, demonstrating real-world performance is particularly important, since the execution marketplace relies on trust in published SLAs and proofs of work. Experiments must validate not only technical capacity but also the resilience of the Altius architecture under real-world chaos transaction surges, attacks, or uneven workload distribution.

16.2. Benchmarking Approaches

Different benchmarking approaches serve distinct purposes. Microbenchmarks measure isolated operations, such as transaction execution time or proof generation speed. Macrobenchmarks evaluate overall system behavior, capturing throughput, SLA stability, and orchestration efficiency. For Altius, combining both approaches is essential: micro-level tests expose bottlenecks, while macro-level evaluations demonstrate value to clients and providers.

16.3. Experimental Methodologies

Experiments must simulate realistic operating conditions. Stress tests may include artificial transaction surges, DDoS-style load, or abrupt provider failures. In Altius, such scenarios are essential for proving that the system can sustain promised SLAs even under adversarial or

unpredictable conditions. This strengthens consumer confidence and lowers integration barriers for external partners.

16.4. Execution Marketplace

Benchmarking results in Altius extend beyond technical demonstration they become part of the market offering. Providers are expected to publish open performance results, enabling consumers to make informed choices. Thus, experimental evidence transforms into a competitive tool: providers who maintain stronger SLAs under stress gain clear advantages in the execution marketplace.

17. Tokenomics

17.1. Motivation

Tokenomics is a cornerstone of sustainability in decentralized ecosystems. In Altius, the token fulfills dual functions: as a medium of payment for computational resources and as an incentive mechanism for providers and verifiers. This duality transforms the Altius token into more than a utility - it becomes the economic backbone linking technical performance with participant behavior (*Buterin, 2017*).

Function	Relevance in Altius Ecosystem
Medium of exchange	Payment for tasks and SLA services
Staking collateral	Ensures provider/verifier honesty
Governance	Voting rights in protocol development

17.2. Token Functions

The Altius token may serve multiple roles. First, it acts as a payment medium for executed tasks. Second, it functions as a stake, locked by providers and verifiers as collateral for honest behavior. Third, it supports governance, granting holders voting rights in protocol development decisions. This combination of functions integrates economic exchange, security, and governance into a unified mechanism.

17.3. Economic Design

The issuance model and reward structure are decisive for long-term sustainability. An inflationary token supply incentivizes participation but risks devaluation, while scarcity creates value but limits flexibility. In Altius, a hybrid design is envisioned: rewards are partly denominated in the native token, partly in external currencies, with issuance tied to actual computation volume. This alignment grounds token value in real economic activity.

17.4. Execution Marketplace

In the execution marketplace, the Altius token functions as the coordination layer of incentives. Providers are rewarded for computation, verifiers secure the system via staking, and users pay for SLA-backed services. The token thus transcends transactional utility, becoming the foundation of fairness and transparency in the market (*Buterin, 2017*).

18. Legal and Compliance

18.1. Motivation

The legal environment is a critical factor for the sustainability of decentralized systems. Computation marketplaces sit at the intersection of financial law, data protection regulations, and contract enforcement. Without clear frameworks, providers and consumers face uncertainty that limits scalability. A practical solution is embedding legal compatibility directly into the architecture, using digital contract analogs and verifiable execution mechanisms.

18.2. Financial Regulation

The primary risk is that the token could be classified as a security, complicating participation by companies and institutional actors. A two-tier model provides a solution: the token functions as a utility asset for internal settlement, while external payments and integrations rely on stablecoins or fiat. This hybrid approach reduces regulatory exposure and preserves flexibility.

18.3. Data Protection and Privacy

Data protection laws such as GDPR impose strict requirements on how information is stored and processed. Direct handling of personal data creates legal and security vulnerabilities. The

solution is to adopt zk-proofs and encryption schemes where data is processed without full disclosure. Additionally, modular compliance modes can be introduced, allowing providers to operate under rules tailored to their jurisdiction.

18.4. Execution Marketplace

In the execution marketplace, legal compliance becomes a source of trust. SLA commitments can act as digital contracts, while reputation systems enforce performance when legal remedies are absent. Certification frameworks for providers could verify compliance with jurisdictional requirements, turning regulation from a barrier into a competitive advantage.

19. Governance of the Marketplace

19.1. Motivation

Governance is essential for the stability of decentralized systems. In computation marketplaces, governance not only coordinates actors but also secures trust in the platform itself. Without effective governance, risks of centralization or chaos emerge, with large players dominating and smaller ones losing incentives. The solution is to design transparent decision-making processes that balance efficiency with fairness.

Model	Challenges	Solutions
Token-based	Concentration of power among wealthy	Voting caps, delegation mechanisms
Reputation-based	Subjectivity, slow adaptation	Transparent metrics, verifiable history
Hybrid	Complexity of design	DAO structures with tiered responsibilities

19.2. Governance Models

Three major models are used in practice: token-based, reputation-based, and hybrid. Token-based models are simple and transparent but risk concentration of power among wealthy holders.

Reputation-based systems reward honest behavior but may suffer from subjectivity and inertia. Hybrid models combine economic and behavioral signals, mitigating risks of each approach. For marketplaces, hybrid systems represent the most balanced solution, aligning short-term and long-term incentives.

19.3. Coordination Instruments

Governance extends beyond voting. Effective systems require arbitration mechanisms for dispute resolution, multi-layered DAO structures for distributing responsibility, and upgrade protocols to minimize forking risks. One solution is procedural layering: separating governance into tiers technical updates, economic rules, and strategic development. This ensures the marketplace evolves without destructive conflicts (*Buterin, 2021*).

19.4. Execution Marketplace

In Altius, governance is a differentiating factor compared to centralized clouds. Users influence not only providers but also the rules shaping the marketplace. A multi-tiered governance design - where strategic decisions belong to the community while operational matters are managed by elected delegates offers a balance of democracy and efficiency. This structure reduces monopolization risks and strengthens user trust in the system.

20. UX and Developer Experience

20.1. Motivation

User and developer experience directly determines the success of a technological platform. Even powerful systems lose value if they are difficult to use. In computation marketplaces, two UX dimensions must be considered: consumers purchasing resources and SLA guarantees, and developers integrating infrastructure into applications. Lowering entry barriers and simplifying interaction are critical for adoption.

20.2. Consumer Experience

Consumers expect transparency and predictability. They must understand what they are paying for, which SLAs are provided, and how to verify service quality. Dashboards with clear metrics (latency, availability, cost) and refund mechanisms for SLA violations are practical solutions. Such measures increase trust and reduce friction in usage.

20.3. Developer Experience

For developers, integration tools are decisive. Complex APIs and lack of SDKs present major obstacles. The solution is to offer open SDKs for major languages (Rust, TypeScript, Python) with ready code samples. Sandbox environments are also essential, enabling developers to test without risk. Thus, developer experience directly affects diffusion of the platform.

20.4. Execution Marketplace

Within the execution marketplace, UX and DX are part of competition. Providers with similar SLAs differentiate themselves by offering better consumer interfaces and richer developer tools. A layered support model - basic tools for beginners and advanced options for professionals - helps Altius become not just a computation market but an accessible ecosystem.

21. Interoperability and Cross-Chain

21.1. Motivation

Modern blockchains do not exist in isolation. Users and developers expect services to operate seamlessly across networks. In computation marketplaces, execution results must be verifiable across chains. Lack of interoperability leads to fragmentation and loss of value. The solution is adopting standardized data formats and cryptographic proofs (*Buterin, 2021*).

21.2. Cross-Chain Technologies

Several technologies support interoperability. Light clients validate external states without full nodes. Protocols like IBC enable message exchange between independent blockchains. zk-proofs provide compact, secure verification of foreign state. Combining these approaches allows flexible solutions: light clients for frequent queries, zk for maximum assurance.

21.3. Economic Aspects

Interoperability has direct economic consequences. If consumers can freely transfer results across networks, dependence on single providers decreases. This reduces monopolization risks and fosters competition. A marketplace-wide standard requiring providers to support cross-chain proof formats is an effective solution.

21.4. Execution Marketplace

In the execution marketplace, Altius' multi-chain support is not only a technical feature but an economic enabler. Providers, regardless of whether they operate with EVM, WASM, or other VMs, submit results as standardized execution proofs verifiable across networks (*Altius Labs, Architecture Docs*). This makes services interchangeable and comparable, allowing users to choose based on SLA guarantees and cost rather than being locked into specific ecosystems. Thus, Altius' design reduces fragmentation and creates a unified competitive environment across multiple chains.

22. Business Model and Execution Marketplace Deployment

22.1. Motivation

Even with technological maturity, a platform alone does not create value unless a functioning market structure emerges around it. The execution marketplace based on Altius must combine

architectural advantages with an economic model that incentivizes both providers and consumers. A flawed business model risks imbalance: providers may not participate if profits are insufficient, or consumers may leave if prices are too high. The solution is to design a transparent marketplace where service costs are directly tied to SLA guarantees and execution quality.

22.2. Monetization Models

An execution marketplace can adopt several monetization approaches. The basic model is transaction fees for tasks, which ensures transparency. A more advanced design is SLA-based pricing, where consumers pay for guarantees of latency, availability, and reliability. Subscription packages for enterprises and premium services, such as private proofs or advanced analytics, add flexibility. For Altius, a hybrid model is optimal: basic task fees combined with SLA-driven pricing and optional premium services.

22.3. Partner Ecosystem

Deployment of the execution marketplace requires a broad partner network. This includes L1 and L2 chains that accept execution proofs, infrastructure providers such as data centers and cloud operators, and application developers using the marketplace as a computational resource layer. The solution is to enforce early adoption of integration standards: unified API, standardized proof formats, and transparent SLA. This reduces onboarding costs and ensures participation from diverse partner categories.

22.4. Marketplace Deployment Strategy

The rollout of the execution marketplace on Altius should be staged. Phase one establishes the market core with a limited set of providers and consumers, testing proofs, SLA, and incentive mechanisms. Phase two expands the ecosystem with new provider classes and tasks from multiple chains, broadening supply and demand. Phase three achieves full multi-chain maturity: execution proofs are accepted across ecosystems, and competition centers on SLA, quality, and cost. This phased strategy minimizes risks and steadily builds trust in the marketplace.

23. Provider Ecosystem

23.1. Motivation

The strength of an execution marketplace depends on the diversity and number of providers. If the market is dominated by only a few large actors, risks of centralization remain. The challenge is to design an open ecosystem where data centers, cloud companies, and independent nodes all participate. This increases resilience and reduces monopolization. The solution is an architecture with low entry barriers where competition is based on SLA quality.

23.2. Types of Providers

The ecosystem includes several categories: (1) large data centers offering high capacity and stability, (2) cloud companies providing scalability and global reach, and (3) independent providers and validators who reinforce decentralization. For Altius, the key is that all participants use the same API and proof system, making services interchangeable and comparable.

23.3. Incentives and Barriers

Providers are incentivized by revenues from execution tasks and reputation gained through SLA performance. Barriers include hardware costs, penalties for SLA breaches, and maintaining compatibility with Altius standards. A tiered model provides a solution: small providers handle lightweight tasks while large operators process critical workloads. This balance allows growth of the ecosystem without reducing quality.

23.4. Execution Marketplace

In Altius, the provider ecosystem is structured around open competition. Providers are required to comply with standardized execution proofs and SLA definitions (*Altius Labs, Architecture Docs*), which guarantees comparability and transparency of services. Certification frameworks can further ensure that all participants meet minimum technical and compliance requirements. As a result, even small operators can compete alongside industry giants, while consumers benefit from objective performance metrics.

Provider Type	Strengths	Limitations

Data centers	High power, reliability	Centralization risks
Cloud companies	Scalability, global access	Higher costs
Independent nodes	Decentralization, flexibility	Limited resources, unstable uptime

24. Ethics and Social Effects

24.1. Motivation

The execution marketplace affects not only technical and economic environments but also social structures. The emergence of a global computation market can lower barriers to infrastructure access, but it may also amplify digital inequality if advantages go only to large players. The ethical task is to create rules that ensure fairness and transparency of participation. The solution is embedding access regulation and equal conditions into architectural mechanisms and governance procedures.

24.2. Accessibility and Inclusion

The main challenge is to avoid monopolization of the market by large data centers and cloud providers. Technical features of Altius lower entry barriers: the VM-agnostic architecture, unified API, and standardized execution *proofs* (*Altius Labs, Architecture Docs*) allow even small independent operators to participate. The system of SLA and reputation metrics makes services comparable and competition transparent. This creates an inclusive market where quality and reliability matter more than infrastructure scale.

24.3. Ethical Risks

Control over computation can create risks of surveillance or censorship. To mitigate these threats, privacy mechanisms must be built into the architecture: zk-proofs and mandatory encryption limit the possibility of abuse. Additionally, independent audits and provider certification according to privacy standards are solutions. Recording such audits on-chain ensures accountability and trust.

24.4. Execution Marketplace

Ethical standards become a competitive advantage. In the Altius marketplace, provider participation may depend on meeting minimal 'ethical requirements': support for private proofs, transparent SLA models, and independent reputation checks. This ensures that the marketplace is perceived not as a tool of centralization but as an open and fair infrastructure for all participants.

Challenge	Risk	Solution
Centralization	Dominance of large providers	VM-agnostic design, unified API, SLA system (*Altius Docs*)
Privacy	Surveillance and censorship	zk-proofs, encryption, independent audits
Digital inequality	Exclusion of small operators	Low entry barrier, reputation system, open standards

25. Roadmap and MVP

25.1. Motivation

The execution marketplace cannot be deployed in a single step. The system requires practical validation: whether SLA are met, whether proofs are reliable, and how providers and consumers respond. A roadmap enables step-by-step development: from a minimum viable product (MVP) to a global multi-chain infrastructure. This approach reduces risks and allows hypotheses to be tested quickly.

25.2. MVP: Minimum Feature Set

The MVP must include the core Altius modules:

1. **Execution API and SDK** for provider-consumer interaction.
2. **Basic execution proof system** (*Altius Labs, Architecture Docs*).

3. **SLA model with key metrics** (*latency, availability, reliability*).
4. **Simple interface** for submitting tasks and evaluating results.

This set validates the main principle: tasks are executed, results are verifiable, and SLA can be objectively measured.

25.3. Development Stages

- **Stage 1** (MVP): limited pool of providers and tasks, basic proofs and SLA.
- **Stage 2**: expansion with multi-chain support and new provider categories.
- **Stage 3**: integration with DeFi and enterprise ecosystems to increase demand.
- **Stage 4**: mature market with global provider network, advanced SLA, and embedded ethical standards.

25.4. Execution Marketplace

Each stage delivers value. Even the MVP establishes a marketplace where providers and users interact through unified API and proofs. Subsequent stages expand the ecosystem, and its multi-chain transparency turns the Altius architecture into the foundation of a global execution infrastructure.

Stage	Content	Value
MVP	API, SDK, basic proofs and SLA	Validation of the base model
Stage 2	Multi-chain support, extended proofs	Scaling and supply growth
Stage 3	Integration with DeFi and enterprises	Growing demand and trust
Stage 4	Global market with ethical standards	Competition on SLA and transparency

26. Comparative Analysis

26.1. Motivation

To assess the value of the execution marketplace based on Altius, it is necessary to compare it with other scaling and computation models. This includes rollups, L2s, specialized VMs, and centralized cloud services. Such analysis highlights where Altius provides unique advantages and where challenges remain unresolved. It also justifies the execution marketplace as a sustainable architectural model (*Buterin, 2021*).

Model	Advantages	Disadvantages	Altius Approach
Rollups	Scalability, security	Tied to one ecosystem	VM-agnostic, multi-chain
Cloud services	High capacity, SLA	Centralization, no proofs	Decentralization, cryptographic verification
Execution marketplace (Altius)	Universality, transparency, competition	More complex coordination	Hybrid model

26.2. Comparison with Traditional Rollups

Rollups provide scalability but are generally tied to a single ecosystem (e.g., EVM). This creates barriers for users and developers. Altius differs through its multi-chain and VM-agnostic design (*Altius Labs, Architecture Docs*), enabling operation across multiple ecosystems. The solution is to combine the best practices of rollups (efficient proofs, transaction aggregation) with the universality of a marketplace.

26.3. Comparison with Cloud Services

Centralized cloud providers deliver high power and strong SLA, but suffer from trust issues and lack of cryptographic verification. Altius addresses this with execution proofs and a transparent SLA model. Providers compete within the marketplace, and users receive guarantees without reliance on a single trusted operator.

26.4. Execution Marketplace

Altius combines the strengths of rollups and cloud systems: decentralization and verifiability together with scalability and flexibility. Its multi-chain architecture makes services universal, while built-in proofs ensure results can be validated across networks. The execution marketplace thus becomes a unique model addressing the limitations of competing approaches.

27. Open Questions and R&D

27.1. Motivation

Despite architectural maturity, several challenges remain open. These relate to technical aspects (proof optimization, latency reduction) and socio-economic issues (provider incentives, long-term decentralization). R&D in the context of Altius must focus on finding solutions that strengthen the reliability and competitiveness of the execution marketplace.

27.2. Technical Challenges

- **Proof efficiency.** zk-proofs provide strong security but are resource-intensive. Hybrid schemes may be required.
- **Scheduler optimization.** Under heavy load, fairness may decline, distorting SLA. Adaptive scheduling algorithms are a potential solution.
- **Privacy.** Data protection remains complex: zk-proofs must be combined with encryption without major performance loss.

27.3. Economic and Social Challenges

- **Provider incentives.** Rewards must align with long-term reliability. A hybrid of token and reputation systems may be effective.
- **Decentralization.** Large players may still dominate. Quotas or balancing mechanisms could address this.
- **Governance.** Arbitration and upgrade processes are required to prevent governance forks.

27.4. Execution Marketplace

Altius can make R&D part of market dynamics by rewarding providers who adopt innovative proof methods or enhanced SLA. This turns the marketplace into not only a computation layer but also a laboratory for advancing execution technologies.

28. Conclusions

28.1. Final Justification

The execution marketplace based on Altius represents a unique architectural model that combines rollup scalability, cryptographic verifiability, and open market competition. Unlike traditional solutions, Altius provides multi-chain compatibility and VM-agnostic design, making execution results universal resources. This reduces blockchain fragmentation and creates a unified execution layer across ecosystems (*Altius Labs, Architecture Docs*).

28.2. Economic and Social Impact

The economic value of the marketplace lies in fostering competition where providers earn consumer trust through SLA quality and proof efficiency. The social impact lies in lowering entry barriers: through the unified API and standardized proofs, even small operators can participate in the global ecosystem. This creates a fairer, more inclusive infrastructure that minimizes centralization risks.

28.3. Open Directions

Despite conceptual maturity, challenges remain: proof optimization, provider incentive design, decentralization preservation, and robust governance. Solving these issues will be the subject of future research. Altius can turn the marketplace itself into an R&D platform where innovation in proofs or SLA is directly rewarded.

28.4. Final Conclusion

Altius is not merely an execution technology but the foundation of a new class of markets. The execution marketplace can transform distributed computation into a service with transparent economics, embedded guarantees, and ethical standards. This makes it not only technologically competitive but also socially sustainable for the global blockchain ecosystem.

29. Appendices

29.1. Research Methodology

This study employed comparative analysis of architectures (rollups, cloud services, multi-chain platforms) and academic sources. Special emphasis was placed on Altius official documentation to avoid speculative assumptions and ground conclusions in technical design.

29.2. Potential Use Cases

- **DeFi:** verifiable execution of complex transactions and arbitrage strategies.
- **Enterprise networks:** tasks with private proofs and strict SLA.
- **Cross-chain services:** execution results usable across multiple blockchains.

29.3. Future Research Directions

- Efficiency of hybrid proof systems (zk + optimistic).
- Adaptive scheduling algorithms for SLA.
- Social reputation mechanisms and resistance to manipulation.
- Legal integration of execution marketplaces across jurisdictions.

Sources for Chapters

Altius Labs. (2025). Introducing Altius Labs: A Modular Execution Engine for Web3.

<https://www.altiuslabs.xyz/blog/altius-labs-introduction>

Sections 1.2 (Role of Altius), 3.3 (Unit of trade), 4.1–4.4 (Architecture), 5.1–5.4 (Integration models), 6.2 (Proofs), 6.3 (Standardization), 7.1 (Verification motivation), 21.4 (Execution marketplace), 23.4 (Provider ecosystem), 24.2 (Inclusion), 25.2 (MVP), 26.2 (Comparison with rollups), 27.4 (Marketplace as R&D), 28.1 (Final justification).

Offchain Labs. (2023). Arbitrum Documentation.

<https://docs.arbitrum.io/>

Section 5.2 (Integration with L2 and rollups)

Optimism Foundation. (2023). Optimism Documentation.

<https://community.optimism.io/docs/>

Sections 5.2 (Integration with L2 and rollups)

Celestia Labs. (2022). Celestia: A Modular Blockchain Network.

<https://celestia.org/learn/what-is-celestia/>

Sections 5.4 (Shared execution layer), 6.3 (Standardization of data formats)

Polkadot / Web3 Foundation. (2023). Cross-Chain Message Passing (XCMP) - Developer Docs.

<https://github.com/w3f/polkadot-wiki/blob/master/docs/learn-xcm.md>

Sections 6.3

Buterin, V. (2021). An Incomplete Guide to Rollups.

<https://vitalik.ca/general/2021/01/05/rollup.html>

Sections 3.2 (Execution environment), 4.4 (Separation of execution and consensus), 5.2 (Integration with L2 and rollups), 6.2 (Proofs of Correctness), 7.1 (Motivation for verification), 11.1 (MEV - motivation), 12.3 (Threat Model - consensus risks), 21.1 (Motivation - interoperability), 26.2 (Comparison with rollups).