






H/D separation coefficient
2-4
4-6
6-8
8-10
10-12
A Precursor | Global
B ICP | Global
C Precursor | Local
D ICP | Local
Weighted H Adsorption Free Energy (eV)
Weighted Work Function (eV)
0.5
0.0
−0.5
−0.4
−0.6
3.2
4.0
4.8
4.35
4.50
4.65



H/D separation coefficient
2-4
4-6
6-8
8-10
10-12
A Precursor | Global
B ICP | Global
C Precursor | Local
D ICP | Local
Weighted H Vibrational Frequency (cm⁻¹)
2000
1600
1200
1900
1800
1700
3.2
4.0
4.8
4.35
4.50
4.65
Weighted Work Function (eV)



H/D separation coefficient
2-4
4-6
6-8
8-10
10-12
A Precursor | Global
B ICP | Global
C Precursor | Local
D ICP | Local
Weighted Standard Potential (V)
Weighted Work Function (eV)
1.5
0.0
−1.5
−3.0
3.2
4.0
4.8
−0.3
−0.6
−0.9
4.35
4.50
4.65



H/D separation coefficient
2-4
4-6
6-8
8-10
10-12
A Precursor | Global
B ICP | Global
C Precursor | Local
D ICP | Local
Weighted Potential of Zero Charge (V)
Weighted Work Function (eV)
1
0
−1
−2
3.2
4.0
4.8
−0.3
−0.4
−0.5
−0.6
4.35
4.50
4.65



H/D separation coefficient
2-4
4-6
6-8
8-10
10-12
A Precursor | Global
B ICP | Global
C Precursor | Local
D ICP | Local
Weighted OH Adsorption Energy (eV)
Weighted Work Function (eV)
1.5
0.0
−1.5
3.2
4.0
4.8
−0.8
−1.6
−2.4
4.35
4.50
4.65



H/D separation coefficient
2-4
4-6
6-8
8-10
10-12
A Precursor | Global
B ICP | Global
C Precursor | Local
D ICP | Local
Weighted H Vibrational Frequency (cm⁻¹)
Weighted H Adsorption Free Energy (eV)
2000
1600
1200
1900
1800
1700
−0.6
−0.5
−0.4
0.0
0.5



H/D separation coefficient
2-4
4-6
6-8
8-10
10-12
A Precursor | Global
B ICP | Global
C Precursor | Local
D ICP | Local
Weighted Standard Potential (V)
Weighted H Adsorption Free Energy (eV)
1.5
0.0
−1.5
−3.0
−0.5
0.5
−0.3
−0.6
−0.9
−0.6
−0.5
−0.4



H/D separation coefficient
2-4
4-6
6-8
8-10
10-12
A Precursor | Global
B ICP | Global
C Precursor | Local
D ICP | Local
Weighted Potential of Zero Charge (V)
Weighted H Adsorption Free Energy (eV)
1
0
−1
−2
−0.5
0.0
0.5
−0.3
−0.4
−0.5
−0.6



H/D separation coefficient
2-4
4-6
6-8
8-10
10-12
A Precursor | Global
B ICP | Global
C Precursor | Local
D ICP | Local
Weighted OH Adsorption Energy (eV)
Weighted H Adsorption Free Energy (eV)
1.5
0.0
−1.5
−0.5
0.5
−0.8
−1.6
−2.4
−0.6
−0.4



H/D separation coefficient
2-4
4-6
6-8
8-10
10-12
A Precursor | Global
B ICP | Global
C Precursor | Local
D ICP | Local
Weighted Standard Potential (V)
Weighted H Vibrational Frequency (cm^{-1})
1.5
0.0
−1.5
−3.0
−0.3
−0.6
−0.9
1200
1600
2000
1700
1800
1900


H/D separation coefficient
2-4
4-6
6-8
8-10
10-12
A Precursor | Global
B ICP | Global
C Precursor | Local
D ICP | Local
Weighted Potential of Zero Charge (V)
Weighted H Vibrational Frequency (cm^{-1})
1
0
−1
−2
−0.3
−0.4
−0.5
−0.6
1200
1600
2000
1700
1800
1900


H/D separation coefficient
2-4
4-6
6-8
8-10
10-12
A Precursor | Global
B ICP | Global
C Precursor | Local
D ICP | Local
Weighted OH Adsorption Energy (eV)
Weighted H Vibrational Frequency (cm^{-1})
1.5
0.0
−1.5
−0.8
−1.6
−2.4
1200
1600
2000
1700
1800
1900


H/D separation coefficient
2-4
4-6
6-8
8-10
10-12
A Precursor | Global
B ICP | Global
C Precursor | Local
D ICP | Local
Weighted Potential of Zero Charge (V)
Weighted Standard Potential (V)
1
0
−1
−2
−3.0
−1.5
0.0
1.5
−0.3
−0.4
−0.5
−0.6
−0.9
−0.6
−0.3


H/D separation coefficient
2-4
4-6
6-8
8-10
10-12
A Precursor | Global
B ICP | Global
C Precursor | Local
D ICP | Local
Weighted OH Adsorption Energy (eV)
Weighted Standard Potential (V)
1.5
0.0
−1.5
−3.0
−0.8
−1.6
−2.4
−0.9
−0.6
−0.3


H/D separation coefficient
2-4
4-6
6-8
8-10
10-12
A Precursor | Global
B ICP | Global
C Precursor | Local
D ICP | Local
Weighted OH Adsorption Energy (eV)
Weighted Potential of Zero Charge (V)
1.5
0.0
−1.5
−2
−1
0
1
−0.8
−1.6
−2.4
−0.6
−0.5
−0.4
−0.3