






GOBP_T_CELL_DIFFERENTIATION
NES = 1.8 p−value = 4.5e−07 adjusted p−value
Running Enrichment Score
0.4
0.2
0.0
−0.2
0
5000
10000
15000
Position in the Ranked List of Genes



GOBP_T_CELL_DIFFERENTIATION
NES = 1.6 p−value = 1.8e−05 adjusted p−value
Running Enrichment Score
0.4
0.2
0.0
−0.2
0
5000
10000
15000
Position in the Ranked List of Genes



GOBP_DNA_REPLICATION
NES = −1.6 p−value = 8.6e−05 adjusted p−valu
Running Enrichment Score
0.0
−0.1
−0.2
−0.3
−0.4
0
5000
10000
15000
Position in the Ranked List of Genes


GOBP_DNA_REPLICATION
NES = −1.8 p−value = 6.2e−07 adjusted p−valu
Running Enrichment Score
0.1
0.0
−0.1
−0.2
−0.3
−0.4
−0.5
0
5000
10000
15000
Position in the Ranked List of Genes


HALLMARK_E2F_TARGETS
NES = −1.6 p−value = 0.00055 adjusted p−valu
Running Enrichment Score
0.2
0.0
−0.2
−0.4
0
5000
10000
15000
Position in the Ranked List of Genes


HALLMARK_E2F_TARGETS
NES = −2 p−value = 8e−10 adjusted p−value =
Running Enrichment Score
0.0
−0.2
−0.4
0
5000
10000
15000
Position in the Ranked List of Genes


HALLMARK_G2M_CHECKPOINT
NES = −1.7 p−value = 0.00016 adjusted p−valu
Running Enrichment Score
0.1
0.0
−0.1
−0.2
−0.3
−0.4
−0.5
0
5000
10000
15000
Position in the Ranked List of Genes


HALLMARK_G2M_CHECKPOINT
NES = −2.2 p−value = 1.6e−11 adjusted p−valu
Running Enrichment Score
0.0
−0.2
−0.4
−0.6
0
5000
10000
15000
Position in the Ranked List of Genes