

## **JRA Stewards Reports**

 $\tilde{a}f \neg \tilde{a}f \%\tilde{a}, \text{$^1$}\tilde{a} \text{$\pm$}\tilde{a} \text{`$\tilde{S}\tilde{a}$}^{\top M}\tilde{a}, \text{$^2$}\tilde{a}, \tilde{a}$} \bullet \tilde{\mathbb{R}}\tilde{a}$} \tilde{a}^{-1}\%\tilde{a}^{-1$ 

- $$\begin{split} &\tilde{a}f\neg\tilde{a}f'\sqrt{\tilde{a}}, \tilde{a}f'\tilde{a}\tilde{f}+\tilde{a}f'\tilde{a}\tilde{f}+\tilde{a}f''\tilde{a}\tilde{\bullet}-\tilde{a}f''\tilde{a}\tilde{\bullet}-\tilde{a}f''\tilde{a}\tilde{\bullet}-\tilde{a}f''\tilde{a}\tilde{f}+\tilde{a}f'$$
- $$\begin{split} &\tilde{a}f\neg\tilde{a}f'\lambda\tilde{a}, \tilde{a}\not \triangleright \tilde{a}, \tilde{a}$$
- $\tilde{a}f \neg \tilde{a}f \% \tilde{a}f \mathring{a}f \% \tilde{a}f \% \tilde{a}f$

 $\tilde{a}f \neg \tilde{a}f \% \tilde{a}, \tilde{a} + \tilde{a} \% \tilde{a}^{-1} \tilde{a}, \tilde{a} \otimes \tilde{a}^{-1} \tilde{a} \% \tilde{a} \otimes \tilde{a} \otimes \tilde{a} \tilde{a} \otimes \tilde{a} \otimes \tilde{a} \tilde{a} \otimes \tilde{$ 

 $\tilde{a}f\neg \tilde{a}f1/\!\!/4\tilde{a},1\!\!/\mathring{a} \, \text{£}\,\mathring{a}'\check{S}\tilde{a}^{\bullet\top M}\tilde{a},\langle \tilde{a},,\tilde{a}^{\bullet}\mathbb{R}\tilde{a}^{\bullet-}\ddot{a}1/\!\!/2^{\bullet}\tilde{a},,\tilde{a}^{\bullet},\tilde{a},\check{S}\tilde{a}^{\bullet}1/\!\!/4\tilde{a}^{\bullet})\tilde{a},\tilde{a}^{\bullet}\tilde{a},$ 

$$\begin{split} &\tilde{a}f\neg\tilde{a}f''\tilde{a}, @\tilde{a}f''\tilde{a}, @\tilde{a}f''\tilde{a}, \tilde{a}f''\tilde{a}, \tilde{a}f''\tilde{a}f''\tilde{a}, \tilde{a}f''$$

 $\tilde{a}f - \tilde{a}f \frac{1}{4}\tilde{a}, \frac{1}{4}\tilde{b}^{0} \approx m^{0}, \tilde{a}^{0}, \tilde{$ 

 $\tilde{a}f \neg \tilde{a}f \% \tilde{a}, \tilde{a}1 \oplus \tilde{a}' \tilde{S} \tilde{a}^{-TM} \tilde{a}, \tilde{a}, \tilde{a} \oplus \tilde{\mathbb{R}} \tilde{a}^{-\tilde{a}} / 2 \bullet \tilde{a}, \tilde{a} \bullet, \tilde{a}, \tilde{S} \tilde{a}^{\bullet} \% \tilde{a}^{\bullet}, \tilde{a}, \tilde{a} \in \mathbb{R}$ 

 $\tilde{a}f \neg \tilde{a}f / \tilde{a}, \tilde{a}_1 \pm \tilde{a}_1 + \tilde{a}_2 + \tilde{a}_3 = \tilde{a}_3 = \tilde{a}_3 + \tilde{a}_3 = \tilde{a}_3$ 

 $\tilde{a}f\neg \tilde{a}f \%\tilde{a}, \tilde{a}122\mathring{a}^{\cdot}\tilde{S}\tilde{a}^{\bullet\top M}\tilde{a}, \tilde{a}, \tilde{a}^{\bullet}\tilde{\mathbb{R}}\tilde{a}^{\bullet\top}\tilde{a}\%\tilde{a}, \tilde{a}^{\bullet}, \tilde{a}, \tilde{S}\tilde{a}^{\bullet}\%\tilde{a}^{\bullet}, \tilde{a}, \tilde{a}^{\bullet}\tilde{a}, \tilde{a}^{\bullet}\tilde{a}$ 



## **JRA Stewards Reports**

- レーã,ţ™ºèµ°æ™,å^»ã,'15æ™,51å^†ã•≪変æ)´ã€,
  - $\tilde{a}, \tilde{a}, \tilde{a}f \tilde{Z}\tilde{a}, \tilde{a}f \tilde{Z}\tilde{a}, \tilde{a}f \tilde{$
- $$\begin{split} &\tilde{a}f\neg\tilde{a}f'\sqrt{\tilde{a}}, \tilde{a}f^3\tilde{a}f \tilde{a}f'\sqrt{\tilde{a}}f'\%\mathring{a}^{\bullet} \cdot \tilde{a}^{\bullet} \cdot \tilde{e}^{\bullet} \cdot \tilde{e}^{\bullet}$$
- $\tilde{a}f\neg \tilde{a}f \%\tilde{a}, \tilde{a} \mathbf{\hat{a}} \hat{s} \tilde{a} \bullet^{\mathsf{TM}} \tilde{a}, \tilde{a}, \tilde{a} \bullet \mathbb{R} \tilde{a} \bullet^{\mathsf{T}} \tilde{a} \%\tilde{a}, \tilde{a} \bullet, \tilde{a}, \tilde{s} \tilde{a} \bullet \%\tilde{a} \bullet \tilde{a}, \tilde{a} \bullet \tilde{a}, \tilde{a}, \tilde{a} \bullet \tilde{a}, \tilde{a}, \tilde{a} \bullet \tilde{a}, \tilde{a$
- $\tilde{a}f \neg \tilde{a}f \% \tilde{a}, \tilde{a} + \tilde{a} \cdot \tilde{S} \tilde{a} \bullet \% \tilde{a}, \tilde{a} \cdot \tilde{a} \cdot$
- $$\begin{split} &\tilde{a}f\neg\tilde{a}f\%\tilde{a}, \tilde{a}, \tilde{a}, \tilde{a}, \tilde{a}, \tilde{a}f\%\tilde{a}, \tilde{a}f\tilde{a}, \tilde{a}f\tilde$$
- $\tilde{a}f\neg \tilde{a}f' \tilde{a}, \tilde{a}, \tilde{a}f \tilde{a}f' \tilde{a}f \tilde{a}f' \tilde{a}f \tilde{a}f' \tilde{a}f \tilde{a}f' \tilde{a}f \tilde{a}f' \tilde{a}f \tilde{a}f' \tilde$
- $\tilde{a}f\neg \tilde{a}f \%\tilde{a}, \text{$^1$}\tilde{a} \& \text{$^1$}\tilde{a} \bullet \text{$^1$}\tilde{a}, \text{$^1$}\tilde{a} \bullet \text{$^1$}\tilde{$
- $$\begin{split} \tilde{a}f \neg \tilde{a}f \% \tilde{a}, & \tilde{a}f \S \tilde{a}, & \tilde{$$
- $\tilde{a}f\neg \tilde{a}f' \tilde{a}f'$



## **JRA Stewards Reports**

 $\tilde{a}f\neg \tilde{a}f'/\tilde{a}, l^{\dot{a}} \pm \tilde{a}'\check{S}\tilde{a}^{\bullet TM}\tilde{a}, \langle \tilde{a},, \tilde{a}^{\bullet}\tilde{\mathbb{R}}\tilde{a}^{\bullet -}\tilde{a}'/2^{\bullet}\tilde{a},, \tilde{a}^{\bullet}, \tilde{a}, \check{S}\tilde{a}^{\bullet 3}/\tilde{a}^{\bullet 3}/\tilde{a}^{\bullet 3}, \tilde{a}^{\bullet 5}, \tilde{a}, \tilde{a}^{\bullet 5}, \tilde{a$ 

 $\tilde{a}f\neg \tilde{a}f \%\tilde{a}, \tilde{a} \text{ $2$} \tilde{a} \text{ $'\check{S}\tilde{a}^{\bullet}$}^{\top M}\tilde{a}, \tilde{a}, \tilde{a}^{\bullet}\tilde{\mathbb{R}}\tilde{a}^{\bullet}$} \tilde{a}, \tilde{a}^{\bullet}, \tilde{a}, \tilde{a}^{\bullet}, \tilde{a}, \tilde{a}^{\bullet}, \tilde{a}^$ 

 $\tilde{a}f\neg \tilde{a}f \%\tilde{a}, \tilde{a}f - \tilde{a}f \otimes \tilde{a}ff \tilde{a}, \tilde{a}f - \tilde{a}f \otimes \tilde{a}f \tilde{a}f$ 

ãf¬ãf¼ã,¹ãƒ1—ãf¬ã,¤ã,¯ã,¹ãf"ã,¢ãf¼å•∙㕮騎æ‰⟨å⟩½å^†æ•-ä»⟨㕯,最後ã•®ç⟩´ç⋅šã,³ãf¼ã,¹ã•§ã
•®å¾¡æ³•ï¼^éž-㕮使ç"¨ï¼‰ã•≪㕤ã•,㕦æ^'³á'Šã€,

 $\tilde{a}f\neg \tilde{a}f' \wedge \tilde{a}, \tilde{a}f \circ \tilde{a}f' \wedge \tilde{a}f \circ \tilde{a}f' \wedge \tilde{a}f' \circ \tilde{a}f' \circ \tilde{a}f' \wedge \tilde{a}f' \circ \tilde{a}f' \wedge \tilde{a}f' \circ \tilde{a}f' \wedge \tilde{a}f' \wedge \tilde{a}f' \circ \tilde{a}f' \circ$ 

 $\tilde{a}f \neg \tilde{a}f \% \tilde{a}, \tilde{a} \not\equiv \tilde{a}' \tilde{S} \tilde{a} \cdot \tilde{m} \tilde{a}, \tilde{a}, \tilde{a} \cdot \tilde{\mathbb{R}} \tilde{a} \cdot \tilde{a}, \tilde{a} \cdot \tilde{a}, \tilde{a} \cdot \tilde{a}, \tilde{a} \cdot \tilde{a}, \tilde{a} \cdot \tilde{a}, \tilde{a} \cdot \tilde{a}, \tilde{a}, \tilde{a} \cdot \tilde{a}, \tilde{$ 

 $\tilde{a}f \neg \tilde{a}f \% \tilde{a}, \tilde{a} \& \tilde{a} \check{S} \tilde{a}^{\bullet TM} \tilde{a}, \tilde{a}, \tilde{a} \cdot \mathbb{R} \tilde{a}^{\bullet -} \ddot{a} \% \tilde{a}, \tilde{a} \cdot \tilde{a}, \tilde{a} \check{s} \tilde{a}^{\bullet 3} \tilde{a} \tilde{a}^{\bullet 3} \tilde{$ 

 $\tilde{a}f \neg \tilde{a}f / \tilde{a}, \tilde{a} \oplus \tilde{a}' \tilde{S} \tilde{a} \bullet TM \tilde{a}, \langle \tilde{a}, \tilde{a} \bullet \mathbb{R} \tilde{a} \bullet - \tilde{a} / 2 \bullet \tilde{a}, \tilde{a} \bullet, \tilde{a}, \tilde{S} \tilde{a} \bullet / \tilde{a} \tilde{a} \bullet \rangle \tilde{a}, \tilde{a} \in \mathbb{R}$ 

 $\tilde{a}f\neg \tilde{a}f \%\tilde{a}, \tilde{a}1\pm \tilde{a}'\tilde{S}\tilde{a}^{\bullet TM}\tilde{a}, \tilde{a}, \tilde{a}\bullet \tilde{\mathbb{R}}\tilde{a}^{\bullet -}\tilde{a}\%\bullet \tilde{a}, \tilde{a}\bullet, \tilde{a}, \tilde{S}\tilde{a}\bullet \tilde{A}\tilde{a}\bullet \tilde{a}\bullet \tilde{a}, \tilde{a}\bullet \tilde{a}\bullet \tilde{a}, \tilde{a}\bullet \tilde{a}\bullet \tilde{a}\bullet \tilde{a}\bullet \tilde{a}, \tilde{a}\bullet \tilde{$ 

 $\tilde{a}f \neg \tilde{a}f \% \tilde{a}, \tilde{a}12 \tilde{a}^{\dagger} \tilde{S} \tilde{a}^{\bullet \top M} \tilde{a}, \tilde{a}, \tilde{a}^{\bullet} \tilde{R} \tilde{a}^{\bullet -} \tilde{a} \% \tilde{a}^{\bullet}, \tilde{a}, \tilde{S} \tilde{a}^{\bullet} \tilde{A} \tilde{a}^{\bullet} \tilde{a}^{\bullet}, \tilde{a}, \tilde{a}^{\bullet} \tilde{a}^{\bullet} \tilde{a}^{\bullet}, \tilde{a}, \tilde{a}^{\bullet} \tilde{a}^{\bullet} \tilde{a}^{\bullet}, \tilde{a}, \tilde{a}^{\bullet} \tilde{a}^{\bullet} \tilde{a}^{\bullet}, \tilde{a}, \tilde{a}^{\bullet} \tilde{a}^{\bullet}, \tilde{a$