

Introductory Java Programming

School of Electronic Engineering and Computer Science

Course Code: EBU4201

Lab Sheet 2: Methods / Javadocs

1. Write a Java program called **Pattern1** using **nested loops** that prints a pattern, where the number should be taken from the command line argument. For example, running <code>java Pattern1 5</code> should produce the following output:

1 1 2 1 2 3 1 2 3 4 1 2 3 4 5

2. Write a Java program called **Pattern2** using **nested loops** that prints a pattern, where the number should be taken from the command line argument. For example, running **java Pattern2** 5 should produce the following output:

1 2 3 4 5 1 2 3 4 1 2 3 1 2

3. Using your answers from *Questions 1* and 2 in this lab sheet, complete the code below. The class **Patterns** does the same things as what was required for *Questions 1* and 2. However, the code to print the patterns is not directly written in the **main()** method; instead, it is written in the two methods:

```
public void printPattern1(int n) – n is the input number public void printPattern2(int n) – n is the input number
```

The main () method of this class should create an instance of the class and then call the two methods above to print out the two patterns.

```
public class Patterns {
    public void printPattern1(int n) {
        // Write your code here (taken from your solution of Question 1).
    }
    public void printPattern2(int n) {
        // Write your code here (taken from your solution of Question 2).
    }
    public static void main(String[] args) { // Write your code here. }
}
```

EBU4201 (2021/22) Page 1 of 2

- 4. Download the file CountDownExample.java from the course website in QMplus (under the COURSEWORK INFORMATION section) and do the following:
 - i) Compile and run the **CountDownExample** program.
 - ii) Generate *Javadocs* for the **CountDownExample** program. In the directory where you stored the file **CountDownExample.java**, create a sub-directory called **docCD** ¹ and then type the following command on the command line:

javadoc -d docCD CountDownExample.java

This command has created a whole set of different files in the **docCD** directory. Open up the file **index.html** in a web browser and take a look at what it has produced.

- iii) Change the program CountDownExample so that it counts up, instead of counting down. When the program gets to the end of counting, it should now print the message All done! (rather than Time up!). Note that you will also need to change the Javadoc comments to your own comments.

 Name your program CountUpExample.java.
- iv) Generate *Javadocs* for the new program **CountUpExample**.

IMPORTANT: From now on, all your programs must contain both internal comments and Javadoc comments.

** END of Lab Sheet 2: Methods / Javadocs **

EBU4201 (2021/22) Page 2 of 2

¹ Using **mkdir** docCD from the command line in your directory is faster than using a Windows file manager to do this!