

---

# **Selenium Python Bindings**

***Release 2***

**Baiju Muthukadan**

October 01, 2016



<b>1</b>	<b>Installation</b>	<b>3</b>
1.1	Introduction . . . . .	3
1.2	Downloading Python bindings for Selenium . . . . .	3
1.3	Detailed instructions for Windows users . . . . .	3
1.4	Downloading Selenium server . . . . .	4
<b>2</b>	<b>Getting Started</b>	<b>5</b>
2.1	Simple Usage . . . . .	5
2.2	Example Explained . . . . .	5
2.3	Using Selenium to write tests . . . . .	6
2.4	Walk through of the example . . . . .	7
2.5	Using Selenium with remote WebDriver . . . . .	8
<b>3</b>	<b>Navigating</b>	<b>11</b>
3.1	Interacting with the page . . . . .	11
3.2	Filling in forms . . . . .	12
3.3	Drag and drop . . . . .	13
3.4	Moving between windows and frames . . . . .	13
3.5	Popup dialogs . . . . .	13
3.6	Navigation: history and location . . . . .	14
3.7	Cookies . . . . .	14
<b>4</b>	<b>Locating Elements</b>	<b>15</b>
4.1	Locating by Id . . . . .	16
4.2	Locating by Name . . . . .	16
4.3	Locating by XPath . . . . .	17
4.4	Locating Hyperlinks by Link Text . . . . .	18
4.5	Locating Elements by Tag Name . . . . .	18
4.6	Locating Elements by Class Name . . . . .	19
4.7	Locating Elements by CSS Selectors . . . . .	19
<b>5</b>	<b>Waits</b>	<b>21</b>
5.1	Explicit Waits . . . . .	21
5.2	Implicit Waits . . . . .	22
<b>6</b>	<b>Page Objects</b>	<b>23</b>
6.1	Test case . . . . .	23
6.2	Page object classes . . . . .	24
6.3	Page elements . . . . .	25

6.4	Locators . . . . .	25
<b>7</b>	<b>WebDriver API</b>	<b>27</b>
7.1	Exceptions . . . . .	28
7.2	Action Chains . . . . .	31
7.3	Alerts . . . . .	34
7.4	Special Keys . . . . .	34
7.5	Locate elements By . . . . .	36
7.6	Desired Capabilities . . . . .	37
7.7	Utilities . . . . .	38
7.8	Firefox WebDriver . . . . .	39
7.9	Chrome WebDriver . . . . .	39
7.10	Remote WebDriver . . . . .	39
7.11	WebElement . . . . .	47
7.12	UI Support . . . . .	51
7.13	Color Support . . . . .	52
7.14	Expected conditions Support . . . . .	53
<b>8</b>	<b>Appendix: Frequently Asked Questions</b>	<b>55</b>
8.1	How to use ChromeDriver ? . . . . .	55
8.2	Does Selenium 2 support XPath 2.0 ? . . . . .	55
8.3	How to scroll down to the bottom of a page ? . . . . .	55
8.4	How to auto save files using custom Firefox profile ? . . . . .	56
8.5	How to upload files into file inputs ? . . . . .	56
8.6	How to use firebug with Firefox ? . . . . .	56
8.7	How to take screenshot of the current window ? . . . . .	57
<b>9</b>	<b>Indices and tables</b>	<b>59</b>
	<b>Python Module Index</b>	<b>61</b>

**Author** Baiju Muthukadan

**License** This document is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).

---

**Note:** This is not an official documentation. Official API documentation is available [here](#).

---



---

## Installation

---

### 1.1 Introduction

Selenium Python bindings provides a simple API to write functional/acceptance tests using Selenium WebDriver. Through Selenium Python API you can access all functionalities of Selenium WebDriver in an intuitive way.

Selenium Python bindings provide a convenient API to access Selenium WebDrivers like Firefox, Ie, Chrome, Remote etc. The current supported Python versions are 2.7, 3.2 and above.

This documentation explains Selenium 2 WebDriver API. Selenium 1 / Selenium RC API is not covered here.

### 1.2 Downloading Python bindings for Selenium

You can download Python bindings for Selenium from the [PyPI page for selenium package](#). However, a better approach would be to use [pip](#) to install the selenium package. Python 3.5 has pip available in the [standard library](#). Using *pip*, you can install selenium like this:

```
pip install selenium
```

You may consider using [virtualenv](#) to create isolated Python environments. Python 3.5 has [pyenv](#) which is almost same as virtualenv.

### 1.3 Detailed instructions for Windows users

---

**Note:** You should have internet connection to perform this installation.

---

1. Install Python 3.5 using the [MSI available in python.org download page](#).
2. Start a command prompt using the `cmd.exe` program and run the `pip` command as given below to install *selenium*.

```
C:\Python35\Scripts\pip.exe install selenium
```

Now you can run your test scripts using Python. For example, if you have created a Selenium based script and saved it inside `C:\my_selenium_script.py`, you can run it like this:

```
C:\Python35\python.exe C:\my_selenium_script.py
```

## 1.4 Downloading Selenium server

---

**Note:** The Selenium server is only required, if you want to use the remote WebDriver. See the [Using Selenium with remote WebDriver](#) section for more details. If you are a beginner learning Selenium, you can skip this section and proceed with next chapter.

---

Selenium server is a Java program. Java Runtime Environment (JRE) 1.6 or newer version is recommended to run Selenium server.

You can download Selenium server 2.x from the [download page of selenium website](#). The file name should be something like this: `selenium-server-standalone-2.x.x.jar`. You can always download the latest 2.x version of Selenium server.

If Java Runtime Environment (JRE) is not installed in your system, you can download the [JRE from the Oracle website](#). If you are using a GNU/Linux system and have root access in your system, you can also use your operating system instructions to install JRE.

If `java` command is available in the PATH (environment variable), you can start the Selenium server using this command:

```
java -jar selenium-server-standalone-2.x.x.jar
```

Replace `2.x.x` with actual version of Selenium server you downloaded from the site.

If JRE is installed as a non-root user and/or if it is not available in the PATH (environment variable), you can type the relative or absolute path to the `java` command. Similarly, you can provide relative or absolute path to Selenium server jar file. Then, the command will look something like this:

```
/path/to/java -jar /path/to/selenium-server-standalone-2.x.x.jar
```



---

## Getting Started

---

### 2.1 Simple Usage

If you have installed Selenium Python bindings, you can start using it from Python like this.

```
from selenium import webdriver
from selenium.webdriver.common.keys import Keys

driver = webdriver.Firefox()
driver.get("http://www.python.org")
assert "Python" in driver.title
elem = driver.find_element_by_name("q")
elem.clear()
elem.send_keys("pycon")
elem.send_keys(Keys.RETURN)
assert "No results found." not in driver.page_source
driver.close()
```

The above script can be saved into a file (eg:- *python\_org\_search.py*), then it can be run like this:

```
python python_org_search.py
```

The *python* which you are running should have the *selenium* module installed.

### 2.2 Example Explained

The *selenium.webdriver* module provides all the WebDriver implementations. Currently supported WebDriver implementations are Firefox, Chrome, IE and Remote. The *Keys* class provide keys in the keyboard like RETURN, F1, ALT etc.

```
from selenium import webdriver
from selenium.webdriver.common.keys import Keys
```

Next, the instance of Firefox WebDriver is created.

```
driver = webdriver.Firefox()
```

The *driver.get* method will navigate to a page given by the URL. WebDriver will wait until the page has fully loaded (that is, the “onload” event has fired) before returning control to your test or script. It’s worth noting that if your page uses a lot of AJAX on load then WebDriver may not know when it has completely loaded.:

```
driver.get("http://www.python.org")
```

The next line is an assertion to confirm that title has “Python” word in it:

```
assert "Python" in driver.title
```

WebDriver offers a number of ways to find elements using one of the *find\_element\_by\_\** methods. For example, the input text element can be located by its *name* attribute using *find\_element\_by\_name* method. Detailed explanation of finding elements is available in the [Locating Elements](#) chapter:

```
elem = driver.find_element_by_name("q")
```

Next we are sending keys, this is similar to entering keys using your keyboard. Special keys can be send using *Keys* class imported from *selenium.webdriver.common.keys*. To be safe, we'll first clear any prepopulated text in the input field (e.g. “Search”) so it doesn't affect our search results:

```
elem.clear()
elem.send_keys("pycon")
elem.send_keys(Keys.RETURN)
```

After submission of the page, you should get the result if there is any. To ensure that some results are found, make an assertion:

```
assert "No results found." not in driver.page_source
```

Finally, the browser window is closed. You can also call *quit* method instead of *close*. The *quit* will exit entire browser whereas *close* will close one tab, but if just one tab was open, by default most browser will exit entirely.:

```
driver.close()
```

## 2.3 Using Selenium to write tests

Selenium is mostly used for writing test cases. The *selenium* package itself doesn't provide a testing tool/framework. You can write test cases using Python's unittest module. The other options for a tool/framework are *py.test* and *nose*.

In this chapter, we use *unittest* as the framework of choice. Here is the modified example which uses unittest module. This is a test for *python.org* search functionality:

```
import unittest
from selenium import webdriver
from selenium.webdriver.common.keys import Keys

class PythonOrgSearch(unittest.TestCase):

    def setUp(self):
        self.driver = webdriver.Firefox()

    def test_search_in_python_org(self):
        driver = self.driver
        driver.get("http://www.python.org")
        self.assertIn("Python", driver.title)
        elem = driver.find_element_by_name("q")
        elem.send_keys("pycon")
        elem.send_keys(Keys.RETURN)
        assert "No results found." not in driver.page_source
```

```
def tearDown(self):
    self.driver.close()

if __name__ == "__main__":
    unittest.main()
```

You can run the above test case from a shell like this:

```
python test_python_org_search.py
.
-----
Ran 1 test in 15.566s

OK
```

The above result shows that the test has been successfully completed.

## 2.4 Walk through of the example

Initially, all the basic modules required are imported. The `unittest` module is a built-in Python based on Java's JUnit. This module provides the framework for organizing the test cases. The `selenium.webdriver` module provides all the WebDriver implementations. Currently supported WebDriver implementations are Firefox, Chrome, Ie and Remote. The `Keys` class provide keys in the keyboard like RETURN, F1, ALT etc.

```
import unittest
from selenium import webdriver
from selenium.webdriver.common.keys import Keys
```

The test case class is inherited from `unittest.TestCase`. Inheriting from `TestCase` class is the way to tell `unittest` module that this is a test case:

```
class PythonOrgSearch(unittest.TestCase):
```

The `setUp` is part of initialization, this method will get called before every test function which you are going to write in this test case class. Here you are creating the instance of Firefox WebDriver.

```
def setUp(self):
    self.driver = webdriver.Firefox()
```

This is the test case method. The test case method should always start with characters `test`. The first line inside this method create a local reference to the driver object created in `setUp` method.

```
def test_search_in_python_org(self):
    driver = self.driver
```

The `driver.get` method will navigate to a page given by the URL. WebDriver will wait until the page has fully loaded (that is, the "onload" event has fired) before returning control to your test or script. It's worth noting that if your page uses a lot of AJAX on load then WebDriver may not know when it has completely loaded.:

```
driver.get("http://www.python.org")
```

The next line is an assertion to confirm that title has "Python" word in it:

```
self.assertIn("Python", driver.title)
```

WebDriver offers a number of ways to find elements using one of the `find_element_by_*` methods. For example, the input text element can be located by its `name` attribute using `find_element_by_name` method. Detailed explanation of finding elements is available in the [Locating Elements](#) chapter:

```
elem = driver.find_element_by_name("q")
```

Next we are sending keys, this is similar to entering keys using your keyboard. Special keys can be send using *Keys* class imported from *selenium.webdriver.common.keys*:

```
elem.send_keys("pycon")
elem.send_keys(Keys.RETURN)
```

After submission of the page, you should get result as per search if there is any. To ensure that some results are found, make an assertion:

```
assert "No results found." not in driver.page_source
```

The *tearDown* method will get called after every test method. This is a place to do all cleanup actions. In the current method, the browser window is closed. You can also call *quit* method instead of *close*. The *quit* will exit the entire browser, whereas *close* will close a tab, but if it is the only tab opened, by default most browser will exit entirely.:

```
def tearDown(self):
    self.driver.close()
```

Final lines are some boiler plate code to run the test suite:

```
if __name__ == "__main__":
    unittest.main()
```

## 2.5 Using Selenium with remote WebDriver

To use the remote WebDriver, you should have Selenium server running. To run the server, use this command:

```
java -jar selenium-server-standalone-2.x.x.jar
```

While running the Selenium server, you could see a message looking like this:

```
15:43:07.541 INFO - RemoteWebDriver instances should connect to: http://127.0.0.1:4444/wd/hub
```

The above line says that you can use this URL for connecting to remote WebDriver. Here are some examples:

```
from selenium import webdriver
from selenium.webdriver.common.desired_capabilities import DesiredCapabilities

driver = webdriver.Remote(
    command_executor='http://127.0.0.1:4444/wd/hub',
    desired_capabilities=DesiredCapabilities.CHROME)

driver = webdriver.Remote(
    command_executor='http://127.0.0.1:4444/wd/hub',
    desired_capabilities=DesiredCapabilities.OPERA)

driver = webdriver.Remote(
    command_executor='http://127.0.0.1:4444/wd/hub',
    desired_capabilities=DesiredCapabilities.HTMLUNITWITHJS)
```

The desired capabilities is a dictionary, so instead of using the default dictionaries, you can specify the values explicitly:

```
driver = webdriver.Remote(
    command_executor='http://127.0.0.1:4444/wd/hub',
    desired_capabilities={'browserName': 'htmlunit',
```

```
'version': '2',  
'javascriptEnabled': True})
```



---

## Navigating

---

The first thing you’ll want to do with WebDriver is navigate to a link. The normal way to do this is by calling `get` method:

```
driver.get("http://www.google.com")
```

WebDriver will wait until the page has fully loaded (that is, the `onload` event has fired) before returning control to your test or script. It’s worth noting that if your page uses a lot of AJAX on load then WebDriver may not know when it has completely loaded. If you need to ensure such pages are fully loaded then you can use *waits*.

### 3.1 Interacting with the page

Just being able to go to places isn’t terribly useful. What we’d really like to do is to interact with the pages, or, more specifically, the HTML elements within a page. First of all, we need to find one. WebDriver offers a number of ways to find elements. For example, given an element defined as:

```
<input type="text" name="passwd" id="passwd-id" />
```

you could find it using any of:

```
element = driver.find_element_by_id("passwd-id")
element = driver.find_element_by_name("passwd")
element = driver.find_element_by_xpath("//input[@id='passwd-id']")
```

You can also look for a link by its text, but be careful! The text must be an exact match! You should also be careful when using *XPATH* in *WebDriver*. If there’s more than one element that matches the query, then only the first will be returned. If nothing can be found, a `NoSuchElementException` will be raised.

WebDriver has an “Object-based” API; we represent all types of elements using the same interface. This means that although you may see a lot of possible methods you could invoke when you hit your IDE’s auto-complete key combination, not all of them will make sense or be valid. Don’t worry! WebDriver will attempt to do the Right Thing, and if you call a method that makes no sense (“`setSelected()`” on a “meta” tag, for example) an exception will be raised.

So, you’ve got an element. What can you do with it? First of all, you may want to enter some text into a text field:

```
element.send_keys("some text")
```

You can simulate pressing the arrow keys by using the “Keys” class:

```
element.send_keys(" and some", Keys.ARROW_DOWN)
```

It is possible to call `send_keys` on any element, which makes it possible to test keyboard shortcuts such as those used on GMail. A side-effect of this is that typing something into a text field won't automatically clear it. Instead, what you type will be appended to what's already there. You can easily clear the contents of a text field or textarea with `clear` method:

```
element.clear()
```

## 3.2 Filling in forms

We've already seen how to enter text into a textarea or text field, but what about the other elements? You can "toggle" the state of drop down, and you can use "setSelected" to set something like an *OPTION* tag selected. Dealing with *SELECT* tags isn't too bad:

```
element = driver.find_element_by_xpath("//select[@name='name']")
all_options = element.find_elements_by_tag_name("option")
for option in all_options:
    print("Value is: %s" % option.get_attribute("value"))
    option.click()
```

This will find the first "SELECT" element on the page, and cycle through each of its *OPTIONS* in turn, printing out their values, and selecting each in turn.

As you can see, this isn't the most efficient way of dealing with *SELECT* elements. WebDriver's support classes include one called "Select", which provides useful methods for interacting with these:

```
from selenium.webdriver.support.ui import Select
select = Select(driver.find_element_by_name('name'))
select.select_by_index(index)
select.select_by_visible_text("text")
select.select_by_value(value)
```

WebDriver also provides features for deselecting all the selected options:

```
select = Select(driver.find_element_by_id('id'))
select.deselect_all()
```

This will deselect all *OPTIONS* from the first *SELECT* on the page.

Suppose in a test, we need the list of all default selected options, *Select* class provides a property method that returns a list:

```
select = Select(driver.find_element_by_xpath("xpath"))
all_selected_options = select.all_selected_options
```

To get all available options:

```
options = select.options
```

Once you've finished filling out the form, you probably want to submit it. One way to do this would be to find the "submit" button and click it:

```
# Assume the button has the ID "submit" :)
driver.find_element_by_id("submit").click()
```

Alternatively, WebDriver has the convenience method "submit" on every element. If you call this on an element within a form, WebDriver will walk up the DOM until it finds the enclosing form and then calls submit on that. If the element isn't in a form, then the `NoSuchElementException` will be raised:



```
element.submit()
```

### 3.3 Drag and drop

You can use drag and drop, either moving an element by a certain amount, or on to another element:

```
element = driver.find_element_by_name("source")
target = driver.find_element_by_name("target")

from selenium.webdriver import ActionChains
action_chains = ActionChains(driver)
action_chains.drag_and_drop(element, target).perform()
```

### 3.4 Moving between windows and frames

It's rare for a modern web application not to have any frames or to be constrained to a single window. WebDriver supports moving between named windows using the "switch\_to\_window" method:

```
driver.switch_to_window("windowName")
```

All calls to `driver` will now be interpreted as being directed to the particular window. But how do you know the window's name? Take a look at the javascript or link that opened it:

```
<a href="somewhere.html" target="windowName">Click here to open a new window</a>
```

Alternatively, you can pass a "window handle" to the "switch\_to\_window()" method. Knowing this, it's possible to iterate over every open window like so:

```
for handle in driver.window_handles:
    driver.switch_to_window(handle)
```

You can also swing from frame to frame (or into iframes):

```
driver.switch_to_frame("frameName")
```

It's possible to access subframes by separating the path with a dot, and you can specify the frame by its index too. That is:

```
driver.switch_to_frame("frameName.0.child")
```

would go to the frame named "child" of the first subframe of the frame called "frameName". **All frames are evaluated as if from \*top\*.**

Once we are done with working on frames, we will have to come back to the parent frame which can be done using:

```
driver.switch_to_default_content()
```

### 3.5 Popup dialogs

Selenium WebDriver has built-in support for handling popup dialog boxes. After you've triggered action that would open a popup, you can access the alert with the following:

```
alert = driver.switch_to_alert()
```

This will return the currently open alert object. With this object you can now accept, dismiss, read its contents or even type into a prompt. This interface works equally well on alerts, confirms, prompts. Refer to the API documentation for more information.

## 3.6 Navigation: history and location

Earlier, we covered navigating to a page using the “get” command (`driver.get("http://www.example.com")`). As you’ve seen, WebDriver has a number of smaller, task-focused interfaces, and navigation is a useful task. To navigate to a page, you can use *get* method:

```
driver.get("http://www.example.com")
```

To move backwards and forwards in your browser’s history:

```
driver.forward()
driver.back()
```

Please be aware that this functionality depends entirely on the underlying driver. It’s just possible that something unexpected may happen when you call these methods if you’re used to the behaviour of one browser over another.

## 3.7 Cookies

Before we leave these next steps, you may be interested in understanding how to use cookies. First of all, you need to be on the domain that the cookie will be valid for:

```
# Go to the correct domain
driver.get("http://www.example.com")

# Now set the cookie. This one's valid for the entire domain
cookie = {'name' : 'foo', 'value' : 'bar'}
driver.add_cookie(cookie)

# And now output all the available cookies for the current URL
driver.get_cookies()
```

---

## Locating Elements

---

There are various strategies to locate elements in a page. You can use the most appropriate one for your case. Selenium provides the following methods to locate elements in a page:

- *find\_element\_by\_id*
- *find\_element\_by\_name*
- *find\_element\_by\_xpath*
- *find\_element\_by\_link\_text*
- *find\_element\_by\_partial\_link\_text*
- *find\_element\_by\_tag\_name*
- *find\_element\_by\_class\_name*
- *find\_element\_by\_css\_selector*

**To find multiple elements (these methods will return a list):**

- *find\_elements\_by\_name*
- *find\_elements\_by\_xpath*
- *find\_elements\_by\_link\_text*
- *find\_elements\_by\_partial\_link\_text*
- *find\_elements\_by\_tag\_name*
- *find\_elements\_by\_class\_name*
- *find\_elements\_by\_css\_selector*

Apart from the public methods given above, there are two private methods which might be useful with locators in page objects. These are the two private methods: *find\_element* and *find\_elements*.

Example usage:

```
from selenium.webdriver.common.by import By

driver.find_element(By.XPATH, '//button[text()="Some text"]')
driver.find_elements(By.XPATH, '//button')
```

These are the attributes available for *By* class:

```
ID = "id"
XPATH = "xpath"
LINK_TEXT = "link text"
PARTIAL_LINK_TEXT = "partial link text"
NAME = "name"
TAG_NAME = "tag name"
CLASS_NAME = "class name"
CSS_SELECTOR = "css selector"
```

## 4.1 Locating by Id

Use this when you know *id* attribute of an element. With this strategy, the first element with the *id* attribute value matching the location will be returned. If no element has a matching *id* attribute, a `NoSuchElementException` will be raised.

For instance, consider this page source:

```
<html>
<body>
  <form id="loginForm">
    <input name="username" type="text" />
    <input name="password" type="password" />
    <input name="continue" type="submit" value="Login" />
  </form>
</body>
</html>
```

The form element can be located like this:

```
login_form = driver.find_element_by_id('loginForm')
```

## 4.2 Locating by Name

Use this when you know *name* attribute of an element. With this strategy, the first element with the *name* attribute value matching the location will be returned. If no element has a matching *name* attribute, a `NoSuchElementException` will be raised.

For instance, consider this page source:

```
<html>
<body>
  <form id="loginForm">
    <input name="username" type="text" />
    <input name="password" type="password" />
    <input name="continue" type="submit" value="Login" />
    <input name="continue" type="button" value="Clear" />
  </form>
</body>
</html>
```

The username & password elements can be located like this:

```
username = driver.find_element_by_name('username')
password = driver.find_element_by_name('password')
```

This will give the “Login” button as it occurs before the “Clear” button:

```
continue = driver.find_element_by_name('continue')
```

## 4.3 Locating by XPath

XPath is the language used for locating nodes in an XML document. As HTML can be an implementation of XML (XHTML), Selenium users can leverage this powerful language to target elements in their web applications. XPath extends beyond (as well as supporting) the simple methods of locating by id or name attributes, and opens up all sorts of new possibilities such as locating the third checkbox on the page.

One of the main reasons for using XPath is when you don’t have a suitable id or name attribute for the element you wish to locate. You can use XPath to either locate the element in absolute terms (not advised), or relative to an element that does have an id or name attribute. XPath locators can also be used to specify elements via attributes other than id and name.

Absolute XPaths contain the location of all elements from the root (html) and as a result are likely to fail with only the slightest adjustment to the application. By finding a nearby element with an id or name attribute (ideally a parent element) you can locate your target element based on the relationship. This is much less likely to change and can make your tests more robust.

For instance, consider this page source:

```
<html>
<body>
  <form id="loginForm">
    <input name="username" type="text" />
    <input name="password" type="password" />
    <input name="continue" type="submit" value="Login" />
    <input name="continue" type="button" value="Clear" />
  </form>
</body>
</html>
```

The form elements can be located like this:

```
login_form = driver.find_element_by_xpath("/html/body/form[1]")
login_form = driver.find_element_by_xpath("//form[1]")
login_form = driver.find_element_by_xpath("//form[@id='loginForm']")
```

1. Absolute path (would break if the HTML was changed only slightly)
2. First form element in the HTML
3. The form element with attribute named *id* and the value *loginForm*

The username element can be located like this:

```
username = driver.find_element_by_xpath("//form[input/@name='username']")
username = driver.find_element_by_xpath("//form[@id='loginForm']/input[1]")
username = driver.find_element_by_xpath("//input[@name='username']")
```

1. First form element with an input child element with attribute named *name* and the value *username*
2. First input child element of the form element with attribute named *id* and the value *loginForm*
3. First input element with attribute named ‘name’ and the value *username*

The “Clear” button element can be located like this:

```
clear_button = driver.find_element_by_xpath("//input[@name='continue'][@type='button']")
clear_button = driver.find_element_by_xpath("//form[@id='loginForm']/input[4]")
```

1. Input with attribute named *name* and the value *continue* and attribute named *type* and the value *button*
2. Fourth input child element of the form element with attribute named *id* and value *loginForm*

These examples cover some basics, but in order to learn more, the following references are recommended:

- [W3Schools XPath Tutorial](#)
- [W3C XPath Recommendation](#)
- [XPath Tutorial](#) - with interactive examples.

There are also a couple of very useful Add-ons that can assist in discovering the XPath of an element:

- [XPath Checker](#) - suggests XPath and can be used to test XPath results.
- [Firebug](#) - XPath suggestions are just one of the many powerful features of this very useful add-on.
- [XPath Helper](#) - for Google Chrome

## 4.4 Locating Hyperlinks by Link Text

Use this when you know link text used within an anchor tag. With this strategy, the first element with the link text value matching the location will be returned. If no element has a matching link text attribute, a `NoSuchElementException` will be raised.

For instance, consider this page source:

```
<html>
<body>
  <p>Are you sure you want to do this?</p>
  <a href="continue.html">Continue</a>
  <a href="cancel.html">Cancel</a>
</body>
</html>
```

The `continue.html` link can be located like this:

```
continue_link = driver.find_element_by_link_text('Continue')
continue_link = driver.find_element_by_partial_link_text('Conti')
```

## 4.5 Locating Elements by Tag Name

Use this when you want to locate an element by tag name. With this strategy, the first element with the given tag name will be returned. If no element has a matching tag name, a `NoSuchElementException` will be raised.

For instance, consider this page source:

```
<html>
<body>
  <h1>Welcome</h1>
  <p>Site content goes here.</p>
</body>
</html>
```

The heading (h1) element can be located like this:

```
heading1 = driver.find_element_by_tag_name('h1')
```

## 4.6 Locating Elements by Class Name

Use this when you want to locate an element by class attribute name. With this strategy, the first element with the matching class attribute name will be returned. If no element has a matching class attribute name, a `NoSuchElementException` will be raised.

For instance, consider this page source:

```
<html>
  <body>
    <p class="content">Site content goes here.</p>
  </body>
</html>
```

The “p” element can be located like this:

```
content = driver.find_element_by_class_name('content')
```

## 4.7 Locating Elements by CSS Selectors

Use this when you want to locate an element by CSS selector syntax. With this strategy, the first element with the matching CSS selector will be returned. If no element has a matching CSS selector, a `NoSuchElementException` will be raised.

For instance, consider this page source:

```
<html>
  <body>
    <p class="content">Site content goes here.</p>
  </body>
</html>
```

The “p” element can be located like this:

```
content = driver.find_element_by_css_selector('p.content')
```

[Sauce Labs](#) has good [documentation](#) on CSS selectors.





---

## Waits

---

These days most of the web apps are using AJAX techniques. When a page is loaded to browser, the elements within that page may load at different time intervals. This makes locating elements difficult, if the element is not present in the DOM, it will raise *ElementNotVisibleException* exception. Using waits, we can solve this issue. Waiting provides some time interval between actions performed - mostly locating element or any other operation with the element.

Selenium Webdriver provides two types of waits - implicit & explicit. An explicit wait makes WebDriver to wait for a certain condition to occur before proceeding further with executions. An implicit wait makes WebDriver to poll the DOM for a certain amount of time when trying to locate an element.

### 5.1 Explicit Waits

An explicit wait is code you define to wait for a certain condition to occur before proceeding further in the code. The worst case of this is `time.sleep()`, which sets the condition to an exact time period to wait. There are some convenience methods provided that help you write code that will wait only as long as required. `WebDriverWait` in combination with `ExpectedCondition` is one way this can be accomplished.

```
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.support.ui import WebDriverWait
from selenium.webdriver.support import expected_conditions as EC

driver = webdriver.Firefox()
driver.get("http://somedomain/url_that_delays_loading")
try:
    element = WebDriverWait(driver, 10).until(
        EC.presence_of_element_located((By.ID, "myDynamicElement"))
    )
finally:
    driver.quit()
```

This waits up to 10 seconds before throwing a `TimeoutException` or if it finds the element will return it in 0 - 10 seconds. `WebDriverWait` by default calls the `ExpectedCondition` every 500 milliseconds until it returns successfully. A successful return is for `ExpectedCondition` type is Boolean return true or not null return value for all other `ExpectedCondition` types.

#### Expected Conditions

There are some common conditions that are frequent when automating web browsers. Listed below are Implementations of each. Selenium Python binding provides some convenience methods so you don't have to code an `expected_condition` class yourself or create your own utility package for them.

- title\_is
- title\_contains
- presence\_of\_element\_located
- visibility\_of\_element\_located
- visibility\_of
- presence\_of\_all\_elements\_located
- text\_to\_be\_present\_in\_element
- text\_to\_be\_present\_in\_element\_value
- frame\_to\_be\_available\_and\_switch\_to\_it
- invisibility\_of\_element\_located
- element\_to\_be\_clickable - it is Displayed and Enabled.
- staleness\_of
- element\_to\_be\_selected
- element\_located\_to\_be\_selected
- element\_selection\_state\_to\_be
- element\_located\_selection\_state\_to\_be
- alert\_is\_present

```
from selenium.webdriver.support import expected_conditions as EC

wait = WebDriverWait(driver, 10)
element = wait.until(EC.element_to_be_clickable((By.ID, 'someid')))
```

The `expected_conditions` module contains a set of predefined conditions to use with `WebDriverWait`.

## 5.2 Implicit Waits

An implicit wait is to tell `WebDriver` to poll the DOM for a certain amount of time when trying to find an element or elements if they are not immediately available. The default setting is 0. Once set, the implicit wait is set for the life of the `WebDriver` object instance.

```
from selenium import webdriver

driver = webdriver.Firefox()
driver.implicitly_wait(10) # seconds
driver.get("http://somedomain/url_that_delays_loading")
myDynamicElement = driver.find_element_by_id("myDynamicElement")
```

---

## Page Objects

---

This chapter is a tutorial introduction to page objects design pattern. A page object represents an area in the web application user interface that your test is interacting.

Benefits of using page object pattern:

- Creating reusable code that can be shared across multiple test cases
- Reducing the amount of duplicated code
- If the user interface changes, the fix needs changes in only one place

### 6.1 Test case

Here is a test case which searches for a word in python.org website and ensure some results are found.

```
import unittest
from selenium import webdriver
import page

class PythonOrgSearch(unittest.TestCase):
    """A sample test class to show how page object works"""

    def setUp(self):
        self.driver = webdriver.Firefox()
        self.driver.get("http://www.python.org")

    def test_search_in_python_org(self):
        """
        Tests python.org search feature. Searches for the word "pycon" then verified that some results
        Note that it does not look for any particular text in search results page. This test verifies
        the results were not empty.
        """

        #Load the main page. In this case the home page of Python.org.
        main_page = page.MainPage(self.driver)
        #Checks if the word "Python" is in title
        assert main_page.is_title_matches(), "python.org title doesn't match."
        #Sets the text of search textbox to "pycon"
        main_page.search_text_element = "pycon"
        main_page.click_go_button()
        search_results_page = page.SearchResultsPage(self.driver)
        #Verifies that the results page is not empty
```

```
        assert search_results_page.is_results_found(), "No results found."

    def tearDown(self):
        self.driver.close()

if __name__ == "__main__":
    unittest.main()
```

## 6.2 Page object classes

The page object pattern intends creating an object for each web page. By following this technique a layer of separation between the test code and technical implementation is created.

The page .py will look like this:

```
from element import BasePageElement
from locators import MainPageLocators

class SearchTextElement(BasePageElement):
    """This class gets the search text from the specified locator"""

    #The locator for search box where search string is entered
    locator = 'q'

class BasePage(object):
    """Base class to initialize the base page that will be called from all pages"""

    def __init__(self, driver):
        self.driver = driver

class MainPage(BasePage):
    """Home page action methods come here. I.e. Python.org"""

    #Declares a variable that will contain the retrieved text
    search_text_element = SearchTextElement()

    def is_title_matches(self):
        """Verifies that the hardcoded text "Python" appears in page title"""
        return "Python" in self.driver.title

    def click_go_button(self):
        """Triggers the search"""
        element = self.driver.find_element(*MainPageLocators.GO_BUTTON)
        element.click()

class SearchResultsPage(BasePage):
    """Search results page action methods come here"""

    def is_results_found(self):
        # Probably should search for this text in the specific page
        # element, but as for now it works fine
        return "No results found." not in self.driver.page_source
```

## 6.3 Page elements

The `element.py` will look like this:

```
from selenium.webdriver.support.ui import WebDriverWait

class BasePageElement(object):
    """Base page class that is initialized on every page object class."""

    def __set__(self, obj, value):
        """Sets the text to the value supplied"""
        driver = obj.driver
        WebDriverWait(driver, 100).until(
            lambda driver: driver.find_element_by_name(self.locator)
        )
        driver.find_element_by_name(self.locator).send_keys(value)

    def __get__(self, obj, owner):
        """Gets the text of the specified object"""
        driver = obj.driver
        WebDriverWait(driver, 100).until(
            lambda driver: driver.find_element_by_name(self.locator)
        )
        element = driver.find_element_by_name(self.locator)
        return element.get_attribute("value")
```

## 6.4 Locators

One of the practices is to separate the locator strings from the place where they are being used. In this example, locators of the same page belong to same class.

The `locators.py` will look like this:

```
from selenium.webdriver.common.by import By

class MainPageLocators(object):
    """A class for main page locators. All main page locators should come here"""
    GO_BUTTON = (By.ID, 'submit')

class SearchResultsPageLocators(object):
    """A class for search results locators. All search results locators should come here"""
    pass
```



---

## WebDriver API

---

---

**Note:** This is not an official documentation. Official API documentation is available [here](#).

---

This chapter cover all the interfaces of Selenium WebDriver.

### Recommended Import Style

The API definitions in this chapter shows the absolute location of classes. However the recommended import style is as given below:

```
from selenium import webdriver
```

Then, you can access the classes like this:

```
webdriver.Firefox
webdriver.FirefoxProfile
webdriver.Chrome
webdriver.ChromeOptions
webdriver.Ie
webdriver.Opera
webdriver.PhantomJS
webdriver.Remote
webdriver.DesiredCapabilities
webdriver.ActionChains
webdriver.TouchActions
webdriver.Proxy
```

The special keys class (Keys) can be imported like this:

```
from selenium.webdriver.common.keys import Keys
```

The exception classes can be imported like this (Replace the TheNameOfTheExceptionClass with actual class name given below):

```
from selenium.common.exceptions import [TheNameOfTheExceptionClass]
```

### Conventions used in the API

Some attributes are callable (or methods) and others are non-callable (properties). All the callable attributes are ending with round brackets.

Here is an example for property:

- `current_url`

URL of the current loaded page.

Usage:

```
driver.current_url
```

Here is an example for a method:

- `close()`

Closes the current window.

Usage:

```
driver.close()
```

## 7.1 Exceptions

Exceptions that may happen in all the webdriver code.

**exception** `selenium.common.exceptions.ElementNotSelectableException` (*msg=None, screen=None, stack-trace=None*)

Bases: `selenium.common.exceptions.InvalidElementStateException`

Thrown when trying to select an unselectable element.

For example, selecting a 'script' element.

**exception** `selenium.common.exceptions.ElementNotVisibleException` (*msg=None, screen=None, stack-trace=None*)

Bases: `selenium.common.exceptions.InvalidElementStateException`

Thrown when an element is present on the DOM, but it is not visible, and so is not able to be interacted with.

Most commonly encountered when trying to click or read text of an element that is hidden from view.

**exception** `selenium.common.exceptions.ErrorInResponseException` (*response, msg*)

Bases: `selenium.common.exceptions.WebDriverException`

Thrown when an error has occurred on the server side.

This may happen when communicating with the firefox extension or the remote driver server.

**exception** `selenium.common.exceptions.ImeActivationFailedException` (*msg=None, screen=None, stack-trace=None*)

Bases: `selenium.common.exceptions.WebDriverException`

Thrown when activating an IME engine has failed.

**exception** `selenium.common.exceptions.ImeNotAvailableException` (*msg=None, screen=None, stack-trace=None*)

Bases: `selenium.common.exceptions.WebDriverException`

Thrown when IME support is not available. This exception is thrown for every IME-related method call if IME support is not available on the machine.



**exception** `selenium.common.exceptions.InvalidCookieDomainException` (*msg=None, screen=None, stack-trace=None*)

Bases: `selenium.common.exceptions.WebDriverException`

Thrown when attempting to add a cookie under a different domain than the current URL.

**exception** `selenium.common.exceptions.InvalidElementStateException` (*msg=None, screen=None, stack-trace=None*)

Bases: `selenium.common.exceptions.WebDriverException`

**exception** `selenium.common.exceptions.InvalidSelectorException` (*msg=None, screen=None, stack-trace=None*)

Bases: `selenium.common.exceptions.NoSuchElementException`

Thrown when the selector which is used to find an element does not return a `WebElement`. Currently this only happens when the selector is an xpath expression and it is either syntactically invalid (i.e. it is not a xpath expression) or the expression does not select `WebElements` (e.g. “count(//input)”).

**exception** `selenium.common.exceptions.InvalidSwitchToTargetException` (*msg=None, screen=None, stack-trace=None*)

Bases: `selenium.common.exceptions.WebDriverException`

Thrown when frame or window target to be switched doesn't exist.

**exception** `selenium.common.exceptions.MoveTargetOutOfBoundsException` (*msg=None, screen=None, stack-trace=None*)

Bases: `selenium.common.exceptions.WebDriverException`

Thrown when the target provided to the `ActionsChains` `move()` method is invalid, i.e. out of document.

**exception** `selenium.common.exceptions.NoAlertPresentException` (*msg=None, screen=None, stack-trace=None*)

Bases: `selenium.common.exceptions.WebDriverException`

Thrown when switching to no presented alert.

This can be caused by calling an operation on the `Alert()` class when an alert is not yet on the screen.

**exception** `selenium.common.exceptions.NoSuchAttributeException` (*msg=None, screen=None, stack-trace=None*)

Bases: `selenium.common.exceptions.WebDriverException`

Thrown when the attribute of element could not be found.

You may want to check if the attribute exists in the particular browser you are testing against. Some browsers may have different property names for the same property. (IE8's `.innerText` vs. Firefox `.textContent`)

**exception** `selenium.common.exceptions.NoSuchElementException` (*msg=None, screen=None, stack-trace=None*)

Bases: `selenium.common.exceptions.WebDriverException`

Thrown when element could not be found.

If you encounter this exception, you may want to check the following:

- Check your selector used in your find\_by...
- Element may not yet be on the screen at the time of the find operation,

(webpage is still loading) see `selenium.webdriver.support.wait.WebDriverWait()` for how to write a wait wrapper to wait for an element to appear.

**exception** `selenium.common.exceptions.NoSuchFrameException` (*msg=None, screen=None, stacktrace=None*)  
Bases: `selenium.common.exceptions.InvalidSwitchToTargetException`

Thrown when frame target to be switched doesn't exist.

**exception** `selenium.common.exceptions.NoSuchWindowException` (*msg=None, screen=None, stacktrace=None*)  
Bases: `selenium.common.exceptions.InvalidSwitchToTargetException`

Thrown when window target to be switched doesn't exist.

To find the current set of active window handles, you can get a list of the active window handles in the following way:

```
print driver.window_handles
```

**exception** `selenium.common.exceptions.RemoteDriverServerException` (*msg=None, screen=None, stacktrace=None*)  
Bases: `selenium.common.exceptions.WebDriverException`

**exception** `selenium.common.exceptions.StaleElementReferenceException` (*msg=None, screen=None, stacktrace=None*)  
Bases: `selenium.common.exceptions.WebDriverException`

Thrown when a reference to an element is now "stale".

Stale means the element no longer appears on the DOM of the page.

**Possible causes of StaleElementReferenceException include, but not limited to:**

- You are no longer on the same page, or the page may have refreshed since the element was located. \* The element may have been removed and re-added to the screen, since it was located. Such as an element being relocated. This can happen typically with a javascript framework when values are updated and the node is rebuilt. \* Element may have been inside an iframe or another context which was refreshed.

**exception** `selenium.common.exceptions.TimeoutException` (*msg=None, screen=None, stacktrace=None*)  
Bases: `selenium.common.exceptions.WebDriverException`

Thrown when a command does not complete in enough time.

**exception** `selenium.common.exceptions.UnableToSetCookieException` (*msg=None, screen=None, stacktrace=None*)  
Bases: `selenium.common.exceptions.WebDriverException`

Thrown when a driver fails to set a cookie.

**exception** `selenium.common.exceptions.UnexpectedAlertPresentException` (*msg=None, screen=None, stack-trace=None, alert\_text=None*)

Bases: `selenium.common.exceptions.WebDriverException`

Thrown when an unexpected alert is appeared.

Usually raised when when an expected modal is blocking webdriver from executing any more commands.

**exception** `selenium.common.exceptions.UnexpectedTagNameException` (*msg=None, screen=None, stacktrace=None*)

Bases: `selenium.common.exceptions.WebDriverException`

Thrown when a support class did not get an expected web element.

**exception** `selenium.common.exceptions.WebDriverException` (*msg=None, screen=None, stacktrace=None*)

Bases: `exceptions.Exception`

Base webdriver exception.

## 7.2 Action Chains

The ActionChains implementation,

**class** `selenium.webdriver.common.action_chains.ActionChains` (*driver*)

Bases: `object`

ActionChains are a way to automate low level interactions such as mouse movements, mouse button actions, key press, and context menu interactions. This is useful for doing more complex actions like hover over and drag and drop.

**Generate user actions.** When you call methods for actions on the ActionChains object, the actions are stored in a queue in the ActionChains object. When you call `perform()`, the events are fired in the order they are queued up.

ActionChains can be used in a chain pattern:

```
menu = driver.find_element_by_css_selector(".nav")
hidden_submenu = driver.find_element_by_css_selector(".nav #submenu1")

ActionChains(driver).move_to_element(menu).click(hidden_submenu).perform()
```

Or actions can be queued up one by one, then performed.:

```
menu = driver.find_element_by_css_selector(".nav")
hidden_submenu = driver.find_element_by_css_selector(".nav #submenu1")

actions = ActionChains(driver)
actions.move_to_element(menu)
actions.click(hidden_submenu)
actions.perform()
```

Either way, the actions are performed in the order they are called, one after another.

**click** (*on\_element=None*)

Clicks an element.

**Args**

- `on_element`: The element to click. If None, clicks on current mouse position.

**click\_and\_hold** (*on\_element=None*)

Holds down the left mouse button on an element.

**Args**

- `on_element`: The element to mouse down. If None, clicks on current mouse position.

**context\_click** (*on\_element=None*)

Performs a context-click (right click) on an element.

**Args**

- `on_element`: The element to context-click. If None, clicks on current mouse position.

**double\_click** (*on\_element=None*)

Double-clicks an element.

**Args**

- `on_element`: The element to double-click. If None, clicks on current mouse position.

**drag\_and\_drop** (*source, target*)**Holds down the left mouse button on the source element**, then moves to the target element and releases the mouse button.**Args**

- `source`: The element to mouse down.
- `target`: The element to mouse up.

**drag\_and\_drop\_by\_offset** (*source, xoffset, yoffset*)**Holds down the left mouse button on the source element**, then moves to the target offset and releases the mouse button.**Args**

- `source`: The element to mouse down.
- `xoffset`: X offset to move to.
- `yoffset`: Y offset to move to.

**key\_down** (*value, element=None*)**Sends a key press only, without releasing it.** Should only be used with modifier keys (Control, Alt and Shift).**Args**

- `value`: The modifier key to send. Values are defined in *Keys* class.
- `element`: The element to send keys. If None, sends a key to current focused element.

Example, pressing ctrl+c:

```
ActionChains(driver).key_down(Keys.CONTROL).send_keys('c').key_up(Keys.CONTROL).perform()
```

**key\_up** (*value, element=None*)

Releases a modifier key.

**Args**

- *value*: The modifier key to send. Values are defined in Keys class.
- *element*: The element to send keys. If None, sends a key to current focused element.

Example, pressing ctrl+c:

```
ActionChains(driver).key_down(Keys.CONTROL).send_keys('c').key_up(Keys.CONTROL).perform()
```

**move\_by\_offset** (*xoffset, yoffset*)

Moving the mouse to an offset from current mouse position.

**Args**

- *xoffset*: X offset to move to, as a positive or negative integer.
- *yoffset*: Y offset to move to, as a positive or negative integer.

**move\_to\_element** (*to\_element*)

Moving the mouse to the middle of an element.

**Args**

- *to\_element*: The WebElement to move to.

**move\_to\_element\_with\_offset** (*to\_element, xoffset, yoffset*)

**Move the mouse by an offset of the specified element.** Offsets are relative to the top-left corner of the element.

**Args**

- *to\_element*: The WebElement to move to.
- *xoffset*: X offset to move to.
- *yoffset*: Y offset to move to.

**perform** ()

Performs all stored actions.

**release** (*on\_element=None*)

Releasing a held mouse button on an element.

**Args**

- *on\_element*: The element to mouse up. If None, releases on current mouse position.

**send\_keys** (*\*keys\_to\_send*)

Sends keys to current focused element.

**Args**

- *keys\_to\_send*: The keys to send. Modifier keys constants can be found in the 'Keys' class.

**send\_keys\_to\_element** (*element, \*keys\_to\_send*)

Sends keys to an element.

**Args**

- *element*: The element to send keys.

- `keys_to_send`: The keys to send. Modifier keys constants can be found in the 'Keys' class.

## 7.3 Alerts

The Alert implementation.

**class** `selenium.webdriver.common.alert.Alert(driver)`

Bases: `object`

Allows to work with alerts.

Use this class to interact with alert prompts. It contains methods for dismissing, accepting, inputting, and getting text from alert prompts.

Accepting / Dismissing alert prompts:

```
Alert(driver).accept()
Alert(driver).dismiss()
```

Inputting a value into an alert prompt:

```
name_prompt = Alert(driver)
name_prompt.send_keys("Willian Shakesphere")
name_prompt.accept()
```

Reading a the text of a prompt for verification:

```
alert_text = Alert(driver).text
self.assertEqual("Do you wish to quit?", alert_text)
```

**accept()**

Accepts the alert available.

Usage:: `Alert(driver).accept()` # Confirm a alert dialog.

**authenticate(username, password)**

Send the username / password to an Authenticated dialog (like with Basic HTTP Auth). Implicitly 'clicks ok'

Usage:: `driver.switch_to.alert.authenticate('cheese', 'secretGouda')`

**Args** -username: string to be set in the username section of the dialog -password: string to be set in the password section of the dialog

**dismiss()**

Dismisses the alert available.

**send\_keys(keysToSend)**

Send Keys to the Alert.

**Args**

- `keysToSend`: The text to be sent to Alert.

**text**

Gets the text of the Alert.

## 7.4 Special Keys

The Keys implementation.

```

class selenium.webdriver.common.keys.Keys
    Bases: object
    Set of special keys codes.

    ADD = u'\ue025'
    ALT = u'\ue00a'
    ARROW_DOWN = u'\ue015'
    ARROW_LEFT = u'\ue012'
    ARROW_RIGHT = u'\ue014'
    ARROW_UP = u'\ue013'
    BACKSPACE = u'\ue003'
    BACK_SPACE = u'\ue003'
    CANCEL = u'\ue001'
    CLEAR = u'\ue005'
    COMMAND = u'\ue03d'
    CONTROL = u'\ue009'
    DECIMAL = u'\ue028'
    DELETE = u'\ue017'
    DIVIDE = u'\ue029'
    DOWN = u'\ue015'
    END = u'\ue010'
    ENTER = u'\ue007'
    EQUALS = u'\ue019'
    ESCAPE = u'\ue00c'
    F1 = u'\ue031'
    F10 = u'\ue03a'
    F11 = u'\ue03b'
    F12 = u'\ue03c'
    F2 = u'\ue032'
    F3 = u'\ue033'
    F4 = u'\ue034'
    F5 = u'\ue035'
    F6 = u'\ue036'
    F7 = u'\ue037'
    F8 = u'\ue038'
    F9 = u'\ue039'
    HELP = u'\ue002'

```

```
HOME = u'\ue011'
INSERT = u'\ue016'
LEFT = u'\ue012'
LEFT_ALT = u'\ue00a'
LEFT_CONTROL = u'\ue009'
LEFT_SHIFT = u'\ue008'
META = u'\ue03d'
MULTIPLY = u'\ue024'
NULL = u'\ue000'
NUMPAD0 = u'\ue01a'
NUMPAD1 = u'\ue01b'
NUMPAD2 = u'\ue01c'
NUMPAD3 = u'\ue01d'
NUMPAD4 = u'\ue01e'
NUMPAD5 = u'\ue01f'
NUMPAD6 = u'\ue020'
NUMPAD7 = u'\ue021'
NUMPAD8 = u'\ue022'
NUMPAD9 = u'\ue023'
PAGE_DOWN = u'\ue00f'
PAGE_UP = u'\ue00e'
PAUSE = u'\ue00b'
RETURN = u'\ue006'
RIGHT = u'\ue014'
SEMICOLON = u'\ue018'
SEPARATOR = u'\ue026'
SHIFT = u'\ue008'
SPACE = u'\ue00d'
SUBTRACT = u'\ue027'
TAB = u'\ue004'
UP = u'\ue013'
```

## 7.5 Locate elements By

These are the attributes which can be used to locate elements. See the *Locating Elements* chapter for example usages. The By implementation.



```

class selenium.webdriver.common.by.By
    Bases: object

    Set of supported locator strategies.

    CLASS_NAME = 'class name'
    CSS_SELECTOR = 'css selector'
    ID = 'id'
    LINK_TEXT = 'link text'
    NAME = 'name'
    PARTIAL_LINK_TEXT = 'partial link text'
    TAG_NAME = 'tag name'
    XPATH = 'xpath'

```

## 7.6 Desired Capabilities

See the *Using Selenium with remote WebDriver* section for example usages of desired capabilities. The Desired Capabilities implementation.

```

class selenium.webdriver.common.desired_capabilities.DesiredCapabilities
    Bases: object

```

Set of default supported desired capabilities.

Use this as a starting point for creating a desired capabilities object for requesting remote webdrivers for connecting to selenium server or selenium grid.

Usage Example:

```

from selenium import webdriver

selenium_grid_url = "http://198.0.0.1:4444/wd/hub"

# Create a desired capabilities object as a starting point. capabilities = DesiredCapabilities
capabilities = DesiredCapabilities() capabilities['platform'] = "WINDOWS" capabilities['version'] = "10"

# Instantiate an instance of Remote WebDriver with the desired capabilities. driver = webdriver.Remote(
driver = webdriver.Remote(desired_capabilities=capabilities,

                           command_executor=selenium_grid_url)

```

Note: Always use `.copy()` on the `DesiredCapabilities` object to avoid the side effects of altering the Global class instance.

```

ANDROID = {'platform': 'ANDROID', 'browserName': 'android', 'version': '', 'javascriptEnabled': True}

```

```

CHROME = {'platform': 'ANY', 'browserName': 'chrome', 'version': '', 'javascriptEnabled': True}

```

```

EDGE = {'platform': 'WINDOWS', 'browserName': 'MicrosoftEdge', 'version': ''}

```

```

FIREFOX = {'platform': 'ANY', 'browserName': 'firefox', 'version': '', 'marionette': False, 'javascriptEnabled': True}

```

```

HTMLUNIT = {'platform': 'ANY', 'browserName': 'htmlunit', 'version': ''}

```

```

HTMLUNITWITHJS = {'platform': 'ANY', 'browserName': 'htmlunit', 'version': 'firefox', 'javascriptEnabled': True}

```

```

INTERNETEXPLORER = {'platform': 'WINDOWS', 'browserName': 'internet explorer', 'version': '', 'javascriptEnabled': True}

```

```

IPAD = {'platform': 'MAC', 'browserName': 'iPad', 'version': '', 'javascriptEnabled': True}

```

```
IPHONE = {'platform': 'MAC', 'browserName': 'iPhone', 'version': '', 'javascriptEnabled': True}
OPERA = {'platform': 'ANY', 'browserName': 'opera', 'version': '', 'javascriptEnabled': True}
PHANTOMJS = {'platform': 'ANY', 'browserName': 'phantomjs', 'version': '', 'javascriptEnabled': True}
SAFARI = {'platform': 'MAC', 'browserName': 'safari', 'version': '', 'javascriptEnabled': True}
```

## 7.7 Utilities

The Utils methods.

`selenium.webdriver.common.utils.find_connectable_ip(host, port=None)`

Resolve a hostname to an IP, preferring IPv4 addresses.

We prefer IPv4 so that we don't change behavior from previous IPv4-only implementations, and because some drivers (e.g., FirefoxDriver) do not support IPv6 connections.

If the optional port number is provided, only IPs that listen on the given port are considered.

### Args

- host - A hostname.
- port - Optional port number.

### Returns

A single IP address, as a string. If any IPv4 address is found, one is returned. Otherwise, if any IPv6 address is found, one is returned. If neither, then None is returned.

`selenium.webdriver.common.utils.free_port()`

Determines a free port using sockets.

`selenium.webdriver.common.utils.is_connectable(port, host='localhost')`

Tries to connect to the server at port to see if it is running.

### Args

- port: The port to connect.

`selenium.webdriver.common.utils.is_url_connectable(port)`

Tries to connect to the HTTP server at /status path and specified port to see if it responds successfully.

### Args

- port: The port to connect.

`selenium.webdriver.common.utils.join_host_port(host, port)`

Joins a hostname and port together.

This is a minimal implementation intended to cope with IPv6 literals. For example, `_join_host_port('::1', 80)` == `'[:1]:80'`.

### Args

- host - A hostname.
- port - An integer port.

`selenium.webdriver.common.utils.keys_to_typing(value)`

Processes the values that will be typed in the element.

## 7.8 Firefox WebDriver

```
class selenium.webdriver.firefox.webdriver.WebDriver (firefox_profile=None,
                                                    firefox_binary=None,
                                                    timeout=30,
                                                    capabilities=None,
                                                    proxy=None,
                                                    executable_path='wires',
                                                    firefox_options=None)

Bases: selenium.webdriver.remote.webdriver.WebDriver

quit ()
    Quits the driver and close every associated window.

set_context (context)

NATIVE_EVENTS_ALLOWED = True

firefox_profile
```

## 7.9 Chrome WebDriver

```
class selenium.webdriver.chrome.webdriver.WebDriver (executable_path='chromedriver',
                                                    port=0,
                                                    chrome_options=None,
                                                    service_args=None,
                                                    desired_capabilities=None,
                                                    service_log_path=None)

Bases: selenium.webdriver.remote.webdriver.WebDriver

Controls the ChromeDriver and allows you to drive the browser.

You will need to download the ChromeDriver executable from http://chromedriver.storage.googleapis.com/index.html

create_options ()

launch_app (id)
    Launches Chrome app specified by id.

quit ()
    Closes the browser and shuts down the ChromeDriver executable that is started when starting the ChromeDriver
```

## 7.10 Remote WebDriver

The WebDriver implementation.

```
class selenium.webdriver.remote.webdriver.WebDriver (command_executor='http://127.0.0.1:4444/wd/hub',
                                                    desired_capabilities=None,
                                                    browser_profile=None,
                                                    proxy=None,
                                                    keep_alive=False,
                                                    file_detector=None)

Bases: object

Controls a browser by sending commands to a remote server. This server is expected to be running the Web-
Driver wire protocol as defined at https://github.com/SeleniumHQ/selenium/wiki/JsonWireProtocol

Attributes
```

- `session_id` - String ID of the browser session started and controlled by this WebDriver.
- **capabilities** - Dictionary of effective capabilities of this browser session as returned by the remote server. See <https://github.com/SeleniumHQ/selenium/wiki/DesiredCapabilities>
- `command_executor` - `remote_connection.RemoteConnection` object used to execute commands.
- `error_handler` - `errorhandler.ErrorHandler` object used to handle errors.

**add\_cookie** (*cookie\_dict*)

Adds a cookie to your current session.

**Args**

- **cookie\_dict**: A dictionary object, with required keys - “name” and “value”; optional keys - “path”, “domain”, “secure”, “expiry”

**Usage:** `driver.add_cookie({'name': 'foo', 'value': 'bar'})` `driver.add_cookie({'name': 'foo', 'value': 'bar', 'path': '/'})` `driver.add_cookie({'name': 'foo', 'value': 'bar', 'path': '/', 'secure': True})`

**back** ()

Goes one step backward in the browser history.

**Usage** `driver.back()`

**close** ()

Closes the current window.

**Usage** `driver.close()`

**create\_web\_element** (*element\_id*)

Creates a web element with the specified `element_id`.

**delete\_all\_cookies** ()

Delete all cookies in the scope of the session.

**Usage** `driver.delete_all_cookies()`

**delete\_cookie** (*name*)

Deletes a single cookie with the given name.

**Usage** `driver.delete_cookie('my_cookie')`

**execute** (*driver\_command*, *params=None*)

Sends a command to be executed by a `command.CommandExecutor`.

**Args**

- `driver_command`: The name of the command to execute as a string.
- `params`: A dictionary of named parameters to send with the command.

**Returns** The command’s JSON response loaded into a dictionary object.

**execute\_async\_script** (*script*, *\*args*)

Asynchronously Executes JavaScript in the current window/frame.

**Args**

- `script`: The JavaScript to execute.
- `*args`: Any applicable arguments for your JavaScript.

**Usage** `driver.execute_async_script('document.title')`

**execute\_script** (*script*, *\*args*)

Synchronously Executes JavaScript in the current window/frame.

**Args**

- *script*: The JavaScript to execute.
- *\*args*: Any applicable arguments for your JavaScript.

**Usage** `driver.execute_script('document.title')`

**file\_detector\_context** (*\*args*, *\*\*kwargs*)

Overrides the current file detector (if necessary) in limited context. Ensures the original file detector is set afterwards.

Example:

**with** `webdriver.file_detector_context(UselessFileDetector):` `someinput.send_keys('/etc/hosts')`

**Args**

- **file\_detector\_class** - **Class of the desired file detector. If the class is different** from the current `file_detector`, then the class is instantiated with `args` and `kwargs` and used as a file detector during the duration of the context manager.
- **args** - **Optional arguments that get passed to the file detector class during** instantiation.
- **kwargs** - Keyword arguments, passed the same way as `args`.

**find\_element** (*by='id'*, *value=None*)

'Private' method used by the `find_element_by_*` methods.

**Usage** Use the corresponding `find_element_by_*` instead of this.

**Return type** *WebElement*

**find\_element\_by\_class\_name** (*name*)

Finds an element by class name.

**Args**

- *name*: The class name of the element to find.

**Usage** `driver.find_element_by_class_name('foo')`

**find\_element\_by\_css\_selector** (*css\_selector*)

Finds an element by css selector.

**Args**

- *css\_selector*: The css selector to use when finding elements.

**Usage** `driver.find_element_by_css_selector('#foo')`

**find\_element\_by\_id** (*id\_*)

Finds an element by id.

**Args**

- *id\_* - The id of the element to be found.

**Usage** `driver.find_element_by_id('foo')`

**find\_element\_by\_link\_text** (*link\_text*)

Finds an element by link text.

**Args**

- link\_text: The text of the element to be found.

**Usage** driver.find\_element\_by\_link\_text('Sign In')

**find\_element\_by\_name** (*name*)

Finds an element by name.

**Args**

- name: The name of the element to find.

**Usage** driver.find\_element\_by\_name('foo')

**find\_element\_by\_partial\_link\_text** (*link\_text*)

Finds an element by a partial match of its link text.

**Args**

- link\_text: The text of the element to partially match on.

**Usage** driver.find\_element\_by\_partial\_link\_text('Sign')

**find\_element\_by\_tag\_name** (*name*)

Finds an element by tag name.

**Args**

- name: The tag name of the element to find.

**Usage** driver.find\_element\_by\_tag\_name('foo')

**find\_element\_by\_xpath** (*xpath*)

Finds an element by xpath.

**Args**

- xpath - The xpath locator of the element to find.

**Usage** driver.find\_element\_by\_xpath('//div/td[1]')

**find\_elements** (*by='id', value=None*)

'Private' method used by the find\_elements\_by\_\* methods.

**Usage** Use the corresponding find\_elements\_by\_\* instead of this.

**Return type** list of WebElement

**find\_elements\_by\_class\_name** (*name*)

Finds elements by class name.

**Args**

- name: The class name of the elements to find.

**Usage** driver.find\_elements\_by\_class\_name('foo')

**find\_elements\_by\_css\_selector** (*css\_selector*)

Finds elements by css selector.

**Args**

- css\_selector: The css selector to use when finding elements.

**Usage** driver.find\_elements\_by\_css\_selector('.foo')

**find\_elements\_by\_id** (*id\_*)

Finds multiple elements by id.

**Args**

- `id_` - The id of the elements to be found.

**Usage** `driver.find_elements_by_id('foo')`

**`find_elements_by_link_text`** (*text*)

Finds elements by link text.

**Args**

- `link_text`: The text of the elements to be found.

**Usage** `driver.find_elements_by_link_text('Sign In')`

**`find_elements_by_name`** (*name*)

Finds elements by name.

**Args**

- `name`: The name of the elements to find.

**Usage** `driver.find_elements_by_name('foo')`

**`find_elements_by_partial_link_text`** (*link\_text*)

Finds elements by a partial match of their link text.

**Args**

- `link_text`: The text of the element to partial match on.

**Usage** `driver.find_element_by_partial_link_text('Sign')`

**`find_elements_by_tag_name`** (*name*)

Finds elements by tag name.

**Args**

- `name`: The tag name the use when finding elements.

**Usage** `driver.find_elements_by_tag_name('foo')`

**`find_elements_by_xpath`** (*xpath*)

Finds multiple elements by xpath.

**Args**

- `xpath` - The xpath locator of the elements to be found.

**Usage** `driver.find_elements_by_xpath("//div[contains(@class, 'foo')])")`

**`forward`** ()

Goes one step forward in the browser history.

**Usage** `driver.forward()`

**`get`** (*url*)

Loads a web page in the current browser session.

**`get_cookie`** (*name*)

Get a single cookie by name. Returns the cookie if found, None if not.

**Usage** `driver.get_cookie('my_cookie')`

**`get_cookies`** ()

Returns a set of dictionaries, corresponding to cookies visible in the current session.

**Usage** `driver.get_cookies()`

**get\_log** (*log\_type*)

Gets the log for a given log type

**Args**

- log\_type: type of log that which will be returned

**Usage** driver.get\_log('browser')      driver.get\_log('driver')      driver.get\_log('client')  
driver.get\_log('server')

**get\_screenshot\_as\_base64** ()

**Gets the screenshot of the current window as a base64 encoded string** which is useful in embedded images in HTML.

**Usage** driver.get\_screenshot\_as\_base64()

**get\_screenshot\_as\_file** (*filename*)

**Gets the screenshot of the current window. Returns False if there is any IOError, else returns True.** Use full paths in your filename.

**Args**

- filename: The full path you wish to save your screenshot to.

**Usage** driver.get\_screenshot\_as\_file('/Screenshots/foo.png')

**get\_screenshot\_as\_png** ()

Gets the screenshot of the current window as a binary data.

**Usage** driver.get\_screenshot\_as\_png()

**get\_window\_position** (*windowHandle='current'*)

Gets the x,y position of the current window.

**Usage** driver.get\_window\_position()

**get\_window\_size** (*windowHandle='current'*)

Gets the width and height of the current window.

**Usage** driver.get\_window\_size()

**implicitly\_wait** (*time\_to\_wait*)

**Sets a sticky timeout to implicitly wait for an element to be found,** or a command to complete. This method only needs to be called one time per session. To set the timeout for calls to execute\_async\_script, see set\_script\_timeout.

**Args**

- time\_to\_wait: Amount of time to wait (in seconds)

**Usage** driver.implicitly\_wait(30)

**maximize\_window** ()

Maximizes the current window that webdriver is using

**quit** ()

Quits the driver and closes every associated window.

**Usage** driver.quit()



**refresh()**

Refreshes the current page.

**Usage** driver.refresh()

**save\_screenshot(filename)**

**Gets the screenshot of the current window. Returns False if there is any IOError, else returns True.**  
Use full paths in your filename.

**Args**

- filename: The full path you wish to save your screenshot to.

**Usage** driver.get\_screenshot\_as\_file('/Screenshots/foo.png')

**set\_page\_load\_timeout(time\_to\_wait)**

**Set the amount of time to wait for a page load to complete** before throwing an error.

**Args**

- time\_to\_wait: The amount of time to wait

**Usage** driver.set\_page\_load\_timeout(30)

**set\_script\_timeout(time\_to\_wait)**

**Set the amount of time that the script should wait during an** execute\_async\_script call before throwing an error.

**Args**

- time\_to\_wait: The amount of time to wait (in seconds)

**Usage** driver.set\_script\_timeout(30)

**set\_window\_position(x, y, windowHandle='current')**

Sets the x,y position of the current window. (window.moveTo)

**Args**

- x: the x-coordinate in pixels to set the window position
- y: the y-coordinate in pixels to set the window position

**Usage** driver.set\_window\_position(0,0)

**set\_window\_size(width, height, windowHandle='current')**

Sets the width and height of the current window. (window.resizeTo)

**Args**

- width: the width in pixels to set the window to
- height: the height in pixels to set the window to

**Usage** driver.set\_window\_size(800,600)

**start\_client()**

Called before starting a new session. This method may be overridden to define custom startup behavior.

**start\_session(desired\_capabilities, browser\_profile=None)**

Creates a new session with the desired capabilities.

**Args**

- `browser_name` - The name of the browser to request.
- `version` - Which browser version to request.
- `platform` - Which platform to request the browser on.
- `javascript_enabled` - Whether the new session should support JavaScript.
- `browser_profile` - A `selenium.webdriver.firefox.firefox_profile.FirefoxProfile` object. Only used if Firefox is requested.

**stop\_client()**

Called after executing a quit command. This method may be overridden to define custom shutdown behavior.

**switch\_to\_active\_element()**

Deprecated use `driver.switch_to.active_element`

**switch\_to\_alert()**

Deprecated use `driver.switch_to.alert`

**switch\_to\_default\_content()**

Deprecated use `driver.switch_to.default_content`

**switch\_to\_frame(*frame\_reference*)**

Deprecated use `driver.switch_to.frame`

**switch\_to\_window(*window\_name*)**

Deprecated use `driver.switch_to.window`

**application\_cache**

Returns a `ApplicationCache` Object to interact with the browser app cache

**current\_url**

Gets the URL of the current page.

**Usage** `driver.current_url`

**current\_window\_handle**

Returns the handle of the current window.

**Usage** `driver.current_window_handle`

**desired\_capabilities**

returns the drivers current desired capabilities being used

**file\_detector****log\_types**

Gets a list of the available log types

**Usage** `driver.log_types`

**mobile****name**

Returns the name of the underlying browser for this instance.

**Usage**

- `driver.name`

**orientation**

Gets the current orientation of the device

**Usage** orientation = driver.orientation

**page\_source**  
Gets the source of the current page.

**Usage** driver.page\_source

**switch\_to**

**title**  
Returns the title of the current page.

**Usage** driver.title

**window\_handles**  
Returns the handles of all windows within the current session.

**Usage** driver.window\_handles

## 7.11 WebElement

**class** selenium.webdriver.remote.webelement.**WebElement** (*parent, id\_, w3c=False*)  
Bases: object

Represents a DOM element.

Generally, all interesting operations that interact with a document will be performed through this interface.

All method calls will do a freshness check to ensure that the element reference is still valid. This essentially determines whether or not the element is still attached to the DOM. If this test fails, then an `StaleElementReferenceException` is thrown, and all future calls to this instance will fail.

**clear()**  
Clears the text if it's a text entry element.

**click()**  
Clicks the element.

**find\_element** (*by='id', value=None*)

**find\_element\_by\_class\_name** (*name*)  
Finds element within this element's children by class name.

**Args**

- name - class name to search for.

**find\_element\_by\_css\_selector** (*css\_selector*)  
Finds element within this element's children by CSS selector.

**Args**

- css\_selector - CSS selector string, ex: 'a.nav#home'

**find\_element\_by\_id** (*id\_*)  
Finds element within this element's children by ID.

**Args**

- **id\_** - ID of child element to locate.

**find\_element\_by\_link\_text** (*link\_text*)  
Finds element within this element's children by visible link text.

**Args**

- `link_text` - Link text string to search for.

**`find_element_by_name`** (*name*)

Finds element within this element's children by name.

**Args**

- `name` - name property of the element to find.

**`find_element_by_partial_link_text`** (*link\_text*)

Finds element within this element's children by partially visible link text.

**Args**

- `link_text` - Link text string to search for.

**`find_element_by_tag_name`** (*name*)

Finds element within this element's children by tag name.

**Args**

- `name` - name of html tag (eg: h1, a, span)

**`find_element_by_xpath`** (*xpath*)

Finds element by xpath.

**Args** `xpath` - xpath of element to locate. “//input[@class='myelement']”

Note: The base path will be relative to this element's location.

This will select the first link under this element.

```
myelement.find_elements_by_xpath("//a")
```

However, this will select the first link on the page.

```
myelement.find_elements_by_xpath("//a")
```

**`find_elements`** (*by='id', value=None*)**`find_elements_by_class_name`** (*name*)

Finds a list of elements within this element's children by class name.

**Args**

- `name` - class name to search for.

**`find_elements_by_css_selector`** (*css\_selector*)

Finds a list of elements within this element's children by CSS selector.

**Args**

- `css_selector` - CSS selector string, ex: 'a.nav#home'

**`find_elements_by_id`** (*id\_*)

Finds a list of elements within this element's children by ID.

**Args**

- **`id_`** - Id of child element to find.

**`find_elements_by_link_text`** (*link\_text*)

Finds a list of elements within this element's children by visible link text.

**Args**

- `link_text` - Link text string to search for.

**`find_elements_by_name`** (*name*)

Finds a list of elements within this element's children by name.

**Args**

- `name` - name property to search for.

**`find_elements_by_partial_link_text`** (*link\_text*)

Finds a list of elements within this element's children by link text.

**Args**

- `link_text` - Link text string to search for.

**`find_elements_by_tag_name`** (*name*)

Finds a list of elements within this element's children by tag name.

**Args**

- `name` - name of html tag (eg: `h1`, `a`, `span`)

**`find_elements_by_xpath`** (*xpath*)

Finds elements within the element by xpath.

**Args**

- `xpath` - xpath locator string.

Note: The base path will be relative to this element's location.

This will select all links under this element.

```
myelement.find_elements_by_xpath("./a")
```

However, this will select all links in the page itself.

```
myelement.find_elements_by_xpath("//a")
```

**`get_attribute`** (*name*)

Gets the given attribute or property of the element.

This method will first try to return the value of a property with the given name. If a property with that name doesn't exist, it returns the value of the attribute with the same name. If there's no attribute with that name, `None` is returned.

Values which are considered truthy, that is equals "true" or "false", are returned as booleans. All other non-`None` values are returned as strings. For attributes or properties which do not exist, `None` is returned.

**Args**

- `name` - Name of the attribute/property to retrieve.

Example:

```
# Check if the "active" CSS class is applied to an element.
is_active = "active" in target_element.get_attribute("class")
```

**`is_displayed`** ()

Whether the element is visible to a user.

**`is_enabled`** ()

Returns whether the element is enabled.

**is\_selected()**

Returns whether the element is selected.

Can be used to check if a checkbox or radio button is selected.

**screenshot(filename)**

**Gets the screenshot of the current element. Returns False if there is any IOError, else returns True.**

Use full paths in your filename.

**Args**

- filename: The full path you wish to save your screenshot to.

**Usage** element.screenshot('/Screenshots/foo.png')

**send\_keys(\*value)**

Simulates typing into the element.

**Args**

- value - A string for typing, or setting form fields. For setting file inputs, this could be a local file path.

Use this to send simple key events or to fill out form fields:

```
form_textfield = driver.find_element_by_name('username')
form_textfield.send_keys("admin")
```

This can also be used to set file inputs.

```
file_input = driver.find_element_by_name('profilePic')
file_input.send_keys("path/to/profilepic.gif")
# Generally it's better to wrap the file path in one of the methods
# in os.path to return the actual path to support cross OS testing.
# file_input.send_keys(os.path.abspath("path/to/profilepic.gif"))
```

**submit()**

Submits a form.

**value\_of\_css\_property(property\_name)**

The value of a CSS property.

**id**

Internal ID used by selenium.

This is mainly for internal use. Simple use cases such as checking if 2 webelements refer to the same element, can be done using ==:

```
if element1 == element2:
    print("These 2 are equal")
```

**location**

The location of the element in the renderable canvas.

**location\_once\_scrolled\_into\_view**

THIS PROPERTY MAY CHANGE WITHOUT WARNING. Use this to discover where on the screen an element is so that we can click it. This method should cause the element to be scrolled into view.

Returns the top lefthand corner location on the screen, or None if the element is not visible.

**parent**

Internal reference to the WebDriver instance this element was found from.

**rect**  
A dictionary with the size and location of the element.

**screenshot\_as\_base64**  
Gets the screenshot of the current element as a base64 encoded string.  
**Usage** `img_b64 = element.screenshot_as_base64`

**screenshot\_as\_png**  
Gets the screenshot of the current element as a binary data.  
**Usage** `element_png = element.screenshot_as_png`

**size**  
The size of the element.

**tag\_name**  
This element's `tagName` property.

**text**  
The text of the element.

## 7.12 UI Support

**class** `selenium.webdriver.support.select.Select (webelement)`

**deselect\_all ()**  
Clear all selected entries. This is only valid when the SELECT supports multiple selections. throws `NotImplementedError` If the SELECT does not support multiple selections

**deselect\_by\_index (index)**  
Deselect the option at the given index. This is done by examining the “index” attribute of an element, and not merely by counting.

**Args**

- index - The option at this index will be deselected

throws `NoSuchElementException` If there is no option with specified index in SELECT

**deselect\_by\_value (value)**  
Deselect all options that have a value matching the argument. That is, when given “foo” this would deselect an option like:

```
<option value="foo">Bar</option>
```

**Args**

- value - The value to match against

throws `NoSuchElementException` If there is no option with specified value in SELECT

**deselect\_by\_visible\_text (text)**  
Deselect all options that display text matching the argument. That is, when given “Bar” this would deselect an option like:

```
<option value="foo">Bar</option>
```

**Args**

- text - The visible text to match against

**select\_by\_index** (*index*)

Select the option at the given index. This is done by examining the “index” attribute of an element, and not merely by counting.

**Args**

- index - The option at this index will be selected

throws NoSuchElementException If there is no option with specised index in SELECT

**select\_by\_value** (*value*)

Select all options that have a value matching the argument. That is, when given “foo” this would select an option like:

<option value=”foo”>Bar</option>

**Args**

- value - The value to match against

throws NoSuchElementException If there is no option with specised value in SELECT

**select\_by\_visible\_text** (*text*)

Select all options that display text matching the argument. That is, when given “Bar” this would select an option like:

<option value=”foo”>Bar</option>

**Args**

- text - The visible text to match against

throws NoSuchElementException If there is no option with specised text in SELECT

**all\_selected\_options**

Returns a list of all selected options belonging to this select tag

**first\_selected\_option**

The first selected option in this select tag (or the currently selected option in a normal select)

**options**

Returns a list of all options belonging to this select tag

**class** selenium.webdriver.support.wait.**WebDriverWait** (*driver, timeout, poll\_frequency=0.5, ignored\_exceptions=None*)

Bases: object

**until** (*method, message=*‘‘)

Calls the method provided with the driver as an argument until the return value is not False.

**until\_not** (*method, message=*‘‘)

Calls the method provided with the driver as an argument until the return value is False.

## 7.13 Color Support

**class** selenium.webdriver.support.color.**Color** (*red, green, blue, alpha=1*)

Bases: object

Color conversion support class

Example:



```

from selenium.webdriver.support.color import Color

print(Color.from_string('#00ff33').rgba)
print(Color.from_string('rgb(1, 255, 3)').hex)
print(Color.from_string('blue').rgba)

```

**static from\_string** (*str\_*)

**hex**

**rgb**

**rgba**

## 7.14 Expected conditions Support

**class** selenium.webdriver.support.expected\_conditions.**alert\_is\_present**

Bases: object

Expect an alert to be present.

**class** selenium.webdriver.support.expected\_conditions.**element\_located\_selection\_state\_to\_be** (*locator*, *is\_*)

Bases: object

An expectation to locate an element and check if the selection state specified is in that state. locator is a tuple of (by, path) is\_selected is a boolean

**class** selenium.webdriver.support.expected\_conditions.**element\_located\_to\_be\_selected** (*locator*)

Bases: object

An expectation for the element to be located is selected. locator is a tuple of (by, path)

**class** selenium.webdriver.support.expected\_conditions.**element\_selection\_state\_to\_be** (*element*, *is\_selected*)

Bases: object

An expectation for checking if the given element is selected. element is WebElement object is\_selected is a Boolean.”

**class** selenium.webdriver.support.expected\_conditions.**element\_to\_be\_clickable** (*locator*)

Bases: object

An Expectation for checking an element is visible and enabled such that you can click it.

**class** selenium.webdriver.support.expected\_conditions.**element\_to\_be\_selected** (*element*)

Bases: object

An expectation for checking the selection is selected. element is WebElement object

**class** selenium.webdriver.support.expected\_conditions.**frame\_to\_be\_available\_and\_switch\_to\_it** (*locator*)

Bases: object

An expectation for checking whether the given frame is available to switch to. If the frame is available it switches the given driver to the specified frame.

**class** selenium.webdriver.support.expected\_conditions.**invisibility\_of\_element\_located** (*locator*)

Bases: object

An Expectation for checking that an element is either invisible or not present on the DOM.

locator used to find the element

**class** `selenium.webdriver.support.expected_conditions.presence_of_all_elements_located` (*locator*)  
Bases: `object`

An expectation for checking that there is at least one element present on a web page. *locator* is used to find the element returns the list of `WebElements` once they are located

**class** `selenium.webdriver.support.expected_conditions.presence_of_element_located` (*locator*)  
Bases: `object`

An expectation for checking that an element is present on the DOM of a page. This does not necessarily mean that the element is visible. *locator* - used to find the element returns the `WebElement` once it is located

**class** `selenium.webdriver.support.expected_conditions.staleness_of` (*element*)  
Bases: `object`

Wait until an element is no longer attached to the DOM. *element* is the element to wait for. returns `False` if the element is still attached to the DOM, `true` otherwise.

**class** `selenium.webdriver.support.expected_conditions.text_to_be_present_in_element` (*locator*, *text\_*)  
Bases: `object`

An expectation for checking if the given text is present in the specified element. *locator*, *text*

**class** `selenium.webdriver.support.expected_conditions.text_to_be_present_in_element_value` (*locator*, *text\_*)  
Bases: `object`

An expectation for checking if the given text is present in the element's *locator*, *text*

**class** `selenium.webdriver.support.expected_conditions.title_contains` (*title*)  
Bases: `object`

An expectation for checking that the title contains a case-sensitive substring. *title* is the fragment of title expected returns `True` when the title matches, `False` otherwise

**class** `selenium.webdriver.support.expected_conditions.title_is` (*title*)  
Bases: `object`

An expectation for checking the title of a page. *title* is the expected title, which must be an exact match returns `True` if the title matches, `false` otherwise.

**class** `selenium.webdriver.support.expected_conditions.visibility_of` (*element*)  
Bases: `object`

An expectation for checking that an element, known to be present on the DOM of a page, is visible. Visibility means that the element is not only displayed but also has a height and width that is greater than 0. *element* is the `WebElement` returns the (same) `WebElement` once it is visible

**class** `selenium.webdriver.support.expected_conditions.visibility_of_any_elements_located` (*locator*)  
Bases: `object`

An expectation for checking that there is at least one element visible on a web page. *locator* is used to find the element returns the list of `WebElements` once they are located

**class** `selenium.webdriver.support.expected_conditions.visibility_of_element_located` (*locator*)  
Bases: `object`

An expectation for checking that an element is present on the DOM of a page and visible. Visibility means that the element is not only displayed but also has a height and width that is greater than 0. *locator* - used to find the element returns the `WebElement` once it is located and visible

---

## Appendix: Frequently Asked Questions

---

Another FAQ: <https://github.com/SeleniumHQ/selenium/wiki/Frequently-Asked-Questions>

### 8.1 How to use ChromeDriver ?

Download the latest `chromedriver` from [download page](#). Unzip the file:

```
unzip chromedriver_linux32_x.x.x.x.zip
```

You should see a `chromedriver` executable. Now you can create an instance of Chrome WebDriver like this:

```
driver = webdriver.Chrome(executable_path="/path/to/chromedriver")
```

The rest of the example should work as given in other documentation.

### 8.2 Does Selenium 2 support XPath 2.0 ?

Ref: [http://seleniumhq.org/docs/03\\_webdriver.html#how-xpath-works-in-webdriver](http://seleniumhq.org/docs/03_webdriver.html#how-xpath-works-in-webdriver)

Selenium delegates XPath queries down to the browser's own XPath engine, so Selenium support XPath supports whatever the browser supports. In browsers which don't have native XPath engines (IE 6,7,8), Selenium supports XPath 1.0 only.

### 8.3 How to scroll down to the bottom of a page ?

Ref: <http://blog.varunin.com/2011/08/scrolling-on-pages-using-selenium.html>

You can use the `execute_script` method to execute javascript on the loaded page. So, you can call the JavaScript API to scroll to the bottom or any other position of a page.

Here is an example to scroll to the bottom of a page:

```
driver.execute_script("window.scrollTo(0, document.body.scrollHeight);")
```

The `window` object in DOM has a `scrollTo` method to scroll to any position of an opened window. The `scrollHeight` is a common property for all elements. The `document.body.scrollHeight` will give the height of the entire body of the page.

## 8.4 How to auto save files using custom Firefox profile ?

Ref: <http://stackoverflow.com/questions/1176348/access-to-file-download-dialog-in-firefox>

Ref: <http://blog.codecentric.de/en/2010/07/file-downloads-with-selenium-mission-impossible/>

The first step is to identify the type of file you want to auto save.

To identify the content type you want to download automatically, you can use `curl`:

```
curl -I URL | grep "Content-Type"
```

Another way to find content type is using the `requests` module, you can use it like this:

```
import requests
content_type = requests.head('http://www.python.org').headers['content-type']
print(content_type)
```

Once the content type is identified, you can use it to set the firefox profile preference: `browser.helperApps.neverAsk.saveToDisk`

Here is an example:

```
import os

from selenium import webdriver

fp = webdriver.FirefoxProfile()

fp.set_preference("browser.download.folderList", 2)
fp.set_preference("browser.download.manager.showWhenStarting", False)
fp.set_preference("browser.download.dir", os.getcwd())
fp.set_preference("browser.helperApps.neverAsk.saveToDisk", "application/octet-stream")

browser = webdriver.Firefox(firefox_profile=fp)
browser.get("http://pypi.python.org/pypi/selenium")
browser.find_element_by_partial_link_text("selenium-2").click()
```

In the above example, `application/octet-stream` is used as the content type.

The `browser.download.dir` option specify the directory where you want to download the files.

## 8.5 How to upload files into file inputs ?

Select the `<input type="file">` element and call the `send_keys()` method passing the file path, either the path relative to the test script, or an absolute path. Keep in mind the differences in path names between Windows and Unix systems.

## 8.6 How to use firebug with Firefox ?

First download the Firebug XPI file, later you call the `add_extension` method available for the firefox profile:

```
from selenium import webdriver

fp = webdriver.FirefoxProfile()
```

```
fp.add_extension(extension='firebug-1.8.4.xpi')
fp.set_preference("extensions.firebug.currentVersion", "1.8.4") #Avoid startup screen
browser = webdriver.Firefox(firefox_profile=fp)
```

## 8.7 How to take screenshot of the current window ?

Use the `save_screenshot` method provided by the webdriver:

```
from selenium import webdriver

driver = webdriver.Firefox()
driver.get('http://www.python.org/')
driver.save_screenshot('screenshot.png')
driver.quit()
```



---

## Indices and tables

---

- `genindex`
- `modindex`
- `search`





## S

`selenium.common.exceptions`, [28](#)  
`selenium.webdriver.chrome.webdriver`, [39](#)  
`selenium.webdriver.common.action_chains`,  
    [31](#)  
`selenium.webdriver.common.alert`, [34](#)  
`selenium.webdriver.common.by`, [36](#)  
`selenium.webdriver.common.desired_capabilities`,  
    [37](#)  
`selenium.webdriver.common.keys`, [34](#)  
`selenium.webdriver.common.utils`, [38](#)  
`selenium.webdriver.firefox.webdriver`,  
    [39](#)  
`selenium.webdriver.remote.webdriver`, [39](#)  
`selenium.webdriver.remote.webelement`,  
    [47](#)  
`selenium.webdriver.support.color`, [52](#)  
`selenium.webdriver.support.expected_conditions`,  
    [53](#)  
`selenium.webdriver.support.select`, [51](#)  
`selenium.webdriver.support.wait`, [52](#)



## A

`accept()` (selenium.webdriver.common.alert.Alert method), 34

`ActionChains` (class in selenium.webdriver.common.action\_chains), 31

`ADD` (selenium.webdriver.common.keys.Keys attribute), 35

`add_cookie()` (selenium.webdriver.remote.webdriver.WebDriver method), 40

`Alert` (class in selenium.webdriver.common.alert), 34

`alert_is_present` (class in selenium.webdriver.support.expected\_conditions), 53

`all_selected_options` (selenium.webdriver.support.select.Select attribute), 52

`ALT` (selenium.webdriver.common.keys.Keys attribute), 35

`ANDROID` (selenium.webdriver.common.desired\_capabilities.DesiredCapabilities attribute), 37

`application_cache` (selenium.webdriver.remote.webdriver.WebDriver attribute), 46

`ARROW_DOWN` (selenium.webdriver.common.keys.Keys attribute), 35

`ARROW_LEFT` (selenium.webdriver.common.keys.Keys attribute), 35

`ARROW_RIGHT` (selenium.webdriver.common.keys.Keys attribute), 35

`ARROW_UP` (selenium.webdriver.common.keys.Keys attribute), 35

`authenticate()` (selenium.webdriver.common.alert.Alert method), 34

## B

`back()` (selenium.webdriver.remote.webdriver.WebDriver method), 40

`BACK_SPACE` (selenium.webdriver.common.keys.Keys attribute), 35

`BACKSPACE` (selenium.webdriver.common.keys.Keys attribute), 35

`By` (class in selenium.webdriver.common.by), 36

## C

`CANCEL` (selenium.webdriver.common.keys.Keys attribute), 35

`CHROME` (selenium.webdriver.common.desired\_capabilities.DesiredCapabilities attribute), 37

`CLASS_NAME` (selenium.webdriver.common.by.By attribute), 37

`CLEAR` (selenium.webdriver.common.keys.Keys attribute), 35

`clear()` (selenium.webdriver.remote.webelement.WebElement method), 47

`click()` (selenium.webdriver.common.action\_chains.ActionChains method), 31

`click_and_hold()` (selenium.webdriver.remote.webelement.WebElement method), 47

`click_and_hold()` (selenium.webdriver.common.action\_chains.ActionChains method), 32

`close()` (selenium.webdriver.remote.webdriver.WebDriver method), 40

`Color` (class in selenium.webdriver.support.color), 52

`COMMAND` (selenium.webdriver.common.keys.Keys attribute), 35

`context_click()` (selenium.webdriver.common.action\_chains.ActionChains method), 32

`CONTROL` (selenium.webdriver.common.keys.Keys attribute), 35

`create_options()` (selenium.webdriver.chrome.webdriver.WebDriver method), 39

`create_web_element()` (selenium.webdriver.remote.webdriver.WebDriver method), 40

`CSS_SELECTOR` (selenium.webdriver.common.by.By attribute), 37

current\_url (selenium.webdriver.remote.webdriver.WebDriver attribute), 46

current\_window\_handle (selenium.webdriver.remote.webdriver.WebDriver attribute), 46

## D

DECIMAL (selenium.webdriver.common.keys.Keys attribute), 35

DELETE (selenium.webdriver.common.keys.Keys attribute), 35

delete\_all\_cookies() (selenium.webdriver.remote.webdriver.WebDriver method), 40

delete\_cookie() (selenium.webdriver.remote.webdriver.WebDriver method), 40

deselect\_all() (selenium.webdriver.support.select.Select method), 51

deselect\_by\_index() (selenium.webdriver.support.select.Select method), 51

deselect\_by\_value() (selenium.webdriver.support.select.Select method), 51

deselect\_by\_visible\_text() (selenium.webdriver.support.select.Select method), 51

desired\_capabilities (selenium.webdriver.remote.webdriver.WebDriver attribute), 46

DesiredCapabilities (class in selenium.webdriver.common.desired\_capabilities), 37

dismiss() (selenium.webdriver.common.alert.Alert method), 34

DIVIDE (selenium.webdriver.common.keys.Keys attribute), 35

double\_click() (selenium.webdriver.common.action\_chains.ActionChains method), 32

DOWN (selenium.webdriver.common.keys.Keys attribute), 35

drag\_and\_drop() (selenium.webdriver.common.action\_chains.ActionChains method), 32

drag\_and\_drop\_by\_offset() (selenium.webdriver.common.action\_chains.ActionChains method), 32

## E

EDGE (selenium.webdriver.common.desired\_capabilities.DesiredCapabilities attribute), 37

element\_located\_selection\_state\_to\_be (class in selenium.webdriver.support.expected\_conditions), 53

element\_located\_to\_be\_selected (class in selenium.webdriver.support.expected\_conditions), 53

element\_selection\_state\_to\_be (class in selenium.webdriver.support.expected\_conditions), 53

element\_to\_be\_clickable (class in selenium.webdriver.support.expected\_conditions), 53

element\_to\_be\_selected (class in selenium.webdriver.support.expected\_conditions), 53

ElementNotSelectableException, 28

ElementNotVisibleException, 28

END (selenium.webdriver.common.keys.Keys attribute), 35

ENTER (selenium.webdriver.common.keys.Keys attribute), 35

EQUALS (selenium.webdriver.common.keys.Keys attribute), 35

ErrorInResponseException, 28

ESCAPE (selenium.webdriver.common.keys.Keys attribute), 35

execute() (selenium.webdriver.remote.webdriver.WebDriver method), 40

execute\_async\_script() (selenium.webdriver.remote.webdriver.WebDriver method), 40

execute\_script() (selenium.webdriver.remote.webdriver.WebDriver method), 40

## F

F1 (selenium.webdriver.common.keys.Keys attribute), 35

F10 (selenium.webdriver.common.keys.Keys attribute), 35

F11 (selenium.webdriver.common.keys.Keys attribute), 35

F12 (selenium.webdriver.common.keys.Keys attribute), 35

F2 (selenium.webdriver.common.keys.Keys attribute), 35

F3 (selenium.webdriver.common.keys.Keys attribute), 35

F4 (selenium.webdriver.common.keys.Keys attribute), 35

F5 (selenium.webdriver.common.keys.Keys attribute), 35

F6 (selenium.webdriver.common.keys.Keys attribute), 35

F7 (selenium.webdriver.common.keys.Keys attribute), 35

F8 (selenium.webdriver.common.keys.Keys attribute), 35

F9 (selenium.webdriver.common.keys.Keys attribute), 35

file\_detector (selenium.webdriver.remote.webdriver.WebDriver attribute), 46

file\_detector\_context() (selenium.webdriver.remote.webdriver.WebDriver method), 41

find\_connectable\_ip() (in module selenium.webdriver.common.utils), 38

find_element() (selenium.webdriver.remote.webdriver.WebDriver method), 41	find_elements() (selenium.webdriver.remote.webelement.WebElement method), 48
find_element() (selenium.webdriver.remote.webelement.WebElement method), 47	find_elements_by_class_name() (selenium.webdriver.remote.webdriver.WebDriver method), 42
find_element_by_class_name() (selenium.webdriver.remote.webdriver.WebDriver method), 41	find_elements_by_class_name() (selenium.webdriver.remote.webelement.WebElement method), 48
find_element_by_class_name() (selenium.webdriver.remote.webelement.WebElement method), 47	find_elements_by_css_selector() (selenium.webdriver.remote.webdriver.WebDriver method), 42
find_element_by_css_selector() (selenium.webdriver.remote.webdriver.WebDriver method), 41	find_elements_by_css_selector() (selenium.webdriver.remote.webelement.WebElement method), 48
find_element_by_css_selector() (selenium.webdriver.remote.webelement.WebElement method), 47	find_elements_by_id() (selenium.webdriver.remote.webdriver.WebDriver method), 42
find_element_by_id() (selenium.webdriver.remote.webdriver.WebDriver method), 41	find_elements_by_id() (selenium.webdriver.remote.webelement.WebElement method), 48
find_element_by_id() (selenium.webdriver.remote.webelement.WebElement method), 47	find_elements_by_link_text() (selenium.webdriver.remote.webdriver.WebDriver method), 43
find_element_by_link_text() (selenium.webdriver.remote.webdriver.WebDriver method), 41	find_elements_by_link_text() (selenium.webdriver.remote.webelement.WebElement method), 48
find_element_by_link_text() (selenium.webdriver.remote.webelement.WebElement method), 47	find_elements_by_name() (selenium.webdriver.remote.webdriver.WebDriver method), 43
find_element_by_name() (selenium.webdriver.remote.webdriver.WebDriver method), 42	find_elements_by_name() (selenium.webdriver.remote.webelement.WebElement method), 49
find_element_by_name() (selenium.webdriver.remote.webelement.WebElement method), 48	find_elements_by_partial_link_text() (selenium.webdriver.remote.webdriver.WebDriver method), 43
find_element_by_partial_link_text() (selenium.webdriver.remote.webdriver.WebDriver method), 42	find_elements_by_partial_link_text() (selenium.webdriver.remote.webelement.WebElement method), 49
find_element_by_partial_link_text() (selenium.webdriver.remote.webelement.WebElement method), 48	find_elements_by_tag_name() (selenium.webdriver.remote.webdriver.WebDriver method), 43
find_element_by_tag_name() (selenium.webdriver.remote.webdriver.WebDriver method), 42	find_elements_by_tag_name() (selenium.webdriver.remote.webelement.WebElement method), 49
find_element_by_tag_name() (selenium.webdriver.remote.webelement.WebElement method), 48	find_elements_by_xpath() (selenium.webdriver.remote.webdriver.WebDriver method), 43
find_element_by_xpath() (selenium.webdriver.remote.webdriver.WebDriver method), 42	find_elements_by_xpath() (selenium.webdriver.remote.webelement.WebElement method), 49
find_element_by_xpath() (selenium.webdriver.remote.webelement.WebElement method), 48	FIREFOX (selenium.webdriver.common.desired_capabilities.DesiredCapabilities attribute), 37
find_elements() (selenium.webdriver.remote.webdriver.WebDriver method), 42	firefox_profile (selenium.webdriver.firefox.webdriver.WebDriver attribute), 39

first\_selected\_option (selenium.webdriver.support.select.Select attribute), 52  
 forward() (selenium.webdriver.remote.webdriver.WebDriver method), 43  
 frame\_to\_be\_available\_and\_switch\_to\_it (class in selenium.webdriver.support.expected\_conditions), 53  
 free\_port() (in module selenium.webdriver.common.utils), 38  
 from\_string() (selenium.webdriver.support.color.Color static method), 53

## G

get() (selenium.webdriver.remote.webdriver.WebDriver method), 43  
 get\_attribute() (selenium.webdriver.remote.webelement.WebElement method), 49  
 get\_cookie() (selenium.webdriver.remote.webdriver.WebDriver method), 43  
 get\_cookies() (selenium.webdriver.remote.webdriver.WebDriver method), 43  
 get\_log() (selenium.webdriver.remote.webdriver.WebDriver method), 43  
 get\_screenshot\_as\_base64() (selenium.webdriver.remote.webdriver.WebDriver method), 44  
 get\_screenshot\_as\_file() (selenium.webdriver.remote.webdriver.WebDriver method), 44  
 get\_screenshot\_as\_png() (selenium.webdriver.remote.webdriver.WebDriver method), 44  
 get\_window\_position() (selenium.webdriver.remote.webdriver.WebDriver method), 44  
 get\_window\_size() (selenium.webdriver.remote.webdriver.WebDriver method), 44

## H

HELP (selenium.webdriver.common.keys.Keys attribute), 35  
 hex (selenium.webdriver.support.color.Color attribute), 53  
 HOME (selenium.webdriver.common.keys.Keys attribute), 35  
 HTMLUNIT (selenium.webdriver.common.desired\_capabilities.DesiredCapabilities attribute), 37  
 HTMLUNITWITHJS (selenium.webdriver.common.desired\_capabilities.DesiredCapabilities attribute), 37

## I

ID (selenium.webdriver.common.by.By attribute), 37  
 id (selenium.webdriver.remote.webelement.WebElement attribute), 50  
 ImeActivationFailedException, 28  
 ImeNotAvailableException, 28  
 implicitly\_wait() (selenium.webdriver.remote.webdriver.WebDriver method), 44  
 INSERT (selenium.webdriver.common.keys.Keys attribute), 36  
 INTERNETEXPLORER (selenium.webdriver.common.desired\_capabilities.DesiredCapabilities attribute), 37  
 InvalidCookieDomainException, 28  
 InvalidElementStateException, 29  
 InvalidSelectorException, 29  
 InvalidSwitchToTargetException, 29  
 invisibility\_of\_element\_located (class in selenium.webdriver.support.expected\_conditions), 53  
 iPad (selenium.webdriver.common.desired\_capabilities.DesiredCapabilities attribute), 37  
 IPHONE (selenium.webdriver.common.desired\_capabilities.DesiredCapabilities attribute), 37  
 is\_connectable() (in module selenium.webdriver.common.utils), 38  
 is\_displayed() (selenium.webdriver.remote.webelement.WebElement method), 49  
 is\_enabled() (selenium.webdriver.remote.webelement.WebElement method), 49  
 is\_selected() (selenium.webdriver.remote.webelement.WebElement method), 49  
 is\_url\_connectable() (in module selenium.webdriver.common.utils), 38

## J

join\_host\_port() (in module selenium.webdriver.common.utils), 38

## K

key\_down() (selenium.webdriver.common.action\_chains.ActionChains method), 32  
 key\_up() (selenium.webdriver.common.action\_chains.ActionChains method), 32  
 Keys (class in selenium.webdriver.common.keys), 34  
 keys\_to\_typing() (in module selenium.webdriver.common.utils), 38

## L

launch\_app() (selenium.webdriver.chrome.webdriver.WebDriver method), 39  
 LEFT (selenium.webdriver.common.keys.Keys attribute), 36

- LEFT\_ALT (selenium.webdriver.common.keys.Keys attribute), 36
- LEFT\_CONTROL (selenium.webdriver.common.keys.Keys attribute), 36
- LEFT\_SHIFT (selenium.webdriver.common.keys.Keys attribute), 36
- LINK\_TEXT (selenium.webdriver.common.by.By attribute), 37
- location (selenium.webdriver.remote.webelement.WebElement attribute), 50
- location\_once\_scrolled\_into\_view (selenium.webdriver.remote.webelement.WebElement attribute), 50
- log\_types (selenium.webdriver.remote.webdriver.WebDriver attribute), 46
- ## M
- maximize\_window() (selenium.webdriver.remote.webdriver.WebDriver method), 44
- META (selenium.webdriver.common.keys.Keys attribute), 36
- mobile (selenium.webdriver.remote.webdriver.WebDriver attribute), 46
- move\_by\_offset() (selenium.webdriver.common.action\_chains.ActionChains method), 33
- move\_to\_element() (selenium.webdriver.common.action\_chains.ActionChains method), 33
- move\_to\_element\_with\_offset() (selenium.webdriver.common.action\_chains.ActionChains method), 33
- MoveTargetOutOfBoundsException, 29
- MULTIPLY (selenium.webdriver.common.keys.Keys attribute), 36
- ## N
- NAME (selenium.webdriver.common.by.By attribute), 37
- name (selenium.webdriver.remote.webdriver.WebDriver attribute), 46
- NATIVE\_EVENTS\_ALLOWED (selenium.webdriver.firefox.webdriver.WebDriver attribute), 39
- NoAlertPresentException, 29
- NoSuchAttributeException, 29
- NoSuchElementException, 29
- NoSuchFrameException, 30
- NoSuchWindowException, 30
- NULL (selenium.webdriver.common.keys.Keys attribute), 36
- NUMPAD0 (selenium.webdriver.common.keys.Keys attribute), 36
- NUMPAD1 (selenium.webdriver.common.keys.Keys attribute), 36
- NUMPAD2 (selenium.webdriver.common.keys.Keys attribute), 36
- NUMPAD3 (selenium.webdriver.common.keys.Keys attribute), 36
- NUMPAD4 (selenium.webdriver.common.keys.Keys attribute), 36
- NUMPAD5 (selenium.webdriver.common.keys.Keys attribute), 36
- NUMPAD6 (selenium.webdriver.common.keys.Keys attribute), 36
- NUMPAD7 (selenium.webdriver.common.keys.Keys attribute), 36
- NUMPAD8 (selenium.webdriver.common.keys.Keys attribute), 36
- NUMPAD9 (selenium.webdriver.common.keys.Keys attribute), 36
- ## O
- OPERA (selenium.webdriver.common.desired\_capabilities.DesiredCapabilities attribute), 38
- options (selenium.webdriver.support.select.Select attribute), 52
- orientation (selenium.webdriver.remote.webdriver.WebDriver attribute), 46
- ## P
- PAGE\_DOWN (selenium.webdriver.common.keys.Keys attribute), 36
- page\_source (selenium.webdriver.remote.webdriver.WebDriver attribute), 47
- PAGE\_UP (selenium.webdriver.common.keys.Keys attribute), 36
- parent (selenium.webdriver.remote.webelement.WebElement attribute), 50
- PARTIAL\_LINK\_TEXT (selenium.webdriver.common.by.By attribute), 37
- PAUSE (selenium.webdriver.common.keys.Keys attribute), 36
- perform() (selenium.webdriver.common.action\_chains.ActionChains method), 33
- PHANTOMJS (selenium.webdriver.common.desired\_capabilities.DesiredCapabilities attribute), 38
- presence\_of\_all\_elements\_located (class in selenium.webdriver.support.expected\_conditions), 53
- presence\_of\_element\_located (class in selenium.webdriver.support.expected\_conditions), 54



## Q

quit() (selenium.webdriver.chrome.webdriver.WebDriver method), 39

quit() (selenium.webdriver.firefox.webdriver.WebDriver method), 39

quit() (selenium.webdriver.remote.webdriver.WebDriver method), 44

## R

rect (selenium.webdriver.remote.webelement.WebElement attribute), 50

refresh() (selenium.webdriver.remote.webdriver.WebDriver method), 44

release() (selenium.webdriver.common.action\_chains.ActionChains method), 33

RemoteDriverServerException, 30

RETURN (selenium.webdriver.common.keys.Keys attribute), 36

rgb (selenium.webdriver.support.color.Color attribute), 53

rgba (selenium.webdriver.support.color.Color attribute), 53

RIGHT (selenium.webdriver.common.keys.Keys attribute), 36

## S

SAFARI (selenium.webdriver.common.desired\_capabilities.DesiredCapabilities attribute), 38

save\_screenshot() (selenium.webdriver.remote.webdriver.WebDriver method), 45

screenshot() (selenium.webdriver.remote.webelement.WebElement method), 50

screenshot\_as\_base64 (selenium.webdriver.remote.webelement.WebElement attribute), 51

screenshot\_as\_png (selenium.webdriver.remote.webelement.WebElement attribute), 51

Select (class in selenium.webdriver.support.select), 51

select\_by\_index() (selenium.webdriver.support.select.Select method), 51

select\_by\_value() (selenium.webdriver.support.select.Select method), 52

select\_by\_visible\_text() (selenium.webdriver.support.select.Select method), 52

selenium.common.exceptions (module), 28

selenium.webdriver.chrome.webdriver (module), 39

selenium.webdriver.common.action\_chains (module), 31

selenium.webdriver.common.alert (module), 34

selenium.webdriver.common.by (module), 36

selenium.webdriver.common.desired\_capabilities (module), 37

selenium.webdriver.common.keys (module), 34

selenium.webdriver.common.utils (module), 38

selenium.webdriver.firefox.webdriver (module), 39

selenium.webdriver.remote.webdriver (module), 39

selenium.webdriver.remote.webelement (module), 47

selenium.webdriver.support.color (module), 52

selenium.webdriver.support.expected\_conditions (module), 53

selenium.webdriver.support.select (module), 51

selenium.webdriver.support.wait (module), 52

SEMICOLON (selenium.webdriver.common.keys.Keys attribute), 36

send\_keys() (selenium.webdriver.common.action\_chains.ActionChains method), 33

send\_keys() (selenium.webdriver.common.alert.Alert method), 34

send\_keys() (selenium.webdriver.remote.webelement.WebElement method), 50

send\_keys\_to\_element() (selenium.webdriver.common.action\_chains.ActionChains method), 33

SEPARATOR (selenium.webdriver.common.keys.Keys attribute), 36

set\_context() (selenium.webdriver.firefox.webdriver.WebDriver method), 39

set\_page\_load\_timeout() (selenium.webdriver.remote.webdriver.WebDriver method), 45

set\_script\_timeout() (selenium.webdriver.remote.webdriver.WebDriver method), 45

set\_window\_position() (selenium.webdriver.remote.webdriver.WebDriver method), 45

set\_window\_size() (selenium.webdriver.remote.webdriver.WebDriver method), 45

SHIFT (selenium.webdriver.common.keys.Keys attribute), 36

size (selenium.webdriver.remote.webelement.WebElement attribute), 51

SPACE (selenium.webdriver.common.keys.Keys attribute), 36

StaleElementReferenceException, 30

staleness\_of (class in selenium.webdriver.support.expected\_conditions), 54

start\_client() (selenium.webdriver.remote.webdriver.WebDriver method), 45

start\_session() (selenium.webdriver.remote.webdriver.WebDriver method), 45



- stop\_client() (selenium.webdriver.remote.webdriver.WebDriver method), 46
- submit() (selenium.webdriver.remote.webelement.WebElement method), 50
- SUBTRACT (selenium.webdriver.common.keys.Keys attribute), 36
- switch\_to (selenium.webdriver.remote.webdriver.WebDriver attribute), 47
- switch\_to\_active\_element() (selenium.webdriver.remote.webdriver.WebDriver method), 46
- switch\_to\_alert() (selenium.webdriver.remote.webdriver.WebDriver method), 46
- switch\_to\_default\_content() (selenium.webdriver.remote.webdriver.WebDriver method), 46
- switch\_to\_frame() (selenium.webdriver.remote.webdriver.WebDriver method), 46
- switch\_to\_window() (selenium.webdriver.remote.webdriver.WebDriver method), 46
- ## T
- TAB (selenium.webdriver.common.keys.Keys attribute), 36
- TAG\_NAME (selenium.webdriver.common.by.By attribute), 37
- tag\_name (selenium.webdriver.remote.webelement.WebElement attribute), 51
- text (selenium.webdriver.common.alert.Alert attribute), 34
- text (selenium.webdriver.remote.webelement.WebElement attribute), 51
- text\_to\_be\_present\_in\_element (class in selenium.webdriver.support.expected\_conditions), 54
- text\_to\_be\_present\_in\_element\_value (class in selenium.webdriver.support.expected\_conditions), 54
- TimeoutException, 30
- title (selenium.webdriver.remote.webdriver.WebDriver attribute), 47
- title\_contains (class in selenium.webdriver.support.expected\_conditions), 54
- title\_is (class in selenium.webdriver.support.expected\_conditions), 54
- ## U
- UnableToSetCookieException, 30
- UnexpectedAlertPresentException, 30
- UnexpectedTagNameException, 31
- until() (selenium.webdriver.support.wait.WebDriverWait method), 52
- until\_not() (selenium.webdriver.support.wait.WebDriverWait method), 52
- UP (selenium.webdriver.common.keys.Keys attribute), 36
- ## V
- value\_of\_css\_property() (selenium.webdriver.remote.webelement.WebElement method), 50
- visibility\_of (class in selenium.webdriver.support.expected\_conditions), 54
- visibility\_of\_any\_elements\_located (class in selenium.webdriver.support.expected\_conditions), 54
- visibility\_of\_element\_located (class in selenium.webdriver.support.expected\_conditions), 54
- ## W
- WebDriver (class in selenium.webdriver.chrome.webdriver), 39
- WebDriver (class in selenium.webdriver.firefox.webdriver), 39
- WebDriver (class in selenium.webdriver.remote.webdriver), 39
- WebDriverException, 31
- WebDriverWait (class in selenium.webdriver.support.wait), 52
- WebElement (class in selenium.webdriver.remote.webelement), 47
- window\_handles (selenium.webdriver.remote.webdriver.WebDriver attribute), 47
- ## X
- XPATH (selenium.webdriver.common.by.By attribute), 37