



FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	E-commerce Project Web Site Health Check	2	2	0	0	1 m 17.861 s
2	Search Feature	1	0	1	0	41.773 s
3	<u>ProductDetails</u>	1	0	1	0	41.672 s

SCENARIOS SUMMARY



-- 3 --

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	E-commerce Project Web Site Health Check	Navigation to the URL	1	1	0	0	37.630 s
2	E-commerce Project Web Site Health Check	User is able to Open the browser, navigate to the URL and Search for Product	3	3	0	0	40.207 s
3	Search Feature	User is able to filter the search based on price	3	0	1	2	41.773 s
4	ProductDetails	User is click on the Product and check the Product Details	4	1	1	2	41.672 s

DETAILED SECTION

(F)- E-commerce Project Web Site Health Check

PASSED	DURATION - 1 m 17.861 s	Scenarios		Steps	
		Total - 2		Total - 4	
/ 2:37:47.584 PM	1 // 2:39:05.445 PM /	Pass - 2	2	Pass - 4	4
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


-- 4 --

(S)- Navigation to the URL




#	Step / Hook Details	Status	Duration
1	Given User navigated to the home application url	PASSED	22.870 s
	Browser navigated to URL: https://amazon.in		
	AFTER - com.vit.StepDefs.Hooks.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.008 s
	Test case is passed, no screen shot captured		
	AFTER - com.vit.StepDefs.Hooks.cleanUp(io.cucumber.java.Scenario)	PASSED	1.634 s
	Browser Closed		

(S)- User is able to Open the browser, navigate to the URL and Search for Product




#	Step / Hook Details	Status	Duration
1	Given User open the browser	PASSED	14.167 s
	Browser navigated to URL: https://amazon.in		
2	When User Search for product "Laptop"	PASSED	9.351 s
	Product Searched: Laptop		
3	Then Search Result page is displayed	PASSED	0.424 s
	AFTER - com.vit.StepDefs.Hooks.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.000 s
	Test case is passed, no screen shot captured		
	AFTER - com.vit.StepDefs.Hooks.cleanUp(io.cucumber.java.Scenario)	PASSED	2.222 s
	Browser Closed		

(F)- Search Feature



DETAILED SECTION -- 6 --

(S)- User is able to filter the search based on price



#	Step / Hook Details	Status	Duration
1	Given User search for a Product as "Laptop"	FAILED	24.031 s
	Browser navigated to URL: https://amazon.in		
	Browser navigated to URL: https://amazon.in org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ASUS', ip: '192.168.1.104', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0_191' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 91.0.4472.114, chrome: {chromedriverVersion: 91.0.4472.101 (af52a90bf870, userDataDir: C:\Users\REENA\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57798}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5a8f797bfff6f28cae9692d23ed70c45 *** Element info: {Using=id, value=twotabsearchtextbox} at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.AccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:129) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:158) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:39) at org.openqa.selenium.remote.britp.CommandExecutor.execute(DriverCommandExecutor.java:38)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372)		
	at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:205)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java.203) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java.201)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java.201) at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java.201)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:641) at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:638)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at com.vit.pageobjects.CmnPageObjects.SetSearchTextBox(CmnPageObjects.java:35)		

#	Step / Hook Details	Status	Duration
	at com.vit.StepDefs.StepDefs1.user_search_for_product(StepDefs1.java:48) at com.vit.StepDefs.StepDefs1.user_search_for_a_product_as(StepDefs1.java:71) at ?.User search for a Product as "Laptop"(classpath:features/Search.feature:5) * Not displayable characters are replaced by '?'.		
2	When User enters minimum as "20000" and maximum as "50000" in the filter criteria	SKIPPED	0.000 s
3	Then User is able to see results with price between 20000 and 50000	SKIPPED	0.000 s
	AFTER - com.vit.StepDefs.Hooks.takeScreenShot(io.cucumber.java.Scenario)	FAILED	0.016 s
	java.lang.NullPointerException at com.vit.StepDefs.Hooks.takeScreenShot(Hooks.java:44)		
	AFTER - com.vit.StepDefs.Hooks.cleanUp(io.cucumber.java.Scenario)	FAILED	4.616 s
	org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:0:0:0:0:0:1:37567 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ASUS', ip: '192.168.1.104', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)		
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452)		
	at com.vit.core.TestContext.quitDriver(TestContext.java:25)		
	at com.vit.StepDefs.Hooks.cleanUp(Hooks.java:36)		
	Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:0:1:37567		
	at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247)		
	at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)		
	at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257)		
	at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135)		
	at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42)		
	at okhttp3.internal.com/ection:Com/ectinterceptor.intercept(Com/ectinterceptor.java.42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java.147)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)		
	at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)		
	at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)		
	at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)		
	at okhttp3.RealCall.execute(RealCall.java:77)		
	at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openga.seleman.remote.service.briverCommanuExecutor.execute(DriverCommanuExecutor.java.os)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)		
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452)		
	at com.vit.core.TestContext.quitDriver(TestContext.java:25)		
	at com.vit.StepDefs.Hooks.cleanUp(Hooks.java:36)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:110)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.apache.maven.surefire.junitcore.pc.Scheduler\$1.run(Scheduler.java:405)		
	at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:748)		
	Caused by: java.net.ConnectException: Connection refused: connect		
	at java.net.DualStackPlainSocketImpl.waitForConnect(Native Method)		
	at java.net.DualStackPlainSocketImpl.socketConnect(DualStackPlainSocketImpl.java:85)		


DETAILED SECTION -- 9 --

	Step / Hook Details	Status	Duration
at java.net.AbstractPlain	SocketImpl.doConnect(AbstractPlainSocketImpl.java:350) SocketImpl.connectToAddress(AbstractPlainSocketImpl.java:206) SocketImpl.connect(AbstractPlainSocketImpl.java:188)		
at java.net.SocksSocket at java.net.Socket.conne at okhttp3.internal.platfo	npl.connect(PlainSocketImpl.java:172) impl.connect(SocksSocketImpl.java:392) ict(Socket.java:589) im.Platform.connectSocket(Platform.java:129) iction.RealConnection.connectSocket(RealConnection.java:245)		

(F)- ProductDetails

FAILED	DURATION - 41.672 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 2:37:47.624 F	PM // 2:38:29.296 PM /	Pass - 0	1	Pass - 1	4
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- User is click on the Product and check the Product Details



#	Step / Hook Details	Status	Duration
1	Given User open the browser	PASSED	22.790 s
	Browser navigated to URL: https://amazon.in		
2	And User Search for product "earphone"	FAILED	1.241 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ASUS', ip: '192.168.1.104', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 91.0.4472.114, chrome: {chromedriverVersion: 91.0.4472.101 (af52a90bf870, userDataDir: C:\Users\REENA\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57798}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy:		

#	Step / Hook Details	Status	Duration
	normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5a8f797bfff6f28cae9692d23ed70c45 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(PolegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:255) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:285) at org.openqa.selenium.support.ui.ExpectedConditions.element!fVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:320) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:638) at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:638) at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:638) at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:638) at org.openqa.selenium.support.ui.FuentWait.until(FluentWait.java:249) at com.vit.pageobjects.CmnPageObjects.SetSearchTextBox(CmnPageObjects.java:35) at org.openqa.selenium.support.ui.FuentWait.un		
3	When User click on any product	SKIPPED	0.008 s
4	Then Product Description is displayed in new tab	SKIPPED	0.000 s
	AFTER - com.vit.StepDefs.Hooks.takeScreenShot(io.cucumber.java.Scenario) java.lang.NullPointerException at com.vit.StepDefs.Hooks.takeScreenShot(Hooks.java:44)	FAILED	0.008 s
	AFTER - com.vit.StepDefs.Hooks.cleanUp(io.cucumber.java.Scenario)	FAILED	4.531 s
	org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:0:0:0:1:37567 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ASUS', ip: '192.168.1.104', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:652) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:452) at com.vit.core.TestContext.quitDriver(TestContext.java:25) at com.vit.StepDefs.Hooks.cleanUp(Hooks.java:36)		

#	Step / Hook Details	Status	Duration
	Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:37567		
	at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247)		
	at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)		
	at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257)		
	at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135)		
	at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114)		
	at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)		
	at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)		
	at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)		
	at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)		
	at okhttp3.RealCall.execute(RealCall.java:77)		
	at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)		
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452)		
	at com.vit.core.TestContext.quitDriver(TestContext.java:25)		
	at com.vit.StepDefs.Hooks.cleanUp(Hooks.java:36)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:110)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.apache.maven.surefire.junitcore.pc.Scheduler\$1.run(Scheduler.java:405)		
	at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:748)		
	Caused by: java.net.ConnectException: Connection refused: connect		
	at java.net.DualStackPlainSocketImpl.waitForConnect(Native Method)		
	at java.net.DualStackPlainSocketImpl.socketConnect(DualStackPlainSocketImpl.java:85)		
	at java.net.AbstractPlainSocketImpl.doConnect(AbstractPlainSocketImpl.java:350)		
	at java.net.AbstractPlainSocketImpl.connectToAddress(AbstractPlainSocketImpl.java:206)		
	at java.net.AbstractPlainSocketImpl.connect(AbstractPlainSocketImpl.java:188)		
	at java.net.PlainSocketImpl.connect(PlainSocketImpl.java:172)		
	at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:392)		
	at java.net.Socket.connect(Socket.java:589)		
	at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129)		
	at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245)		