

The Pittsburgh template


A beamer theme based on metropolis

Ian Waudby-Smith

Institute

Pittsburgh, PA, USA

Collaborators



Collaborator 1
Carnegie Tech



Collaborator 2
Mellon Institute

Outline of demo presentation

1. An overview of the **pittsburgh** template
2. Some cool features

Outline of demo presentation

1. An overview of the **pittsburgh** template
2. Some cool features

What is the **pittsburgh** template?

pittsburgh is a beamer template based on the widely used **metropolis** theme.

It's called **pittsburgh** because Pittsburgh, PA is the metropolis where this was made.

Why?

I love the aesthetics of Apple's Keynote presentations on macOS
but

1. Keynote only runs on macOS and thus presentations are lost
when switching OSs,

Why?

I love the aesthetics of Apple's Keynote presentations on macOS
but

1. Keynote only runs on macOS and thus presentations are lost when switching OSs,
2. Its files tend to be quite large relative to their content, and

Why?

I love the aesthetics of Apple's Keynote presentations on macOS
but

1. Keynote only runs on macOS and thus presentations are lost when switching OSs,
2. Its files tend to be quite large relative to their content, and
3. Its math fonts don't match the L^AT_EX ones.

Why?

I love the aesthetics of Apple's Keynote presentations on macOS but

1. Keynote only runs on macOS and thus presentations are lost when switching OSs,
2. Its files tend to be quite large relative to their content, and
3. Its math fonts don't match the L^AT_EX ones.

Beamer fixes the above and **pittsburgh** attempts to carry over some of the slick design of Keynote.

Outline of demo presentation

1. An overview of the **pittsburgh** template
2. Some cool features

Cool feature I: *Pretty text boxes*

Contextual bandits (Langford & Zhang, '07)

For $t = 1, 2, \dots$:

Agent observes a context X_t (typically in $\mathbb{R}^d$).

Agent takes action $A_t \sim h_t(\cdot \mid X_t)$.

Agent observes reward R_t (typically in $\mathbb{R}$).

EndFor

Cool feature II: *Adjustable slide widths*

What if a particular sentence just barely fits in one line?

(Like the one above.) The `\widen` command allows you to dynamically widen or shrink the allowable width:

“What if a particular sentence just barely fits in one line?”

Have fun!

Appendix slide

Start the appendix with the `\appendixpg` command. Slide numbers will automatically enumerate as “A1”, “A2”, and so on.