Factory Assessment Report

Sustainable Compliance Initiative (SCI)

Companies that join the Fair Labor Association (FLA) agree to uphold the FLA Workplace Code of Conduct throughout their entire supply chain. The Code of Conduct is based on International Labour Organization (ILO) standards, and defines labor standards that aim to achieve decent and humane working conditions.

FLA member(s)	adidas - 3
Country	Indonesia
Assessment Date	6/23/2025
Assessment Company	Donny Triwandhani - 200000

Workforce Summary

Number of Workers	5316
Percentage female	89 %
Primary Languages	Bahasa Indonesia

Wage Data information

Monthly minimum wage in country at time of assessment	N/A
GLWC living wage benchmark for the country or relevant region at time of assessment	N/A

Assessment Summary

Violations per FLA Code Element	Violated Benchmarks
Nondiscrimination (ND)	1
Health, Safety And Environment (HSE)	21
Employment Relationship (ER)	14
Hours Of Work (HOW)	0
Harassment Or Abuse (HA)	0
Freedom Of Association And Collective Bargaining (FOA)	0
Forced Labor (F)	0
Child Labor (CL)	0
Compensation (C)	3

Violations per Category	Violated Benchmarks
Immediate Action Required	26
Sustainable Improvement Required	13
Uncorroborated Risk of Non-Compliance	0
Notable Feature	0

Assessment Results

Compensation (C)	
Benchmark ID	C.15.1
Benchmark Details	Employers shall provide workers a pay statement in languages understood by workers each pay period and not less frequently than once a month,
Finding Details	A pay slip with the breakdown of allowances, total overtime hours, overtime wage, and wage deduction for the last paycheck is not issued for terminated workers. The workers are only provided with a receipt for severance payment and another receipt for total last wage.
Recommendations for Immediate Action	Issue pay slip with detail of allowances, total overtime hours, overtime wage, wage deduction, and total net wage for last wage of terminated workers.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Regulation of the Minister of Manpower No. KEP-06/MEN (1990); Government Regulation No 36 Year 2021 Article 52

Benchmark ID	C.21.1
Benchmark Details	Employers shall provide all legally mandated benefits, including holidays, leave, bonuses, severance payments and 13th month payments to all eligible workers within legally defined time periods.
Finding Details	If workers resign from employment without notice, their last wages will only be calculated and paid if the workers come back to factory to return their ID badge and complete exit interview form.
Recommendations for Immediate Action	Calculate and pay final wages to workers' bank account at the next pay period after termination, without any delay and restriction, and ensure pending payment for all past terminated workers is paid.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Government Regulation No. 36 Year 2021 Article 53 (1); Law No. 13 on Manpower (2003), Article 168(1)

Benchmark ID	C.3.1.3
Benchmark Details	Where probationary employment is legally allowed, no workers shall work more than three months in this employment category.
Finding Details	A repeated 3-month probation period was found in the personal files of 2 workers with consecutive years of employment who had been promoted to supervisor level. For instance: A garment worker passed a 3-month probation period on November 1, 2010 and a letter confirming this worker's permanent employment status was issued, but the same worker received a work agreement for a 3-month probation period and confirmation of permanent employment status again on March 1, 2022. This worker has been working continuously at the factory since 2010. Factory HR staff explained that the second probation period was a probation period for the workers' new supervisor position.
Recommendations for Immediate Action	Ensure not to repeat probation period for employment when the worker had already been employed as a permanent workers. Create and use a specific probation period agreement for promotions.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Law No. 13 on Manpower (2003), Article 60 (1)

Employment Relationship (ER)

Benchmark ID	ER.18.1.1
Benchmark Details	The disciplinary system shall be applied in a fair and nondiscriminatory manner and include a management review of the actions by someone senior to the manager who imposed the disciplinary action.
Finding Details	Based on CBA Article 53 (disciplinary action level 1 on point 3), it is prohibited for male employees at the 'worker' level to have long hair. The text does not state the reason why only males should be prohibited to have long hair, nor does not specify how long is considered too long. This provision leads to discrimination since as the restriction is only applicable for men, and only applicable for the level of 'worker' while exempting leaders, supervisors, managers, staffers, etc.
Recommendations for Immediate Action	In consultation with the union/worker representatives, amend the CBA to ensure a fair and discrimination-free disciplinary system.

Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	

Benchmark ID	ER.18.4
Benchmark Details	The disciplinary system shall include a third party witness during imposition, and an appeal process.
Finding Details	The disciplinary procedures and implementation do not include workers' right to appeal the disciplinary action, nor workers' ability to have a third-party witness during the imposition of disciplinary actions.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.3.3
Benchmark Details	Workers should be provided with written documentation that substantiates all the issues covered in orientation briefings.
Finding Details	New workers do not receive written documentation that substantiates all the issues covered in orientation.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.4

Benchmark Details	Employers shall inform workers about workplace rules, environmental protection systems, health and safety information, and laws regarding workers' rights with respect to freedom of association, compensation, working hours, and any other legally required information, and the FLA Code through appropriate means, including posted in local language(s) throughout the workplace's common areas.
Finding Details	1. The factory does not have the FLA Code. 2. The factory does not regularly communicate to workers all available policies and procedures relevant to FLA's Code elements and Employment Functions.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.8
Benchmark Details	Employers shall have written policies and procedures with regard to promotion, demotion, and job reassignment that outline the criteria, demonstrate linkages to job grading, and prohibit discrimination or use of demotion or job reassignment as a form of penalty or punishment, are provided in writing and seek feedback from employees in writing, and follow all local legal requirements.
Finding Details	1. In practice, the factory does not follow its procedure on promotion. No promotion letter is issued to confirm worker's promotion, the increased pay rate, new responsibilities, etc. 2. When workers are promoted to higher positions, job descriptions are not issued to describe the new role in clear detail.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.19.1

Benchmark Details	Employers shall maintain on file all documentation needed to demonstrate compliance with the FLA Workplace Code and required laws.
Finding Details	1. New workers who have successfully completed a 3-month probation period are not provided with a proper appointment letter to confirm their permanent employment status. The factory only issues a letter confirming that they passed probation. 2. The assessment noted that employment agreements and confirmation letters are labelled as being signed by the HRD Manager, but the person signing them is actually a Recruitment Supervisor. Signing employment agreements is not in this supervisor's job description, and there is no power of attorney from the factory director to authorize the supervisor's signing of employment documents.
Recommendations for Immediate Action	1. Provide a separate appointment letter to confirm permanent employment status after workers passed probation period. 2. Ensure that employment agreements with workers are signed by at least an HR Manager who has legal authority from the director to sign the agreements.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Law No. 13 on Manpower (2003), Article 63

Benchmark ID	ER.1.1
Benchmark Details	Employers shall have in place written policies and practices and maintain proper and accurate records governing all aspects of employment from recruitment, hiring and probation, including written terms and conditions of employment, job descriptions, administration of compensation, and working hours for all positions, through to retrenchment and termination processes.
Finding Details	1. The recruitment procedures state (point 5.6) a requirement that security guard candidates be at least 165 cm tall for men and 160 cm tall for women. 2. The are policies and procedures governing all aspects of termination, but these do not include cases of retrenchment (large-scale layoffs).
Recommendations for Immediate Action	1. Ensure recruitment procedures and employment decisions are made solely on the basis of a person's qualifications (education, training, experience, demonstrated skills and/or abilities) as they relate to the inherent requirements of a particular job. 2. Establish policies and procedures governing all aspects of retrenchment.

Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Law No. 13 on Manpower (2003), Article 5

Benchmark ID	ER.6.1
Benchmark Details	Employers shall have written policies and procedures and implement practices that encourage ongoing training of all categories of workers with the goal of raising or broadening skills in order to advance in their careers within the factory or beyond.
Finding Details	There are no written policies and procedures on personnel development that encourage ongoing training with the goal of raising or broadening workers' skills so they can advance in their careers.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.5.1
Benchmark Details	Employers shall ensure that all supervisors are trained in national laws, workplace regulations, and the FLA Code, workplace grievance systems, and the appropriate practices to ensure compliance.
Finding Details	Specific supervisor trainings do not cover explanation of legal required leave, the factory's disciplinary system, the FLA Code, national laws, or workplace regulations.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.3.1

Benchmark Details	Employers shall provide an orientation to new employees at the time of hiring, which includes explanations of the employers' rules, compensation package and policies for human resources, grievance systems, industrial relations, including respect of the right to freedom of association, workers' rights and responsibilities, FLA Code of Conduct, health and safety, and environmental protection.
Finding Details	The orientation for new employees does not include explanations of legal required leave, industrial relations (to explain the bipartite committee), termination & retrenchment, disciplinary system, or the FLA Code of Conduct.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.7.1
Benchmark Details	Employers shall have written policies and procedures with regard to performance reviews that outline the review steps and process, demonstrate linkages to job grading, prohibit discrimination, are provided in writing and seek feedback and agreement/disagreement from employees in writing, and that follow all local legal requirements.
Finding Details	The procedures on performance reviews and implementation do not include delivering written feedback to workers. Moreover, the assessment found that the scores given by the direct supervisor who conducted the review do not follow the guidelines or parameters.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.17.1

Benchmark Details	Employers shall have a clear and transparent system of worker and management communication that enables workers to consult with and provide input to management. This might include suggestion boxes, worker committees, designated spaces for worker meetings, union representatives, and meetings between management and workers' representatives.
Finding Details	The assessment noted multiple inadequacies with the factory's grievance system: - The grievance boxes are only available in the building for sock production. There are none in the garment building. - The factory expects workers to use the WOVO application for grievances. However, at least 4 out of 9 factory teams who accompanied assessors did not have WOVO applications installed in their mobile phone. Some interviewed workers also experienced difficulties to access WOVO, stating a variety of reasons. - There are no records kept of the weekly process to open the grievance boxes and document how many grievances were found. - The grievance procedures regarding the process for checking the grievance box only mention that compliance staff should check the box. They do not require a separate party as witness. A witness should be present to verify the number of grievances obtained and in order to ensure the factory's commitment on nonretaliation and confidentiality. - There is no evidence that the resolution of grievances is communicated to workers, such as posting it on the notice boards.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.1.2
Benchmark Details	Employers shall assign responsibility for the administration of human resources to a clearly defined and adequately qualified staff member or staff members and ensure workers at all levels receive communication and training about existing policies and procedures or any revisions.

Finding Details	1. The workers and their families who live in the factory's dormitory do not receive specific health and safety/hygiene training, only an emergency evacuation drill. 2. The ongoing training that was conducted for workers lacks effectiveness. These trainings are in the form of a short 5-minute morning briefing in the production area. These are conducted by supervisors in each department. The training should be delivered by an adequately qualified staff member. In addition, the training material does not cover personnel development, termination & retrenchment.
Recommendations for Immediate Action	Conduct specific training on health & safety and hygiene to workers and their families who staying in factory's dormitory.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Act No. 1 on Safety (1970), Art. 9(3)

Benchmark ID	ER.1.3
Benchmark Details	Employers should implement an annual, review process with input from workers of all policies, procedures and their implementation to ensure they meet legal requirements and the FLA Workplace Code.
Finding Details	The factory has not established procedures to request and/or receive workers' input/feedback regarding the creation, implementation, and updating of its policies and procedures. Workers are neither systematically integrated nor consulted in decision-making processes.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Health, Safety And Environment (HSE)

Benchmark ID	HSE.14.1
Benchmark Details	All production machinery, equipment and tools shall be properly guarded and regularly maintained.

Finding Details	1. The factory has established a lockout-tagout (LOTO) procedure. However, the LOTO system is not consistently implemented. The factory does not have an inventory of machineries and equipment to identify which ones require LOTO and which LOTO device corresponds to each. There are no written records maintained for the use of the LOTO devices. 2. The factory has no measurement program to check the exposure of radiation equipment so as to provide the appropriate protection and signs in the garment production building.
Recommendations for Immediate Action	1. Consistently implement the lockout-tagout system. Create an inventory of machineries and equipment that require LOTO and specify which LOTO device is required for each. Maintain written records for the used of the lockout-tagout devices. 2. Establish measurement program to check the exposure of radiation equipment. Provide appropriate protection and signs in the garment production building.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Minister of Labor Regulation No. Per-04/Men on Power and Production Machinery (1985), Article 135 (1); Regulation No. PER-01/MEN on Safety and Health in The Building Construction (1980), Article 43

Benchmark ID	HSE.30.2.4
Benchmark Details	The health, safety, and environmental policies shall contain the framework for a comprehensive health, safety, and environmental management system including a HS&E risk assessment within which the following are clear and regularly tested and reviewed: procedures that enable workers to raise health, safety, and environmental concerns.
Finding Details	1. There are no written procedures or record-keeping for workers to raise health, safety and environment concerns. 2. Records of near-misses or averted incidents are not maintained.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	HSE.5.1
Benchmark Details	All applicable, legally required or recommended elements of safe evacuation shall be complied with, including all of the following elements: posting evacuation plans; the installation and maintenance of fire alarms; the installation and maintenance of emergency lighting; ensuring aisles/exits are not blocked and that workers are not blocked within their workstations; employee education and training; and evacuation procedures and fire drills.
Finding Details	The secondary emergency exits on each floor of the canteen (3 floors) and the parking building are not marked with an emergency exit sign.
Recommendations for Immediate Action	Ensure all secondary emergency exits are marked with an emergency exit sign.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Regulation of the Minister of Labour No. 7 (1964), Article 13 (4); Ministerial Decree of Public Works No. 10/KPTS on Technical Security Provisions of Fire Hazard in Buildings and Environment (2000), Annex Chapter V, Article 7 (6)

Benchmark ID	HSE.18.2
Benchmark Details	Medical staff shall be fully licensed and recognized under applicable national rules and regulations.
Finding Details	The facility has 18 company paramedics (Doctors and Nurses). However, 9 out of these 18 have not obtained HYPERKES (Hygiene, Factory, Health and Safety) certification, which is required under local law.
Recommendations for Immediate Action	Ensure all paramedics have up-to-date HYPERKES certifications and maintain records to the effect.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Labor Minister Regulation No. PER-01/MEN/1979 on Obligation of HYPERKES (Hygiene, Factory, Health and Safety) Training for the Company's Paramedics, Article 1

Benchmark ID	HSE.28

Benchmark Details	Employers shall create a system to ensure that all necessary Health and Safety protections are provided for external contractors; including protection when working within , confined spaces, maintenance issues, and general Health and Safety Issues.
Finding Details	The factory does not provide written safety information to contractors and visitors entering the factory area.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	HSE.29
Benchmark Details	Employers shall provide all necessary protection for workers when working at heights, confined spaces, and other high-risk areas.
Finding Details	1. Although the factory has established a procedure for safety in confined spaces, there is not a central list of applicable confined spaces. See "Recommendations for Immediate Action" for the required components. 2. In practice, staff do not follow the procedures for safety in confined spaces. Steps related to ensuring safe atmosphere, having rescue equipment ready to use, and having a trained observer present are neglected. 3. The factory does not provide a safety rod (non-conducting material to separate someone being electrocuted from the source) near the electrical transformer and other high-frequency electrical equipment.

Recommendations for Immediate Action	1. Maintain an inventory for confined spaces which covers: a. All confined spaces that require permission/authorization to enter, b. The responsibilities of entrants, supervisors, and attendants. c. Requirements that key information be recorded when spaces are entered (the space being entered; purpose, date and duration of work; entry date and time; the entrants, attendants, and entry supervisors present; rescue and emergency requirements; and communication procedures for attendants and entrants). d. Annual calibration and pre-entry self-calibration of all monitoring and test equipment. e. Consistent documented process for confined space entry that is applicable to employees, contractors, and subcontractors. f. Requirements/definitions to distinguish which confined spaces require permission/authorization. 2. Follow the confined spaces safely procedures before entering confined spaces. 3. Provide a safety rod near the electrical transformer and other high frequency of electrical equipment.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	OHS Guidance for confined spaces by Directorate of OHS Norm Supervisory, September 2006 Article 2.1.2; PUIL 2000 Article 9.9.1.1

Benchmark ID	HSE.30.2.6
Benchmark Details	The health, safety, and environmental policies shall contain the framework for a comprehensive health, safety, and environmental management system including a HS&E risk assessment within which the following are clear and regularly tested and reviewed:protections to workers who allege health, safety, and environmental violations;
Finding Details	1. The risk assessment does not include all potential hazards and exposures, such as radiation and exposure of laser machine. 2. There are no written procedures on the protection against retaliation for workers who raise health, safety or environment concerns.
Recommendations for Immediate Action	Include all potential hazards and exposures of laser machine when conducting the risk assessment.
Recommendations for Sustainable Improvement	

Compliance Classifications	Immediate Action Required
Local Law	Government Regulation No. 50 on Implementation of Management System Occupational Health and Safety (2012), Article 7 (2a)

Benchmark ID	HSE.5.1.2
Benchmark Details	All applicable, legally required or recommended elements of safe evacuation shall be complied with, including all the following elements: installation and maintenance of fire alarms;
Finding Details	1. The factory has installed a centralized emergency alarm and fire detection system in the buildings. However, the factory has not installed sufficient smoke or heat detectors in several production areas nor in the warehouse of both the sock and garment buildings. 2. During the site tour, the assessment noted that some alarm buttons are not easily accessible. The alarm button in the sock building is partially obstructed by PPE boxes. For the button in the sock material warehouse, there is no sign indicating its location.
Recommendations for Immediate Action	1. Install adequate smoke or heat detectors throughout the premises. 2. Ensure all alarm buttons are easily accessible and clearly labeled.
Recommendations for Sustainable Improvement	

Compliance Classifications	Immediate Action Required
Local Law	Regulation of the Minister of Mapower No. PER-02/MEN on Automatic Fire Alarm Installations (1983), Article 11

Benchmark ID	HSE.5.1.6
Benchmark Details	All applicable, legally required or recommended elements of safe evacuation shall be complied with, including all the following elements: evacuation procedures and fire drills
Finding Details	There is no assessment after evacuation drills to learn how to improve the evacuation process.
Recommendations for Immediate Action	Conduct assessment after the drill to learn how to improve the evacuation process.
Recommendations for Sustainable Improvement	

Compliance Classifications	Immediate Action Required
Local Law	

Benchmark ID	HSE.9.1
Benchmark Details	All chemicals and hazardous substances shall be properly labeled and stored in secure and ventilated areas and disposed of in a safe and legal manner, in accordance with applicable laws and international standards.
Finding Details	1. Spill response equipment is not available at the fuel filling point near the sock building. The assessment observed indications of spills in the fuel filling area that were not cleaned properly. 2. The fuel storage tank is located side-by-side with the electrical transformer room. The concrete wall does not provide sufficient separation. 3. The factory does not maintain documented information on all storage tanks (AST & UST) that shows type, age (years in use), location, size, current contents, and amount stored.
Recommendations for Immediate Action	1. Provide spill response equipment in the fuel filling point near the sock building. 2. Ensure there is sufficient or full separatation between the area for fuel storage tank and the electrical transformer room. 3. Maintain documented information on all storage tanks (AST & UST) (e.g. an inventory) that shows type, age (years in use), location, size, current contents and amount stored.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Decree No. KEP-01/BAEPEDAL/09 on the Storage of hazardous materials (1995) Appendix 5D, Article 2.2 (b5)

Benchmark ID	HSE.26
Benchmark Details	All dormitory facilities must be structurally sound, in good repair, and located separately from production, warehouse and hazardous chemical storage areas.
Finding Details	1 out of 2 dormitory buildings for staff is not adequately separated from the production building. This dormitory building does not have fencing to separate itself from the yarn/textile unit's production building.
Recommendations for Immediate Action	Ensure there is adequate separation, such as fencing, between production buildings and dormitory building.
Recommendations for Sustainable Improvement	

Compliance Classifications	Immediate Action Required
Local Law	

Benchmark ID	HSE.25.1.1
Benchmark Details	All dormitories shall be kept secure, clean, and have safety provisions (e.g. fire extinguishers, first aid kits, unobstructed emergency exits, emergency lighting).
Finding Details	1. Access to the factory's onsite dormitories is not physically separated from the access to the production building. Currently, the dormitories are accessed through the factory building, where heavy machinery, production processes, and vehicles are present. This poses a health and safety risk to the residents of the dormitories including workers' family members (children, spouses, parents). 2. Alarm systems are not installed in 1 out of 2 dormitory buildings/blocks. 3. The dormitory building is not maintained in a clean and sanitary condition.
Recommendations for Immediate Action	1. Ensure that dormitories are accessible through a different path than the production building. 2. Ensure all dormitory buildings are installed with alarm system and that the system functions at all times. 3. Maintain cleanliness and sanitation in dormitories.
Recommendations for Sustainable Improvement	

Compliance Classifications	Immediate Action Required
Local Law	Government Regulation No. 36 on Building (2005), Article 59

Benchmark ID	HSE.23.1
Benchmark Details	Safe and clean drinking water shall be freely available at all times, within reasonable distance of the workplace. Drinking water shall be of a reasonable temperature. The means to drink water (e.g. cups) must be safe and sanitary and available in an appropriate number.
Finding Details	1. The factory provides a drinking water dispenser, but no cups or bottles to fill. Approx. 60% of workers in the socks building and 20% of workers in the garment building currently re-use disposable plastic water bottles to hold water. This is not hygienic, as reusing these bottles is not recommended due to potential health risks like bacterial contamination and chemical leaching. 2. The drinking water station is located in front of the main electrical panel room in the socks building.

Recommendations for Immediate Action	1. Post signs to discourage re-filling single-use plastic bottles. Consider providing alternative means such as washable cups or disposable single-use cups. 2. Place the drinking water station at a location free from any dangers/hazards and where it will not obstruct important installations.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Kepmenperind No 705 Year 2003 Article 9

Benchmark ID	HSE.1
Benchmark Details	Employers shall comply with all national laws, regulations and procedures concerning health, safety, and the environment.
Finding Details	1. The factory has conducted a general fire risk assessment as part of the health and safety assessment. However, it does not sufficiently cover certain fire risk factors factors or assess emergency actions in light of the actual conditions of the facility. Missing factors that are not considered include the following: - Factory's structure of each area (size, layout, building materials. For example: The building's layout can significantly impact fire spread and severity). - Storage materials or equipment such combustible, flammable, electrical, etc which related to the proper type of required fire safety equipment. - Workers' behavior, as well as relevant regulations and standards not stated on the fire risk assessment such as: the regulation of fire extinguishers in quantity, distance, etc. 2. The factory does not completely perform an asbestos exposure test within the facility premises or areas to ensure that workers are not exposed to asbestos. 3. The factory does not have written inventory of asbestos exposure within the facility including building materials, equipment components, etc.
Recommendations for Immediate Action	1. Ensure that the fire risk assessment sufficiently accounts for all risk factors of the factory's actual condition. 2. Conduct asbestos exposure test within the facility premises. 3. Establish written inventory of asbestos exposure within the facility includes the building materials, equipment components, etc.

Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	

Benchmark ID	HSE.7
Benchmark Details	Workers shall be provided at no cost with all the appropriate and necessary personal protective equipment (e.g. gloves, eye protection, hearing protection, respiratory protection) to effectively prevent unsafe exposure (e.g. inhalation or contact with solvent vapors, noise, dust) to health and safety hazards, including medical waste.
Finding Details	The factory does not correctly select the type of PPE for workers based on the identified hazards. For example, the protective clothing for the boiler operator is not sufficient to protect them from the hazards in the boiler work area.
Recommendations for Immediate Action	Provide the correct type of PPE to ensure that all PPE sufficiently protects workers.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Regulation No. PER-08/MEN/VII on Personal Protective Equipment (2010), Article 7

Benchmark ID	HSE.6.1
Benchmark Details	All safety and medical equipment (e.g. fire fighting equipment, first aid kits) shall be available in sufficient numbers throughout the workplace, maintained and stocked as prescribed, and easily accessible to workers.
Finding Details	The factory has installed firefighting equipment, fire hydrants, and sprinkler systems in the buildings. However, the installation of firefighting equipment is not sufficient. Particularly, there is no automatic firefighting equipment (thermatic fire extinguishers) in high-risk areas such as: transformer room, warehouse, etc.
Recommendations for Immediate Action	Install automatic firefighting equipment (thermatic fire extinguishers) in high-risk areas.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required

Local Law	Ministerial Decree of Public Works No. 10/KPTS on Technical Security Provisions of Fire Hazard in Buildings and Environment (2000), Annex Chapter V, Article 4 (1)

Benchmark ID	HSE.13
Benchmark Details	All necessary ventilation, plumbing, electrical, noise and lighting services shall be installed and maintained to conform to applicable laws and to prevent or minimize hazardous conditions to workers in the facility.
Finding Details	The factory has no written safety review/evaluation for the electrical installation and electrical safety system in high-risk areas. These areas include non-GFCI outlets in washing area, electrical cords in the flammable material areas, and the storage area for combustible materials.
Recommendations for Immediate Action	Conduct review or evaluation on the condition of the electrical installations and electrical safety installations in all high risk areas.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Labor Minister Decree No. KEP-75/MEN (2002), Article 2; Government Regulation No. 36 on Building (2005), Article 36

Benchmark ID	HSE.16
Benchmark Details	Workers shall not suffer any negative consequences for refusing to work with machinery, equipment or tools that are not properly guarded or reasonably considered unsafe.
Finding Details	The factory does not have written procedures to ensure that workers are able to refuse to work under unsafe conditions and that workers who do so are protected from negative consequences.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	HSE.14.2
Benchmark Details	Workers shall receive training in the proper use and safe operation of machinery, equipment and tools they use.

Finding Details	The workers with special/high-risk responsibilities such as those working with laser, radiation, and hazardous energy are not trained on the relevant safety programs for these tasks.
Recommendations for Immediate Action	Conduct training on specific safety issues for workers with special/high-risk responsibilities including workers working with laser, radiation, and hazardous energy.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Regulation No. PER-01/MEN on Safety and Health in The Building Construction (1980), Article 44

Benchmark ID	HSE.5.3
Benchmark Details	Alarm systems shall be regularly tested and evacuation drills shall be undertaken at least annually.
Finding Details	The factory has conducted an evacuation drill at least 3 times per year for all shifts. However, a full evacuation drill of all departments is not conducted. All shifts should conduct at least one drill per year that is a full evacuation, involving all departments, to simulate such an incident.
Recommendations for Immediate Action	Ensure an evacuation drill is conducted involving all departments all buildings.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Act No. 1 on Safety (1970), Article 9(3)

Benchmark ID	HSE.14.3
Benchmark Details	Employers shall ensure safety instructions are either displayed or posted near all machinery or are readily accessible to the workers in language(s) spoken by workers.
Finding Details	1. The factory has not consistently maintained detailed records of machine safety assessments and safe functioning checks. For instance, written records of machine checks for the boiler and for the laser machine were not available. 2. The factory does not provide signs to identify the areas and equipments with lasers. 3. The factory has not developed written procedures on laser safety.

Recommendations for Immediate Action	1. For all machines, maintain detailed records of machine safety assessments and safety function checks. 2. Post signs and identification for the areas and equipment involving lasers. 3. Develop written laser safety procedures.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Minister of Labor Regulation No. Per-04/Men on Power and Production Machinery (1985), Article 135 (1)

Nondiscrimination (ND)	
Benchmark ID	ND.12
Benchmark Details	Employers shall take measures to reasonably accommodate workers with (chronic) illnesses, including HIV/AIDS-related illnesses, which could include rearrangement of working time, the provision of special equipment, opportunities for rest breaks, time-off for medical appointments, flexible sick leave, part-time work and return-to-work arrangements.
Finding Details	The assessment found no indication that follow-up actions (provide proper accommodation and treatment) are taken for workers who are identified with chronic illnesses such as Tuberculosis during the annual medical check-up.
Recommendations for Immediate Action	Take follow-up action to provide workplace accommodations and treatment for workers who are identified with chronic illnesses during the annual medical check-up. Maintain records and documentation.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	