Factory Assessment Report

Sustainable Compliance Initiative (SCI)

Companies that join the Fair Labor Association (FLA) agree to uphold the FLA Workplace Code of Conduct throughout their entire supply chain. The Code of Conduct is based on International Labour Organization (ILO) standards, and defines labor standards that aim to achieve decent and humane working conditions.

FLA member(s)	PUMA SE - 68
Country	Cambodia
Assessment Date	8/7/2025
Assessment Company	SCSA - 200008

Workforce Summary

Number of Workers	2499
Percentage female	80 %
Primary Languages	Khmer, English, Chinese

Wage Data information

Monthly minimum wage in country at time of assessment	The legal monthly minimum wage in Cambodia in 2024 is 204 USD.
GLWC living wage benchmark for the country or relevant region at time of assessment	The GLWC living wage gross benchmark for Urban Cambodia in 2024 is 232 USD.

Assessment Summary

Violations per FLA Code Element	Violated Benchmarks
Nondiscrimination (ND)	0
Health, Safety And Environment (HSE)	21
Employment Relationship (ER)	13
Hours Of Work (HOW)	2
Harassment Or Abuse (HA)	0
Freedom Of Association And Collective Bargaining (FOA)	1
Forced Labor (F)	0
Child Labor (CL)	0
Compensation (C)	2

Violations per Category	Violated Benchmarks
Immediate Action Required	21
Sustainable Improvement Required	18
Uncorroborated Risk of Non-Compliance	0
Notable Feature	0

Assessment Results

Compensation (C)	
Benchmark ID	C.25.2
Benchmark Details	Advances shall only be made following clearly established rules which have been communicated to workers.
Finding Details	It was noted that the factory did not establish and communicate a written policy and procedure on wage advance to workers.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	C.17
Benchmark Details	Employers shall ensure that all legally required payroll documents, journals and reports are available, complete, accurate and up-to date.
Finding Details	It was noted that the factory hired security personnel from a 3rd party outsourced company, the factory could not provide payroll records and time cards of the security personnel for review.
Recommendations for Immediate Action	Factory shall keep payroll and time records of all workers, including the outsourced company, and make ready for review.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	In accordance with Labor Law, chapter v, article 39: Every employer of an enterprise or establishment covered by Article 17 above shall constantly keep a payroll ledger whose format shall be set by a Prakas of the Ministry in charge of Labor. Before being used, all the pages of the payroll ledger must be numbered and initialed by the Labor Inspector. The payroll ledger must be kept in the Bureau of Cashier or Head Office of each enterprise so that it is readily available for inspections. The employer shall keep the payroll ledger for three years after it has been closed. The Labor Inspector may require to see the payroll ledger at any time

Employment Relationship (ER)	
Benchmark ID	ER.17.5
Benchmark Details	Employers shall have in place procedures to track the number, types, and timing and resolution of grievances, and to communicate the resolution of grievances to the workforce.
Finding Details	1/ It was noted that there is no evidence that management reviews complaints and grievances, and takes appropriate action. There is no tracking system of grievance and there is no grievance register maintained by the factory.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.18.3.4
Benchmark Details	Records of disciplinary action must be maintained in the worker's personnel file.
Finding Details	It was noted that the factory did not keep disciplinary records in workers' personnel files.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.4
Benchmark Details	Employers shall inform workers about workplace rules, environmental protection systems, health and safety information, and laws regarding workers' rights with respect to freedom of association, compensation, working hours, and any other legally required information, and the FLA Code through appropriate means, including posted in local language(s) throughout the workplace's common areas.
Finding Details	1/ The factory did not regularly communicate to workers on all FLA's Code elements and Employment Functions. 2/ It was noted that the factory did not post FLA Code of Conduct at the workplace.

Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.8
Benchmark Details	Employers shall have written policies and procedures with regard to promotion, demotion, and job reassignment that outline the criteria, demonstrate linkages to job grading, and prohibit discrimination or use of demotion or job reassignment as a form of penalty or punishment, are provided in writing and seek feedback from employees in writing, and follow all local legal requirements.
Finding Details	It was noted that there is no written policy and procedure on promotion, demotion, or job reassignment.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.19.1
Benchmark Details	Employers shall maintain on file all documentation needed to demonstrate compliance with the FLA Workplace Code and required laws.
Finding Details	1/ It was noted that the factory did not post FLA code of conduct or company code of conduct at the workplace. 2/ It was noted that the factory does not obtain fire permit/fire license from the concerned department.
Recommendations for Immediate Action	1/ Factory shall post FLA code of conduct in Khmer language. 2/ Factory shall take necessary steps to obtain fire license/fire permit from the concern department to comply with law requirement.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required

Local Law	Law on Fire Prevention and Fire Fighting No. NS/RKM/0613/007. Article 19Inspection and issue of certification on quality, effectiveness of prevention and fire fighting system to locations is made for a period of 2 years. If necessary the owner of location can request for a review before expiration of the certificate. The form and procedure of inspection, qualification certificate, effectiveness of prevention and fire fighting system are determined by Prakas of Minister of Ministry of Interior.

Benchmark ID	ER.1.1
Benchmark Details	Employers shall have in place written policies and practices and maintain proper and accurate records governing all aspects of employment from recruitment, hiring and probation, including written terms and conditions of employment, job descriptions, administration of compensation, and working hours for all positions, through to retrenchment and termination processes.
Finding Details	1/ It was noted that the factory did not prepare a job description for each position of the workers. 2/ It was noted that there were no written policies and procedures on personnel development that encourage ongoing training with the goal of raising or broadening workers' skills so they can advance in their careers. 3/ It was noted written child policy/ procedure and procedure of child labor was available but lacked details - such as the remediation procedure in case of any child labor was accidentally hired. 4/ It was noted that the factory did not have policies and procedures governing all aspects of retrenchment
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.6.1
Benchmark Details	Employers shall have written policies and procedures and implement practices that encourage ongoing training of all categories of workers with the goal of raising or broadening skills in order to advance in their careers within the factory or beyond.
Finding Details	It was noted there is no written policies and procedures on personnel development that encourage ongoing training with the goal of raising or broadening workers' skills so they can advance in their careers.

Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.5.1
Benchmark Details	Employers shall ensure that all supervisors are trained in national laws, workplace regulations, and the FLA Code, workplace grievance systems, and the appropriate practices to ensure compliance.
Finding Details	It was noted that the factory did not provide any specific training to all supervisors and managers on FLA Code of Conduct.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.3.1
Benchmark Details	Employers shall provide an orientation to new employees at the time of hiring, which includes explanations of the employers' rules, compensation package and policies for human resources, grievance systems, industrial relations, including respect of the right to freedom of association, workers' rights and responsibilities, FLA Code of Conduct, health and safety, and environmental protection.
Finding Details	It was noted that the factory did not provide any orientation or induction training to newly joined workers on FLA code of conduct, as well as company's own code of conduct.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.7.1
Benchmark Details	Employers shall have written policies and procedures with regard to performance reviews that outline the review steps and process, demonstrate linkages to job grading, prohibit discrimination, are provided in writing and seek feedback and agreement/disagreement from employees in writing, and that follow all local legal requirements.
Finding Details	1/ It was noted that there is no written policies and procedures on performance reviews that include steps and processes, linkages to job grading, nondiscrimination, written feedback, and compliance with legal requirement. 2/ It was noted the factory does not conduct performance review of workers.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.17.1
Benchmark Details	Employers shall have a clear and transparent system of worker and management communication that enables workers to consult with and provide input to management. This might include suggestion boxes, worker committees, designated spaces for worker meetings, union representatives, and meetings between management and workers' representatives.
Finding Details	It was noted that there is no tracking system of grievances and there is no grievance registry maintained by the factory. The factory has only a grievance policy and procedure.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.1.2
Benchmark Details	Employers shall assign responsibility for the administration of human resources to a clearly defined and adequately qualified staff member or staff members and ensure workers at all levels receive communication and training about existing policies and procedures or any revisions.

Finding Details	It was noted that the factory did not provide any ongoing training to all workers on FLA code of conduct or company code of conduct.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.1.3
Benchmark Details	Employers should implement an annual, review process with input from workers of all policies, procedures and their implementation to ensure they meet legal requirements and the FLA Workplace Code.
Finding Details	It was noted that the factory did not review each policy and procedure at least annually, for example, abuse & harassment and non-discrimination policy and procedure were found last updated on January 15, 2024 which is already overdue for more than one year.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Health, Safety And Environment (HSE)

Benchmark ID	HSE.30.2
Benchmark Details	The health, safety, and environmental policies shall contain the framework for a comprehensive health, safety, and environmental management system within which the following are clear and regularly tested and reviewed; procedures for reporting death, injury, illness and other health and safety issues (for instance, near-miss accidents) and environmental emergencies
Finding Details	It was noted that the factory tracks all accidents and injuries, but there is no accident and injury investigation conducted by the factory to identify the root cause.
Recommendations for Immediate Action	

Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	HSE.14.1
Benchmark Details	All production machinery, equipment and tools shall be properly guarded and regularly maintained.
Finding Details	1/ It was noted that at least 5% of machine operators did not use the eye shields installed and for high-speed machines at least 10% of needle guards were installed too high. 2/ It was noted that there is no lightning protection system (LPS) in place at the factory. No LPS installed at the factory to protect building from the negative impact of thundering. 3/ It was noted that five compress gas cylinders found at the dormitory kitchen without proper chained, a safety label, and a warning sign. 4/ It was noted that the factory did not implement a complete logout- tagout maintenance system for all relevant equipment. 5/ There is no speed limit of vehicles posted inside of the factory premise. 6/ It was noted that vehicles moved inside the factory, but there was no traffic lane and walk path clearly marked at the entrance & exit gate and inside the factory premises. 7/ It was noted that there is no functional and appropriate guard, shields or other appropriate protective measures provided for at least four laser cutting machines
Recommendations for Immediate Action	1/ Factory shall re-train workers to use machine safety guard properly and ensure the needle guards are properly installed to ensure their own safety. 2/ Factory shall install sufficient number of lightning protection system (LPS) at the workplace. 3/ Factory shall store compressed gas cylinders with proper manner, properly chained, and post safety warnings & signs. 4/ Factory shall implement a complete logout- tagout maintenance system for all relevant equipment. 5/ Factory shall post speed limit of vehicle inside of the factory premise. 6/ Factory shall mark traffic lane and walk path clearly in the facility. 7/ Shall provide functional and appropriate guard, shields or other appropriate protective measures for workers using laser cutting machines.
Recommendations for Sustainable Improvement	

Compliance Classifications	Immediate Action Required
Local Law	In accordance with Labor Law, Chapter VIII, section I, article 229: All establishments and work places must always be kept clean and must maintain standards of hygiene and sanitation or generally must maintain the working conditions necessary for the health of the workers. In accordance with Labor Law, chapter VIII, section I, article 230: All establishments and work places must be set up to guarantee the safety of workers. Machinery, mechanisms, transmission apparatus, tools, equipment and machines must be installed and maintained in the best possible safety conditions. Management of technical work utilizing tools, equipment, machines, or products used must be organized properly for guaranteeing the safety of workers.

Benchmark ID	HSE.5.1
Benchmark Details	All applicable, legally required or recommended elements of safe evacuation shall be complied with, including all of the following elements: posting evacuation plans; the installation and maintenance of fire alarms; the installation and maintenance of emergency lighting; ensuring aisles/exits are not blocked and that workers are not blocked within their workstations; employee education and training; and evacuation procedures and fire drills.

Finding Details	1/ It was noted that the factory had posted no smoking sign without specifying the periphery distance, which should be within 50 feet (15 meters) of the building premise, entrance & exit gate, waste storage area, chemical storage area, utility area and operable windows and all closed areas. 2/ It was noted that there is no exit sign posted for at least 15 designated exits, such as in laboratory room, workers dining hall, glue warehouse, ink warehouse, one exit of cutting section of building C, kitchen room, management staff dining hall, medical center, generator & compressor room and meeting room. 3/ It was noted that there is no fire resistant smoke sealed exit door provided at the exits of the generator room, compressor room, mold warehouse, material warehouse, one exit of cutting section of building C, maintenance store and finished goods warehouse. 4/ It was noted that the factory installed inward open exit door for the exits of finished goods warehouse at the mezzanine floor of the building M, two exits of empty carton warehouse at the mezzanine floor of the building A and one exit of central office of the ground floor of the dormitory building. In addition, a sliding exit door was provided at the exit of mold warehouse and laboratory office. 5/ It was noted that there is not exit directional floor marking on at least one passage way in last warehouse, two passage ways of stitching area, two passage ways of material warehouse , two passage ways of finished goods warehouse and two passage ways of the workers dining hall. In addition, aisle floor marking was found faded for at least two passage ways of cutting section, three passage ways of assemble areas & two passage ways of stitching areas. Besides, there is no evacuation plan
Recommendations for Immediate Action	1/ Factory shall prohibit smoking within 15 meters of the factory premises. 2/ Factory shall install exit signs at designated exits. 3/ Factory shall install fire resistance smoke sealed doors at all required areas. 4/ Factory shall provide outwardly open exit doors at all required exits. 5/ Factory shall provide exit directional arrow floor marking at all required areas and shall re-paint all faded aisles marking. Evacuation plot plan shall be available at all areas.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required

Local Law	In accordance with the Law on Administration of Factory and Handicraft (2006), Art. 26: Factory shall have fire-extinguishing system which includes: 1. Fire alarm system and fire extinguisher facilities. 2."Fire Caution" sign at necessary places. 3. At least two emergency exits at each floor. 4. Rescue ways for firefighting trucks. 5. Other escape means. 6. Compact plan for evacuation in emergency. In accordance with Labor Law, chapter VIII, section I, article 230: All establishments and work places must be set up to guarantee the safety of workers. Machinery, mechanisms, transmission apparatus, tools, equipment and machines must be installed and maintained in the best possible safety conditions. Management of technical work utilizing tools, equipment, machines, or products used must be organized properly for guaranteeing the safety of workers.

Benchmark ID	HSE.18.2
Benchmark Details	Medical staff shall be fully licensed and recognized under applicable national rules and regulations.
Finding Details	It was noted that factory has only one nurse at the medical center. As per legal requirement the factory should have one doctor and two nurses. However, the factory has made an agreement with a clinic outside where workers can get treatment in the clinic.
Recommendations for Immediate Action	Factory shall appoint full-time doctor and at least two nurses at the medical center to comply with the law.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	In accordance Labor Law , chapter VIII, section III, article 242: All enterprises and establishments covered by Article 238 of this law and employing at least fifty workers shall have a permanent infirmary on the premises of the establishment, workshop, or work site. This infirmary shall be run by a physician assisted by one or more male or female nurses, based on the number of workers. During working hours, both day and night, there shall always be at least one male or female nurse present.

Benchmark ID	HSE.28
Benchmark Details	Employers shall create a system to ensure that all necessary Health and Safety protections are provided for external contractors; including protection when working within , confined spaces, maintenance issues, and general Health and Safety Issues.
Finding Details	It was noted that the factory did not provide safety information to contractors.

Recommendations for Immediate Action	Factory shall provide safety information to the contractors.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	In accordance with Labor Law, chapter VIII, section I, article 230: All establishments and work places must be set up to guarantee the safety of workers. Machinery, mechanisms, transmission apparatus, tools, equipment and machines must be installed and maintained in the best possible safety conditions. Management of technical work utilizing tools, equipment, machines, or products used must be organized properly for guaranteeing the safety of worker.

Benchmark ID	HSE.30.2.6
Benchmark Details	The health, safety, and environmental policies shall contain the framework for a comprehensive health, safety, and environmental management system including a HS&E risk assessment within which the following are clear and regularly tested and reviewed:protections to workers who allege health, safety, and environmental violations;
Finding Details	It was noted that the factory has conducted risk assessment but it does not cover all areas. For example, there is no risk assessment conducted for the generator room, compressor room, sub-station room and kitchen.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	HSE.5.1.2
Benchmark Details	All applicable, legally required or recommended elements of safe evacuation shall be complied with, including all the following elements: installation and maintenance of fire alarms;
Finding Details	It was noted that there is no fire alarm & smoke detector installed in the workers dining hall and the factory installed cap to cover at least 20 smoke detectors at the finished goods warehouse. There is no PA system (public announcement system) installed in the factory.
Recommendations for Immediate Action	Factory shall install fire alarm, smoke detector and PA system at all required areas and shall remove caps from the smoke detectors.

Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	In accordance with the Law on Administration of Factory and Handicraft (2006), Art. 26: Factory shall have fire-extinguishing system which includes: 1. Fire alarm system and fire extinguisher facilities. 2."Fire Caution" sign at necessary places. 3. At least two emergency exits at each floor. 4. Rescue ways for firefighting trucks. 5. Other escape means. 6. Compact plan for evacuation in emergency. In accordance with Labor Law, chapter VIII, section I, article 230: All establishments and work places must be set up to guarantee the safety of workers. Machinery, mechanisms, transmission apparatus, tools, equipment and machines must be installed and maintained in the best possible safety conditions. Management of technical work utilizing tools, equipment, machines, or products used must be organized properly for guaranteeing the safety of workers.

Benchmark ID	HSE.5.1.4
Benchmark Details	All applicable, legally required or recommended elements of safe evacuation shall be complied with, including all the following: ensuring aisles/exits are not blocked and that workers are not blocked within their workstations
Finding Details	It was noted at least three aisles of stitching/sewing section, one aisle of mold warehouse, one aisle of empty cartoon warehouse, three aisles of cutting section and one aisle of printing section were found partially obstructed by goods, equipment, trolley and manual fork lift. In addition, workers evacuation passage routes were found partially obstructed by goods, equipment, machine and co-workers, such as in assembly area, quality inspection area, heat seal area packing area and stitching area.
Recommendations for Immediate Action	Factory shall ensure obstacle-free aisles and passage way for easy evacuation in case of any emergency.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required

Local Law	In accordance with Labor Law, chapter VIII, section I, article 230: All establishments and work places must be set up to guarantee the safety of workers. Machinery, mechanisms, transmission apparatus, tools, equipment and machines must be installed and maintained in the best possible safety conditions. Management of technical work utilizing tools, equipment, machines, or products used must be organized properly for guaranteeing the safety of workers.

Benchmark ID	HSE.5.1.6
Benchmark Details	All applicable, legally required or recommended elements of safe evacuation shall be complied with, including all the following elements: evacuation procedures and fire drills
Finding Details	It was noted the factory conducted fire evacuation drill bi-annually but there is no assessment conducted after the drill to learn how to improve the evacuation process.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	HSE.9.1
Benchmark Details	All chemicals and hazardous substances shall be properly labeled and stored in secure and ventilated areas and disposed of in a safe and legal manner, in accordance with applicable laws and international standards.
Finding Details	1/It was noted that the factory did not post safety labels for some chemicals (i.e., Contact cleaner, Arandure E620, Primer P- 129 FA/B, and PCX) as Globally Harmonized System (GHS) requirements. Furthermore, some safety labels of chemicals were in English language instead of the native language. In addition, there is no safety label posted on some chemical containers near the entrance & exit gate, generator room and production floor. 2/ Based on the site tour, it was noted that there is no secondary containment provided for some chemical containers, such as in the maintenance workshop, generator room and production floor. In addition, the factory did not ensure that secondary containment is of at least 110% of capacity for chemicals, such as in glue storage area and ink storage area.
Recommendations for Immediate Action	1/ Factory shall post safety label as per Globally Harmonized System (GHS) requirement with all chemical containers. 2/ Factory shall ensure proper secondary containment is available for chemical containers.

Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	In accordance with Labor Law, Chapter VIII, section I, article 229: All establishments and work places must always be kept clean and must maintain standards of hygiene and sanitation or generally must maintain the working conditions necessary for the health of the workers.

Benchmark ID	HSE.17.1
Benchmark Details	Workstations, including seating and standing arrangements and reach required to obtain tools, shall be designed and set-up in such a manner as to minimize bodily strains.
Finding Details	It was noted that there is no back support or rest seat provided for the long sitting workers of the stitching area and there is no anti-fatigue mat provided for the long standing workers of cutting, assemble, packing and quality section.
Recommendations for Immediate Action	Factory shall provide back support or back rest seat for the long sitting workers and anti-fatigue mat for the long standing workers.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	In accordance with Labor Law, Chapter VIII, section I, article 229: All establishments and work places must always be kept clean and must maintain standards of hygiene and sanitation or generally must maintain the working conditions necessary for the health of the workers.

Benchmark ID	HSE.1
Benchmark Details	Employers shall comply with all national laws, regulations and procedures concerning health, safety, and the environment.
Finding Details	1/ It was noted that different types of waste materials, such as chemical containers, metal scrap, cupboard, electrical waste, and food waste were improperly stored beside the maintenance workshop. 2/ It was noted that the factory keeps hazardous and non-hazardous waste (Chemical containers, metal scrap, cupboard, electrical waste, paper waste) together without ensuring proper segregation and labeling near to the maintenance workshop.
Recommendations for Immediate Action	1/ Factory shall store waste material materials with proper manner. 2/ Factory shall segregate hazardous waste and non-hazardous waste and store with proper labelling.

Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	In accordance with Labor Law, Chapter VIII, section I, article 229: All establishments and work places must always be kept clean and must maintain standards of hygiene and sanitation or generally must maintain the working conditions necessary for the health of the workers.

Benchmark ID	HSE.4.1
Benchmark Details	Employers shall at all times be in possession of all legally required and valid permits and certificates related to health, safety, and environmental issues, such as: Purchase and storage of chemicals; Fire safety inspections; Machinery inspections; Waste disposal; Environmental licenses/permits;Sanitation permits, including those required for canteens; and Vehicle inspection and driver permits for all employer provided transportation.
Finding Details	It was noted that all two electricians do not have a training certificate issued by the relevant department.
Recommendations for Immediate Action	Factory shall take necessary steps to arrange training for all electricians and get them certified.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Law on Administration of Factory and Handicraft Art. 30; Prakas 176/13, Prakas 307/07; Notice 2146/17, Notice 059/17

Benchmark ID	HSE.6.1
Benchmark Details	All safety and medical equipment (e.g. fire fighting equipment, first aid kits) shall be available in sufficient numbers throughout the workplace, maintained and stocked as prescribed, and easily accessible to workers.

Finding Details	1/ Based on site tour, below issues were identified: (i) Two fire hose racks and five fire extinguishers found partially obstructed by goods and equipment, such as at the production floor and workshop. (ii)There is no floor marking or non-obstacle sign posted on some firefighting equipment in the factory. (iii) There is no operating instruction posted on at least 45 fire extinguishers in Khmer language, such as empty carton storage area, finished goods warehouse , fabric warehouse, outsole warehouse, mold warehouse and production floor. (iv) At least 6 fire extinguishers were placed directly on the floor, such as in the printing section, cutting section, and assembly area. (v) There is only one fire extinguisher installed in the workers' dining hall with approximately total areas of 900 m2 at the campus 1. In addition, only one fire extinguisher was installed in the maintenance workshop for a total areas of 414 m2. There is no fire extinguisher installed in the workers dining hall of the campus 2. 2/ It was noted that there is no annual servicing record/recharging records of fire extinguisher found in at least 30 fire extinguishers, such as on production floor, material warehouse, finished goods warehouse, workers dining hall and workshop. In addition at least two fire extinguishers were found their recharging validity expired in 2016 and 2020.
Recommendations for Immediate Action	1/ Factory shall ensure all firefighting equipment are obstacle free, shall provide floor marking under firefighting equipment, shall post operating instruction of fire extinguisher in Khmer language, shall hang and install fire extinguisher properly and shall ensure sufficient fire extinguisher is installed at all required areas. 2/ Factory shall maintain annual servicing or recharging records of fire extinguishers and make sure that all fire extinguishers are serviced on time.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required

Local Law	In accordance with the Law on Administration of Factory and Handicraft (2006), Art. 26: Factory shall have fire-extinguishing system which includes: 1. Fire alarm system and fire extinguisher facilities. 2."Fire Caution" sign at necessary places. 3. At least two emergency exits at each floor. 4. Rescue ways for firefighting trucks. 5. Other escape means. 6. Compact plan for evacuation in emergency. In accordance with Labor Law, chapter VIII, section I, article 230: All establishments and work places must be set up to guarantee the safety of workers. Machinery, mechanisms, transmission apparatus, tools, equipment and machines must be installed and maintained in the best possible safety conditions. Management of technical work utilizing tools, equipment, machines, or products used must be organized properly for guaranteeing the safety of workers.

Benchmark ID	HSE.19
Benchmark Details	All facilities including workplace buildings, toilets, canteens, kitchens, and clinics, shall be kept clean and safe and be in compliance with all applicable laws, including relevant sanitation, medical, and safety and health regulations.
Finding Details	There is no hand drying system provided in the male toilets, and a non-hygienic environment (dirty and wet floor with bad smell) was observed in at least two male toilets.
Recommendations for Immediate Action	Factory shall provide hand drying system at the toilet and shall ensure hygienic environment at the toilet.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	In accordance with Labor Law, Chapter VIII, section I, article 229: All establishments and work places must always be kept clean and must maintain standards of hygiene and sanitation or generally must maintain the working conditions necessary for the health of the workers.

Benchmark ID	HSE.8
Benchmark Details	Workers shall be provided with training on the use and maintenance of personal protective equipment. Training shall be upon hire with periodic refresher training offered to all workers. Management will ensure use of PPE as necessary.
Finding Details	It was noted that at least 15% of workers in assemble section, printing section, stitching section and cutting section worked without face mask. In addition generator & compressor operators and cutting machine operators worked without wearing ear plug despite the noisy environment.
Recommendations for Immediate Action	Factory shall re-train workers to properly wear PPE with effective manner to ensure their own safety.

Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	In accordance with Prakas No. 125 dated on 15 June, 2001 by the Ministry of Labor: Article 4: If the technical mean or methods cannot decontaminate dangerous substance in the workplace, employer must provide each worker an appropriate personal protective equipment (PPE) and make sure those PPEs are properly used and maintained. In accordance with Labor Law, Chapter VIII, section I, article 229: All establishments and work places must always be kept clean and must maintain standards of hygiene and sanitation or generally must maintain the working conditions necessary for the health of the workers.

Benchmark ID	HSE.13
Benchmark Details	All necessary ventilation, plumbing, electrical, noise and lighting services shall be installed and maintained to conform to applicable laws and to prevent or minimize hazardous conditions to workers in the facility.
Finding Details	1/ There is no insulation mat provided for electrical panel boards throughout the factory, and there is no warning sign in the local language posted for at least four electrical on the production floor. In addition, at least two electrical panel boards were found partially obstructed. 2/ It was noted that there was insufficient emergency light on the production floor. There is no emergency light installed for at least 60% of aisles on the production floor as well as in the warehouse. In addition, there is no emergency light installed for at least five stairs in the workers' dining hall. 3/ It was noted that the factory did not conduct any assessments to determine the temperature of the electrical panels. 4/ It was noted that workplace temperature level exceeded the legal requirement of 32.C, such as, finished goods warehouse temperature was found at 35C, production building A was at 33 C and glue warehouse at 32.5 C
Recommendations for Immediate Action	1/ Factory shall provide insulation mat for all electrical panel boards, shall post warning signs for all electrical panel boards in the local language, and shall ensure all electrical panel boards are obstacle-free. 2/ Factory shall increase light level in the workplace to comply with the legal requirement. 3/ Shall conduct thermal scanning of electrical panel boards. 4/ Factory shall increase ventilation system at the workplace to reduce temperature level and comply with the legal requirement.

Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	In accordance with Labor Law, Chapter VIII, section I, article 229: All establishments and work places must always be kept clean and must maintain standards of hygiene and sanitation or generally must maintain the working conditions necessary for the health of the workers. In accordance with Labor Law, chapter VIII, section I, article 230: All establishments and work places must be set up to guarantee the safety of workers. Machinery, mechanisms, transmission apparatus, tools, equipment and machines must be installed and maintained in the best possible safety conditions. Management of technical work utilizing tools, equipment, machines, or products used must be organized properly for guaranteeing the safety of workers.

Benchmark ID	HSE.17.2
Benchmark Details	Employers shall train workers in proper lifting techniques, and items such as lifting belts shall be provided.
Finding Details	It was noted that the factory did not provide any training to workers on ergonomics, including lifting techniques.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	HSE.22.2
Benchmark Details	All workers handling food must be trained and/or certified to work in the facility preparing or serving food.
Finding Details	It was noted that the workers working in the canteen did not receive specific health and safety/hygiene training.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	HSE.18.2.1
Benchmark Details	An appropriate number of medical staff shall be on duty during all working hours, including any type of overtime, as required under national law.
Finding Details	1/ It was noted that there is no medical personnel available for overtime work after 2 hours and on Sunday. 2/ Insufficient first aid supplies observed for at least 10 first aid boxes in the production floor and dormitory. For example, no bandage, burn cream, Savlon cream etc. were found in the first aid box.
Recommendations for Immediate Action	1/ Factory shall ensure to have medical personnel for all working hours including Sunday and overtime hours. 2/ Factory shall ensure sufficient supplies are stocked in the first aid box.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Labor Law , article 242: All enterprises and establishments covered by Article 238 of this law and employing at least fifty workers shall have a permanent infirmary on the premises of the establishment, workshop, or work site. This infirmary shall be run by a physician assisted by one or more male or female nurses, based on the number of workers. During working hours, both day and night, there shall always be at least one male or female nurse present.

Benchmark ID	HSE.14.3
Benchmark Details	Employers shall ensure safety instructions are either displayed or posted near all machinery or are readily accessible to the workers in language(s) spoken by workers.
Finding Details	It was noted that the factory did not display safety instructions of some hazardous machine and equipment, such as auto cutter machine, compressor, generators, AC, laser cutting machine, heat seal machine, dryer machine, auto quilting machine, and printing machine in the local language. The factory posted safety instructions in English and Chinese. In addition, there is no warning sign posted next to exhaust fan throughout the factory.
Recommendations for Immediate Action	Factory shall display safety instructions of hazardous machine and equipment in Khmer language.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required

Local Law	In accordance with Labor Law, chapter VIII, section I, article 230: All establishments and work places must be set up to guarantee the safety of workers. Machinery, mechanisms, transmission apparatus, tools, equipment and machines must be installed and maintained in the best possible safety conditions. Management of technical work utilizing tools, equipment, machines, or products used must be organized properly for guaranteeing the safety of workers.

Hours Of Work (HOW)

Benchmark ID	HOW.21
Benchmark Details	Other than in exceptional circumstances, the total weekly work hours (regular work hours plus overtime including any alternative shifts such as 4x4 or 3x3) shall not exceed 60 hours per week.
Finding Details	It was noted that daily overtime hours of workers were from 2 to 8 hours and weekly working hours of workers also exceeded 60 hours to a maximum 74 hours for at least 60% of sampled workers such as: (i) June 1 to 7, 2025 total 70 hours & daily maximum overtime hours was 8 hours, May 4 to 10, 2025 total 74 hours & daily maximum overtime hours was 8 hours and April 20 to 26, 2025 total 74 hours & daily maximum overtime hours was 8 hours. (ii) March 16 to 22, 2025 total 74 hours & daily maximum overtime hours was 8 hours, February 17 to 23, 2025, total 66 hours & daily maximum overtime hours were 8 hours, and January 13 to 19, 2025, total 68 hours & daily maximum overtime hours were 8 hours. (iii) December 22 to 28, 2024, total 66 hours & daily maximum overtime hours were 8 hours, November 18 to 24, 2024, total 68 hours & daily maximum overtime hours were 8 hours, and October 20 to 26, 2024, total 66 hours & daily maximum overtime hours were 8 hours. (iv) September 15 to 22, 2024, total 66 hours & daily maximum overtime hours were 8 hours.
Recommendations for Immediate Action	Factory shall reduce excessive working hours and shall comply with legal requirements.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required

Local Law	In accordance with Labor Law, chapter VI, section II, article 139: In all establishments of any nature, whether they provide vocational training, or they are of a charitable nature or liberal profession, the number of hours worked by workers of either sex cannot exceed eight hours per day, or 48 hours per week. In accordance with Labor Law, chapter VI, section II, article 141 (4): Hours of work cannot exceed ten hours per day.

Benchmark ID	HOW.2
Benchmark Details	Workers shall be entitled to at least 24 consecutive hours of rest in every seven- day period. If workers must work on a rest day, an alternative consecutive 24 hours must be provided within that same seven-day period or immediately following.
Finding Details	It was noted that the factory did not ensure to provide at least 24 hours of consecutive rest after six consecutive working days. The factory did some rest day duty, and the maximum consecutive working days were found 13 days, such as: (i) May 26 to June 7, 2025 total 13 days, May 12 to 24, 2025 total 13 days, April 28 to May 10, 2025 total 13 days and March 10 to 22, 2025 total 13 days. (ii) February 17 to March 1, 2025 total 13 days, January 13 to 25, 2025 total 13 days and December 2 to 14, 2024 total 13 days. (iii) November 1 to 9, 2024 total 9 days, October 14 to 26, 2024 total 13 days and September 9 to 21, 2024 total 13 days
Recommendations for Immediate Action	Factory shall provide at least one day off after six consecutive working days.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	In accordance with Labor Law, chapter VI, section IV, article 147: Weekly time off shall last for a minimum of twenty-four consecutive hours. All workers shall be given in principle a day off on Sunday.

Freedom Of Association And Collective Bargaining (FOA)

Benchmark ID	FOA.15
Benchmark Details	Worker representatives shall have the facilities necessary for the proper exercise of their functions, including access to workplaces and office space where required by law.
Finding Details	It was noted that there is no office space or other facilities provided for the union(s) or other worker representative structure.
Recommendations for Immediate Action	Factory shall provide office space or other facilities for the union(s) or other worker representative structure.

Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Prakas 286/01 on “Shop Steward in Enterprise” dated on 5 November, 2001:Article 5: The employer shall provide the shop steward with office, meeting room, working materials and appropriate poster-displaying site.