Factory Assessment Report

Sustainable Compliance Initiative (SCI)

Companies that join the Fair Labor Association (FLA) agree to uphold the FLA Workplace Code of Conduct throughout their entire supply chain. The Code of Conduct is based on International Labour Organization (ILO) standards, and defines labor standards that aim to achieve decent and humane working conditions.

FLA member(s)	Under Armour, Inc. - 84, Nike, Inc - 56
Country	Philippines
Assessment Date	10/7/2025
Assessment Company	Donny Triwandhani - 200000

Workforce Summary

Number of Workers	2380
Percentage female	58 %
Primary Languages	English, Cebuano, Tagalog

Wage Data information

Monthly minimum wage in country at time of assessment	The legal monthly minimum wage in Lapu-lapu, Phillipines in 2024 is 13380.75 USD.
GLWC living wage benchmark for the country or relevant region at time of assessment	NA

Assessment Summary

Violations per FLA Code Element	Violated Benchmarks
Nondiscrimination (ND)	1
Health, Safety And Environment (HSE)	15
Employment Relationship (ER)	4
Hours Of Work (HOW)	2
Harassment Or Abuse (HA)	2
Freedom Of Association And Collective Bargaining (FOA)	0
Forced Labor (F)	0
Child Labor (CL)	0
Compensation (C)	2

Violations per Category	Violated Benchmarks
Immediate Action Required	18
Sustainable Improvement Required	8
Uncorroborated Risk of Non-Compliance	0
Notable Feature	0

24-Hour Findings Summary

24h Violations per FLA Code Element	Violated Benchmarks
Nondiscrimination (ND)	1
Health, Safety And Environment (HSE)	0
Employment Relationship (ER)	0
Hours Of Work (HOW)	0
Harassment Or Abuse (HA)	0
Freedom Of Association And Collective Bargaining (FOA)	0
Forced Labor (F)	0
Child Labor (CL)	0
Compensation (C)	0

Details 24h Findings

Benchmark	Nondiscrimination (ND)
Benchmark ID	ND.3
Benchmark Details	Recruitment and employment policies and practices, including job advertisements, job descriptions, application and interview questions and job performance/evaluation policies and practices shall be free from any type of discriminatory bias.
Finding Details	(24hr) RHPD_ND_Q01 - Are all employment policies or practices (job advertisement, job application, job description, performance review) free of discrimination in any form? Answer: No, 24h Finding Explanation: Discrimination in hiring - Based on manpower requisition forms submitted to HR department for recruitment of new workers, PPIC (Production Planning and Inventory Control) and warehouse departments prefer to hire male assistant. Based on man power inventory, all 10 new PPIC assistants hired in periods of February 2025 to June 2025 are males.

Assessment Results

Compensation (C)

Benchmark ID	C.1.1
Benchmark Details	Employers shall comply with all national laws, regulations and procedures concerning the payment of compensation to workers.
Finding Details	For the security guards at the factory (employed by an outside service provider), paraphernalia and equipment are an incurred expense for the worker. These include: a cap, shoes, belt, buckle, badge, patches, among others. The security agency provides for the basic uniform top/bottom only.
Recommendations for Immediate Action	Ensure the security agency provides all paraphernalia for the security guards without cost.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	

Benchmark ID	C.12.1
Benchmark Details	All legally mandated deductions for taxes, social insurance, or other purposes shall be deposited each pay period in the legally defined account or transmitted to the legally defined agency. This includes any lawful garnishments for back taxes, etc.
Finding Details	Social security benefits are not calculated correctly for canteen workers (employed by an external service provider). When calculating which wage bracket workers belong to, the employer does not include holiday, holiday premiums, and leave credits claimed for the pay period. This will cause the bracket to be lower when the total amount changes based on the monthly salary credit.
Recommendations for Immediate Action	Ensure that social security bracket determinations include holiday, holiday premiums, and leave credits claimed for the pay period.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Republic Act 11199, Social Security Act of 2018, Sec. 18

Employment Relationship (ER)

Benchmark ID	ER.5.1
Benchmark Details	Employers shall ensure that all supervisors are trained in national laws, workplace regulations, and the FLA Code, workplace grievance systems, and the appropriate practices to ensure compliance.
Finding Details	The trainings for supervisors, relevant managers, and HR personnel do not include topics on national law, non-discrimination, and recruitment & hiring. In addition, the training for supervisors and managers in the warehouse building was conducted together with operators/floor workers, not in a separate session to focus on the specific aspects impacting their supervisor roles.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.7.1
Benchmark Details	Employers shall have written policies and procedures with regard to performance reviews that outline the review steps and process, demonstrate linkages to job grading, prohibit discrimination, are provided in writing and seek feedback and agreement/disagreement from employees in writing, and that follow all local legal requirements.
Finding Details	(1) The factory's procedures on performance reviews do not include steps and processes, scoring system, or non-discrimination. (2) The performance evaluation form for new workers does not include attendance, punctuality, and behavior/comportment as parameters. As a result, workers cannot easily understand why they might have failed the probation period when their overall score in the final performance evaluation is a passing score. Factory HR explained and showed records to indicate that the factory implements a demerit system or a point-based method, and that workers with passing scores can fail due to attendance, punctuality and behavior issues.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	

Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.17.1
Benchmark Details	Employers shall have a clear and transparent system of worker and management communication that enables workers to consult with and provide input to management. This might include suggestion boxes, worker committees, designated spaces for worker meetings, union representatives, and meetings between management and workers' representatives.
Finding Details	There are 9 grievance boxes in production buildings and 3 boxes in the central warehouse building. However, the majority of grievance boxes are not located in private areas where it is safe and comfortable for workers to submit grievances. The boxes are installed on the walls near staircases, and also near security guards who standing next to the entrance.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	ER.1.3
Benchmark Details	Employers should implement an annual, review process with input from workers of all policies, procedures and their implementation to ensure they meet legal requirements and the FLA Workplace Code.
Finding Details	The factory has not established procedures to request and/or receive workers' input/feedback regarding the creation, implementation, and updating of its policies and procedures. Workers are neither systematically integrated nor consulted in decision-making processes.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Harassment Or Abuse (H/A)

Benchmark ID	H/A.10.1.2
Benchmark Details	Body searches and physical pat downs shall only be undertaken when there is a specific, legitimate reason to do so and upon consent of workers, unless a state official with the power to do so (e.g. police officer) has ordered the search.
Finding Details	In violation of the FLA Code, the factory conducts body searches/pat-downs routinely. The security guards on duty perform physical pat-downs at least two (2) times a day as workers enter and leave the factory. The routine physical pat-downs are conducted near the gate, not in a private area.
Recommendations for Immediate Action	Ensure physical pat-downs are not used as a general practice. As per FLA requirements, physical pat-downs shall only be undertaken when there is a legitimate reason to do so, upon the consent of workers, and in a private area.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	

Benchmark ID	H/A.10.1.3
Benchmark Details	Body searches shall not be undertaken in public and the person who undertakes the search shall be of the same sex as the person who is being searched.
Finding Details	When security guards at the factory perform pat-downs (see finding H/A.10.1.2), they do so in a public place rather than a private area.
Recommendations for Immediate Action	As per FLA requirements, conduct physical pat-downs only when there is a legitimate reason to do so, upon the consent of workers, and in a private location.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	

Health, Safety And Environment (HSE)

Benchmark ID	HSE.14.1
Benchmark Details	All production machinery, equipment and tools shall be properly guarded and regularly maintained.

Finding Details	(1) The factory does not maintain complete lockout-tagout records, which must include: the date, time, equipment name, authorized employee's name, supervisor's name, lock number(s), device number(s), signature upon completion, and the start and end times for both locking out and releasing the equipment. This log sheet is vital to serve as a formal record of the hazardous energy control procedure, ensuring accountability and providing a historical record for safety compliance. (2) The forklift route is not marked in the centralized raw material warehouse building and the finished goods warehouse to define traffic lanes, identify hazard areas, mark pedestrian zones, improving safety by clearly communicating traffic rules and designated pathways to both operators and pedestrians.
Recommendations for Immediate Action	(1) Implement a proper Lockout/Tag out (LOTO) plan involving a series of steps to safely control hazardous energy before maintenance, including preparing for shutdown, notifying employees, and shutting down the equipment. The key actions are isolating all energy sources, applying locks and tags, and verifying that isolation is complete before work begins. Finally, after maintenance, the process is reversed, with the original person removing the locks and tags and informing everyone that the equipment is back in services. See finding details for the elements of a LOTO log. (2) Create proper traffic lanes and walkways in a factory. Develop a traffic management plan that includes a map, segregates pedestrians and vehicles with barriers and clear walkways, installs high-visibility signage and lighting, and establishes designated crossing points.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	The Land Transportation and Traffic Code (Republic Act No. 4136)

Benchmark ID	HSE.5.1
Benchmark Details	All applicable, legally required or recommended elements of safe evacuation shall be complied with, including all of the following elements: posting evacuation plans; the installation and maintenance of fire alarms; the installation and maintenance of emergency lighting; ensuring aisles/exits are not blocked and that workers are not blocked within their workstations; employee education and training; and evacuation procedures and fire drills.

Finding Details	(1) The smoking area provided by the factory is located around 6 meters from the closed area (generator room and washing room) instead of 15 meters away as required by the FLA Code. (2) Multiple emergency evacuation aisles in the factory are partially obstructed. For example, aisles for evacuation in the HTL section are partially obstructed by in-progress materials and workstations. The evacuation corridor of the production building is also obstructed by the parking of worker's motorbikes. (3) The aisles for evacuation in the raw material warehouse are not properly marked with aisle markings and arrow signs. Factory management explained that the factory has just completed the re-construction of the floor. In addition, the assessment noted that on the other side of the facility where floor construction is underway, there is no sign to indicate that construction is in progress.
Recommendations for Immediate Action	(1) Ensure the smoking area is at least 15 meters away from closed areas. (2) Ensure all emergency evacuation aisles are clear of any obstructions at all times. (3) Ensure all aisles for evacuation are properly marked and arrow signs lead to the exits.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Occupational Safety and Health Standards, Rule 1940 - Fire Protection and Control (1990), Sec. 1943.03(8); Occupational Safety and Health Standards, Rule 1940 - Fire Protection and Control (1990), Sec. 1943.04(4)

Benchmark ID	HSE.28
Benchmark Details	Employers shall create a system to ensure that all necessary Health and Safety protections are provided for external contractors; including protection when working within , confined spaces, maintenance issues, and general Health and Safety Issues.
Finding Details	The factory does not have a written document to ensure that all visitors are provided with health and safety information while visiting the site or facility areas.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	HSE.29
Benchmark Details	Employers shall provide all necessary protection for workers when working at heights, confined spaces, and other high-risk areas.
Finding Details	(1) There are not sufficient safety rods for emergency situations in the electrical transformer and around other high frequency electrical equipment. There is only 1 safety rod available for 3 levels of electrical panels and generator room. (2) The factory provides suggestion boxes in 2 out of 3 staircases between the first and second floors, which poses a fall hazard to the workers when they stop at the suggestion boxes area. (3) Although the facility has established a confined space procedure, there is no list of the confined spaces where the procedure applies.
Recommendations for Immediate Action	(1) Provide adequate safety rods available to help push or pull someone away from electrocution. (2) Ensure the stair area is free from any obstruction. (3) Maintain an inventory list for confined spaces and a procedure for work, which must cover as a minimum, the following: a. Permit-required confined spaces, b. Responsibilities of permit-required confined space entrants, entrant supervisors and attendants. c. Entry-permit requirements: Confined space name. Entry purpose, date and duration of work including entry expiry date and time. List of authorized entrants, entry attendants and entry supervisor, Rescue and emergency requirements and communication procedures for attendants and entrants. d. Annual calibration and pre-entry self-calibration for all monitoring and test equipment. e. Consistent documented process for confined space entry procedures that includes employees, contractors and subcontractors.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Occupational Safety and Health Standards, Rule 1940 - Fire Protection and Control (1990), Sec. 1943.04(4)

Benchmark ID	HSE.30.2.6

Benchmark Details	The health, safety, and environmental policies shall contain the framework for a comprehensive health, safety, and environmental management system including a HS&E risk assessment within which the following are clear and regularly tested and reviewed:protections to workers who allege health, safety, and environmental violations;
Finding Details	The factory has produced a risk assessment, but the risk assessment has not been properly conducted with proper data to identify hazards, decide who might be harmed and how, evaluate the risks and implement controls, record the findings, and review and update the assessment.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	HSE.5.1.4
Benchmark Details	All applicable, legally required or recommended elements of safe evacuation shall be complied with, including all the following: ensuring aisles/exits are not blocked and that workers are not blocked within their workstations
Finding Details	Multiple emergency exits in the production building and central warehouse building are partially obstructed. 1 out 3 emergency exits and stairs for evacuation from the 2nd and 3rd floors of the production building are partially obstructed by the storage of drinking water containers. The emergency evacuation exit of the material warehouse is partially obstructed by the storage of fabrics and raw material boxes.
Recommendations for Immediate Action	Ensure all emergency exits and evacuation routes are free from any obstructions at all times.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Occupational Safety and Health Standards, Rule 1940 - Fire Protection and Control (1990), Sec. 1943.04(4)

Benchmark ID	HSE.9.1
Benchmark Details	All chemicals and hazardous substances shall be properly labeled and stored in secure and ventilated areas and disposed of in a safe and legal manner, in accordance with applicable laws and international standards.

Finding Details	(1) Flammable chemical containers are located near the emergency exit doors and under the evacuation stairs in the transformer and electrical room (3rd floor) of the production building. (2) There is no secondary containment for the area where diesel fuel is filled or transferred in the production building, nor in the central warehouse building. (3) The factory does not maintain a written inventory record of the chemical storage tank. There are no signs posted to communicate safe procedures for fuel handling.
Recommendations for Immediate Action	(1) Ensure storage of any flammable chemical is located away from any emergency evacuation routes and exits. (2) Provide secondary containment for the diesel are filling point. This should include ensuring the tank is on an impervious base, connecting properly with spill containment, using appropriate fill techniques to minimize static and splashing, and monitoring the process for overfills. (3) Maintain a written inventory record of the chemical storage tank. This must include the type (physical composition), location, size, age and a listing of all potential chemical contents for each tank. Post signs with the procedures for filling storage tanks including ensuring the tank is on an impervious base, connecting properly with spill containment, using appropriate fill techniques to minimize static and splashing, and monitoring the process for overfills.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	

Benchmark ID	HSE.17.1
Benchmark Details	Workstations, including seating and standing arrangements and reach required to obtain tools, shall be designed and set-up in such a manner as to minimize bodily strains.
Finding Details	The factory does not conduct ergonomic tests or REBA (Rapid Entire Body Assessment) ergonomic assessments for all processes and areas to evaluate the risk of musculoskeletal disorders (MSDs) associated with various job tasks.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	HSE.1
Benchmark Details	Employers shall comply with all national laws, regulations and procedures concerning health, safety, and the environment.
Finding Details	(1) The factory does not have a fire risk assessment performed by a third party expert. The factory has a written document on fire risk identification, but it does not properly: (a) identify fire hazards such as sources of ignition (e.g., electrical faults, hot surfaces), flammable materials (e.g., fuel, paper, wood), and conditions that could spread fire quickly; (b) identify people at risk (employees, customers, visitors, contractors and vulnerable individuals, etc.), evaluate and reduce the risks (such as Installing fire alarms and sprinkler systems, ensuring proper storage of flammable materials, maintaining electrical equipment, keeping escape routes clear and marked); (c) record findings and create an emergency plan; (d) provide for reviewing and updating the assessment regularly. (2) The factory does not conduct regular audio-metric tests for workers who are exposed to high noise (above 85 dB) to detect and prevent noise-induced hearing loss.
Recommendations for Immediate Action	(1) Establish a written fire risk assessment which include all elements highlighted in FINDING DETAILS. Review and update the assessment regularly. (2) Conduct a proper audio-metric testing plan to detect damage to workers' hearing from factory noise. This should include baseline testing for new hires within three months of starting, followed by regular retests every one to two years, and more frequent testing if needed. The program should also include follow-up testing for employees who show a significant threshold shift, implement hearing protection, provide a noise exposure history, and ensure tests are conducted by trained professional.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	RA 9514 THE FIRE CODE OF THE PHILIPPINES Revised Implementing Rules and Regulations in year 2019.

Benchmark ID	HSE.10.1
Benchmark Details	Material Safety Data Sheets (MSDS) for all chemicals and hazardous substances used in the workplace must be available at the usage and storage sites of the chemicals and hazardous substances, in the local language and the language spoken by workers, if different from the local language.

Finding Details	The MSDS or SDS maintained by the factory is only available in English. In addition, although the factory maintains a written chemical inventory list, the places for supplier contact number and MSDS or SDS availability are blank on that list.
Recommendations for Immediate Action	Ensure that Safety Data Sheet (SDS) is available in the official language/s when necessary to comply with local regulations, and always in the language/s spoken and understood by workers to ensure safety.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	

Benchmark ID	HSE.7
Benchmark Details	Workers shall be provided at no cost with all the appropriate and necessary personal protective equipment (e.g. gloves, eye protection, hearing protection, respiratory protection) to effectively prevent unsafe exposure (e.g. inhalation or contact with solvent vapors, noise, dust) to health and safety hazards, including medical waste.
Finding Details	The factory has provided PPE for workers. However, there is no inventory list of the PPE maintained in the PPE storage area and the storage of the PPE is not well organized by the type of PPE to avoid physical damage and to be easily accessed by the workers.
Recommendations for Immediate Action	
Recommendations for Sustainable Improvement	
Compliance Classifications	Sustainable improvement required
Local Law	

Benchmark ID	HSE.19
Benchmark Details	All facilities including workplace buildings, toilets, canteens, kitchens, and clinics, shall be kept clean and safe and be in compliance with all applicable laws, including relevant sanitation, medical, and safety and health regulations.
Finding Details	(1) Although the factory has a regular checklist for cleaning the toilet area, the area had a bad odor during the assessment. (2) There is an onsite canteen at the factory, and several food vendors sell meals for workers. Food samples are kept, but there is no a label for food samples and they are not properly stored in the necessary length of time to prevent food born illness.

Recommendations for Immediate Action	(1) Fully implement and monitor toilet hygiene that involves regular cleaning, good personal habits by all staff, and ensuring proper supplies and maintenance. (2) Provide a label for food samples and store them for the proper length of time to prevent food born illness. Example of good practices include keeping samples in sterile containers in a refrigerator for at least three days with proper labelling and maintaining correct temperatures in cold storage units.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Presidential Decree No. 856 regarding Code on Sanitation (1975), Article 21

Benchmark ID	HSE.13
Benchmark Details	All necessary ventilation, plumbing, electrical, noise and lighting services shall be installed and maintained to conform to applicable laws and to prevent or minimize hazardous conditions to workers in the facility.
Finding Details	During the site tour, the assessment observed that the combustible materials and other materials not related to electrical maintenance are stored in the electrical panels room in the 3rd floor of production building. In addition, the electrical room is used as the maintenance staff's room.
Recommendations for Immediate Action	Ensure the electrical area is free from combustible materials and maintain a zone around the equipment where no materials are stored. Implement strict housekeeping rules, ensure proper maintenance, and have an emergency plan in place for the electrical room. This includes keeping a minimum distance clearance from electrical panels, regularly removing waste and debris, checking for proper wiring and fused circuits, and training personnel on emergency procedures.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	

Benchmark ID	HSE.14.2
Benchmark Details	Workers shall receive training in the proper use and safe operation of machinery, equipment and tools they use.
Finding Details	The factory has not provided sufficient training for the workers working in the electrical areas and/or whose responsibilities cover lockout/tag out.

Recommendations for Immediate Action	Provide thorough safety training for workers in the electrical area and all workers whose responsibilities cover lockout/tag out.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	

Benchmark ID	HSE.14.3
Benchmark Details	Employers shall ensure safety instructions are either displayed or posted near all machinery or are readily accessible to the workers in language(s) spoken by workers.
Finding Details	The factory has posted a warning sign for lasers in the inside room of the auto-template areas (on the ground floor of the relevant building), where laser machines are used. However, the laser sign is not easily visible and does not indicate safety requirements such as 'authorized personnel only,' signage of the PPE requirement, and safety procedures for handling or working with lasers.
Recommendations for Immediate Action	Ensure the laser sign is easily visible and include laser safety requirements e.g.: restrict area to authorized personnel only, signage and postings in laser areas that include the appropriate personnel protective equipment and safety procedures for handling or working with lasers.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	

Nondiscrimination (ND)

Benchmark ID	ND.3
Benchmark Details	Recruitment and employment policies and practices, including job advertisements, job descriptions, application and interview questions and job performance/evaluation policies and practices shall be free from any type of discriminatory bias.
Finding Details	When reviewing the requisition forms submitted to the HR department for recruitment of new workers, the assessment observed that forms from the PPIC (Production Planning and Inventory Control) and warehouse departments requested specifically that male assistants be hired. Based on factory records, 10 new PPIC assistants were hired from February 2025 to June 2025, all 10 of whom were men.

Recommendations for Immediate Action	Ensure that recruitment policies, practices, and resources (including manpower requisition, job advertisements, job descriptions, application and interview questions, job performance/evaluation policies and practices) are free from any type of discriminatory bias. Recruit and assess workers based only on criteria and elements that are strictly relevant to the job position.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	

Hours Of Work (HOW)

Benchmark ID	HOW.11.1
Benchmark Details	Employers shall provide workers with paid annual leave as required under national laws, regulations and procedures.
Finding Details	When security guards at the factory (employed by an external service provider) use their Service Incentive Leave (SIL) of 5 days per year, they do not receive these days as paid leave. Instead, the security agency's management incorporates the equivalent of 5 days' SIL into the guards' overall wage rate.
Recommendations for Immediate Action	Implement the Service incentive leave (SIL) as provided in local law. Grant paid leave of five days to an employee who has rendered at least one year of service that may be used for sick, vacation, and other leave purposes.
Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Labor Code Article 95

Benchmark ID	HOW.22.2
Benchmark Details	Accurate time records shall be maintained by employers, including overtime, breaks, and leave.
Finding Details	Time records for the canteen workers (employed by an external service provider) were only available for review for August and September 2025. Factory management explained that the desktop computer which stored the information for the months prior to August 2025 malfunctioned, and the data could no longer be recovered.
Recommendations for Immediate Action	Ensure to maintain time records for the canteen workers for at least 12 months.

Recommendations for Sustainable Improvement	
Compliance Classifications	Immediate Action Required
Local Law	Omnibus Rules Implementing the Labor Code (1989), Book III Rule X, Sec. 7