HANDOFF RETURN · REVIEW FIXES

Bolna DB Fixes

Calling ownership, follow-ups, history and reporting—updated across the 22-item handoff and both review rounds.

IMPLEMENTED & VERIFIED LOCALLY Not deployed

210	204	4
integration tests passed	browser scenarios passed	migration rehearsals passed

What this delivery resolves

01

Protect caller work

Bolna push and Queue CSV exclude open human-owned contacts. Shared primary and alternate numbers are grouped.

02

Close work deliberately

Done needs a logged call. Retryable work stays open, with an explicit Exhausted closure and required reason.

03

Keep history usable

Legacy Done rows remain editable. Historical warehouse references stay visible; corrections preserve chosen results.

04

Recover reliably

Migration 015 can resume after failure. Reconciliation commits bounded pages. Provider-clock intervals now display.


> **Review scope**
>
> Includes the remaining contact filters, follow-up labels, city aliases, legacy onboarding, search behavior and architectural cleanup. Broader analytics remain the agreed v2 scope.

Prepared against base revision `fd5ceb1`. No production writes, live calling or deployment were performed. The accompanying Markdown changelog and deployment runbook contain the technical details.

CALLER EXPERIENCE

Log, follow up, close

A logged attempt records what happened, when it happened and any next follow-up. Notes edits do not count as calls.



The actual call-logging dialog, exercised with synthetic fixture data.

Retry work stays open

RNR, busy, switched off, callbacks and awaiting confirmation cannot be closed through the old Result + Mark done path. A caller can choose **Exhausted**, explain why in notes, then mark Done. No automatic attempt cap.


Results stay intentional

Keep existing result preserves the dropdown choice. Correcting an older call changes the current result only if that call still supplies it. Row editing waits for the refreshed version after logging.

OWNERSHIP & ALLOCATION

Preview before calling

Primary and alternate phones are checked together. The same callable set drives live dispatch and the CSV download.



Five selected records become four unique contacts and two eligible calls. Open human-owned contacts are held.

Fresh check: CSV download rechecks owners and reservations. Dispatch loads expensive metadata before taking the allocation lock, then rechecks contact numbers and ownership before reserving calls.


Assignment behavior

Unassigned excludes contacts with open or completed assignments; dropped-only contacts qualify. Never assigned and completed history also match shared phones. Round-robin continues across batches and keeps work already held by selected callers.

AI ATTEMPT HISTORY

Intervals from provider time

The grid expands into a readable attempt history. Unqualified provider timestamps now sort correctly and show intervals without assuming they are UTC or IST.



A 90-second interval across midnight, calculated from two timestamps on the same provider clock.

Clear clock boundaries

Unqualified values display with “timezone not supplied.” Intervals compare the same phone, direction, provider and clock basis. Zoned and unqualified values are never subtracted from one another.

Known evidence only

One merged row represents each identified dial. Repeated deliveries do not add calls. Inbound, outbound and confirmed conversations stay separate. Missing IDs and overwritten retries remain unknown.

> **Provider compatibility**
>
> Webhooks and reconciliation share number/string/null handling for optional duration and retry metadata. Reconciliation commits 250 executions per transaction and keeps reservations after partial failure.

Read-only sample: 20,000 stored payloads, with no supplied timezone. Local-clock intervals cover this shape; confirm the timezone against known calls for absolute dial times.

REPORTING & DATA CONTINUITY

Five measures. Preserved history.

Caller	Recorded attempts	Connect rate	First Available targets	Onboarded references	Average call duration
Eval Admin admin@eval.test	0	— 0 / 0	0	0	— 0 / 0 timed
Left Co gone@eval.test · Access removed	0	— 0 / 0	0	0	— 0 / 0 timed
Priya Eval priya@eval.test	0	— 0 / 0	1	0	— 0 / 0 timed
Raj Eval raj@eval.test	0	— 0 / 0	0	0	— 0 / 0 timed

The Team summary opens on the five requested measures; details load when selected.

Team productivity

Recorded calls, connect rate, first Available targets, onboarded references and average call duration. The query builds only these measures. Self-reported duration includes coverage; historical unlogged calls remain unknown.

Legacy Done edits

Notes and results remain editable without inventing an attempt or replacing an unchanged old reference. Completion checks run when a row becomes Done.

Warehouse IDs

New or changed IDs must be positive integers. Old non-placeholder references stay visible and count where dated evidence supports them, with quality flags. External existence is not checked.

Onboarding continuity

Safe legacy call-row Added/WH values migrate only to the exact call assignment. Conflicting or unmatched originals stay visible and exportable. No caller or verification date is invented.

Find the right work

Assignments shows disposition, due date and Exhausted closure. City search covers 13 explicit alias pairs and urban/city/district suffixes. Fuzzy Calls search uses identifying fields; notes and transcripts retain exact search.

Operational clarity

Balance-low does not feed Raw call history, last status or Already called. Calls retains explicit access to blocked executions. Legacy Called By is read-only and initially hidden.

Read-only reference check

1,700 assignments contained 61 warehouse references and zero non-integer references. 15,328 call rows contained no warehouse references. The audit printed aggregate counts only and changed no records.

ENGINEERING & RELEASE

Migration and deployment notes

Change	Result
Migration 015	Retryable function DDL; recovery runs in 250-row transactions. A real interrupted runner test now passes on retry.
Migration 018	Transition-only Done checks, explicit Exhausted closure, legacy-reference preservation, provider-clock ordering and removal of obsolete tables.
Indexes 017 / 019	Concurrent builds with retry handling. Identity search is separate from exact transcript/note search.
Storage cleanup	Unused contact claims, database wallet cache and duplicate immutable delivery ledger removed. Live mappings enforce ownership; one merged row retains each dial.
Wallet / Team	Process-local 60-second cache and bounded provider timeout. Five default metric branches; unused Team JSON endpoint removed.

Release sequence

1. Review the diff and runtime upgrade; take and verify a restorable backup.
2. Rehearse pending migrations on representative staging data and measure locks, backfill duration and disk use.
3. Pause writes and workers, drain requests, and preserve webhook retry/replay capability.
4. Run `npm run db:migrate` through migration 019, then deploy the app.
5. Resume ingestion and workers; replay retained payloads where needed and run the documented smoke checks.

> **Compatibility to review**
>
> Next.js 15 → 16.4.0 is bundled with React 19 and Webpack flags. Verify the Node runtime and hosting adapter. Old call-row writes are retired; use assignment edits. There are no down migrations. Earlier successful migrations remain committed after a later failure.

Full procedure: `docs/DEPLOYMENT.md`. No maintenance SQL, live provider calls or production migration was executed for this handoff.

VALIDATION

What was actually checked

Stage	Final result
TypeScript + unit tests	Passed · 100/100 tests
Database / API integration	210/210 passed
Migration rehearsals	4/4 passed
Production build	Passed
Full production browser suite	204 passed · 0 failed · 2 volume-only skips
Synthetic performance workloads	19/19 completed
Separate production volume browser	2/2 passed

Failure and recovery cases

- Migration retry after committed schema changes and a partial backfill.
- A 501-execution reconciliation interrupted after the first 250 dials, then replayed without duplication or premature reservation release.
- Concurrent ownership changes while dispatch prepares its candidates.
- Legacy Done edits, all retry dispositions, explicit Exhausted closure and older-call corrections.
- Delayed browser refresh after call logging, lost responses, failed saves and draft recovery.
- Desktop/mobile history, dark mode, scoped access and throttled production rendering.

> **Evidence scope**
>
> The benchmark uses 50,000 source rows, 10,000 calls and 5,000 assignments in an isolated local database. It is not a production SLA or production-volume migration rehearsal. Screenshots show synthetic contacts; provider interactions are mocked or use fake credentials.

Still requires acceptance outside this delivery

Representative staging migration and restore; live provider timezone, retry-chain and agent checks; production traffic measurements. Unlogged history, external warehouse existence and the v2 analytics dashboard are not claimed as completed.

HANDOFF COVERAGE

22 requests, accounted for

Implementation coverage below follows the agreed scope. External acceptance limits are recorded on page 7; H05 retains its explicit v2 allowance.

Item	Delivered behavior
H01	Shared-phone deduplication in allocation, Bolna push and eligible CSV
H02	Raw manual call history
H03	Ownership, completed-contact history and AI preview context
H04	Multiple categorical filter selections
H05	Source city; broader dashboard explicitly deferred to v2
H06	Known attempts, readable timestamps and provider-clock intervals
H07	Bounded reads, matching indexes and synthetic-volume validation
H08	Wallet balance with cache, timeout and visible failure states
H09	Separate AI and manual results
H10	Manual and AI batches, metrics, filters and exports
H11	Column visibility, narrower defaults and five-measure Team view
H12	Jump-to-page controls
H13	Balance blocks excluded from default calling activity
H14	Legacy Called By labelled, hidden by default and read-only
H15	Size, onboarding, city aliases and rent-mentioned filters
H16	Clear Needs review explanation and filter
H17	Retry work stays open; explicit Exhausted closure with reason
H18	Integer IDs for new verification; substantive Unclear closure
H19	Completed history and ownership-checked reopening
H20	Workloads and continuing round-robin assignment
H21	IST date ranges, five measures and evidence/CSV on demand
H22	Unassigned excludes open/completed contacts across shared phones

Companion files: `BOLNA_DB_FIXES_CHANGELOG.md`, `BOLNA_DB_FIXES_PLAN.md`, `docs/HANDOFF_COMPLETENESS_AUDIT.md` and `docs/DEPLOYMENT.md`.