

logicBase

LABS



Git Cheatsheet

Every Developer Should
Know

quick, clear & practical



Git Setup & Init

Set your Git identity for commits and initialize a Git repo in your project directory

⚡Terminal⚡

```
# Globally Set Your User Name
```

```
git config --global user.name "Your Name"
```

```
# Globally Set Your Email
```

```
git config --global user.email "you@example.com"
```

```
# Initialize a repo
```

```
git init
```




Track & Save Changes

⚡Terminal⚡

```
# Show modified/unstaged files
```


```
git status
```

```
# Stage all changes
```

```
git add .
```

```
git commit -m "Describe what you changed"
```

Check for modified files, stage them for commit, and save with a descriptive message.



Connect to Remote Repo

⚡Terminal⚡

```
# Link to remote  
git remote add origin <repo-url>  
  
# Push code to main  
git push -u origin main  
  
# Pull latest from remote  
git pull origin main
```

Link your local repo to a remote (like GitHub), push your commits, or fetch latest updates.



Revert or Reset Changes

⚡Terminal⚡

```
# Revert file to last commit
```

```
git restore <file>
```

```
# Unstage a file
```

```
git reset HEAD <file>
```

```
# Revert a commit with a new one
```

```
git revert <commit-id>
```

Undo local edits, unstage changes, or revert specific commits without breaking your repo.



Branching Made Easy

⚡ Terminal ⚡

```
# Create a new branch
```

```
git branch feature-x
```

```
# Switch to the new branch
```

```
git checkout feature-x
```

```
# Merge changes into current branch
```

```
git merge feature-x
```

Create a new line of development, switch between branches, and merge changes when ready.