

# Cucumber Report

Nov 17, 2023, 11:29:19 PM

Start : Nov 17, 11:27:54.230 PM

End : Nov 17, 11:29:17.512 PM

Duration : 1 m 23.282 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 6  
FAILED - 2  
SKIPPED - 8




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Admin Actions</u>	1 m 23.282 s	2	0	2	0	16	6	2	8

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@E2ETEST	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Admin Actions</u>	2	0	2	0	1 m 23.282 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Admin Actions</u>	<u>Perform Addition of new user</u>	10	6	1	3	1 m 6.723 s
2	<u>Admin Actions</u>	<u>Delete the Added Employee</u>	6	0	1	5	16.478 s


## Admin Actions

<b>FAILED</b>	<b>DURATION - 1 m 23.282 s</b>	Scenarios		Steps	
/ 11:27:54.230 PM // 11:29:17.512 PM /		Total - 2		Total - 16	
		Pass - 0		Pass - 6	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 8	



## Perform Addition of new user

<div>FAILED</div> <div>DURATION - 1 m 6.723 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 11:27:54.247 PM // 11:29:00.970 PM /				
Admin Actions				
@E2ETEST				

#	Step / Hook Details	Status	Duration
1	Given Admin loggedIn on portal	PASSED	33.978 s
2	And Click on PIM	PASSED	1.232 s
3	Given Admin on Personnel Information Management page	PASSED	0.014 s
4	And Click on Add Employee	PASSED	1.618 s
5	And Click on Checkbox for Creating Login Details	PASSED	5.196 s
6	When Admin entered "Ryan" "Jordan" "2030" "RyanJordan" "Test@123" "Test@123" "<Status>"	PASSED	9.403 s
7	And Click Save	FAILED	13.089 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: div[class='orangehrm-custom-fields'] button[type='submit'] For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [52d3da78-5058-4bfa-8e89-aa1b4b87a9a1, findElement {using=css selector, value=div[class='orangehrm-custom-fields'] button[type='submit']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 119.0.1, moz:accessibilityChecks: false, moz:buildID: 20231106151204, moz:debuggerAddress: 127.0.0.1:8662, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37712, moz:profile: C:\Users\LENOVO\AppData\Loc..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:8662/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session		

#	Step / Hook Details	Status	Duration
	<p>ID: 52d3da78-5058-4bfa-8e89-aa1b4b87a9a1</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at pom.personaldetailsObjects.savepersonaldetails(personaldetailsObjects.java:38) at stepDefinitions.PIMDef.click_save(PIMDef.java:103) at ?.Click Save(file:///E:/m_java_ws/AutomationTesting/src/test/resources/features/pim.feature:14) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
8	Then Click on PIM Tab	SKIPPED	0.000 s
9	And Validate Emp Creation by Searching Employee Information with "2030" on PIM	SKIPPED	0.000 s
10	And Perform Logout	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.failTest(io.cucumber.java.Scenario)	PASSED	2.171 s
	Perform_Addition_of_new_user		
			

## Delete the Added Employee

<div>FAILED</div> <div>DURATION - 16.478 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 11:29:01.034 PM // 11:29:17.512 PM /</div>				
<div>Admin Actions</div>				
<div>@E2ETEST</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin loggedIn on portal</p> <p>org.openqa.selenium.NoSuchWindowException: Browsing context has been discarded Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox. FirefoxDriver Command: [ee1aa899-8c41-4701-bd2e-8cf4c0f90b39, deleteAllCookies {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 119.0.1, moz:accessibilityChecks: false, moz:buildID: 20231106151204, moz:debuggerAddress: 127.0.0.1:24480, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 35108, moz:profile: C:\Users\LENOVO\AppData\Loc..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:24480/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: ee1aa899-8c41-4701-bd2e-8cf4c0f90b39</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)  at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:944)  at utils.TestContextSetup.DriverSetting(TestContextSetup.java:37)  at stepDefinitions.PIMDef.admin_logged_in_on_portal(PIMDef.java:32)  at ?.Admin loggedIn on portal(file:///E:/m_java_ws/AutomationTesting/src/test/resources/features/pim.feature:5)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	14.159 s
2	And Click on PIM	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
3	Given Validate Emp Creation by Searching Employee Information with "<EmployeeID>" on PIM	SKIPPED	0.000 s
4	When Click on Delete the Employee	SKIPPED	0.000 s
5	Then Admin verifies the Employee deletion with "<EmployeeID>" from system	SKIPPED	0.002 s
6	And Perform Logout	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.failTest(io.cucumber.java.Scenario)	FAILED	2.309 s
	<p>org.openqa.selenium.WebDriverException: Failed to decode response from marionette Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox. FirefoxDriver Command: [ee1aa899-8c41-4701-bd2e-8cf4c0f90b39, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 119.0.1, moz:accessibilityChecks: false, moz:buildID: 20231106151204, moz:debuggerAddress: 127.0.0.1:24480, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 35108, moz:profile: C:\Users\LENOVO\AppData\Loc..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:24480/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: ee1aa899-8c41-4701-bd2e-8cf4c0f90b39</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)  at stepDefinitions.Hooks.failTest(Hooks.java:39)</p>		