

Cucumber Report

Nov 22, 2023, 10:56:57 AM

Start : Nov 22, 10:43:03.156 AM

End : Nov 22, 10:55:23.672 AM

Duration : 12 m 20.516 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0


PASSED - 0
FAILED - 11
SKIPPED - 0

PASSED - 0
FAILED - 11
SKIPPED - 45




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Functionality for OrangeHRM Website</u>	12 m 20.515 s	6	0	6	0	27	0	6	21
<u>Admin Actions</u>	12 m 20.491 s	2	0	2	0	16	0	2	14
<u>Test Recruitment Section</u>	0.058 s	3	0	3	0	13	0	3	10

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@testcase	4	0	4	0	1	0	1	0
@Regression	1	0	1	0	1	0	1	0
@Smoketest	1	0	1	0	1	0	1	0
@E2ETEST	2	0	2	0	1	0	1	0
@tag	4	0	4	0	2	0	2	0
@tag2	2	0	2	0	1	0	1	0
@tag1	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Login Functionality for OrangeHRM Website</u>	6	0	6	0	12 m 20.515 s
2	<u>Admin Actions</u>	2	0	2	0	12 m 20.491 s
3	<u>Test Recruitment Section</u>	3	0	3	0	0.058 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Functionality for OrangeHRM Website</u>	<u>UnSuccessfull Admin login with invalid or empty credentials</u>	4	0	1	3	12 m 20.492 s
2	<u>Login Functionality for OrangeHRM Website</u>	<u>UnSuccessfull Admin login with invalid or empty credentials</u>	4	0	1	3	12 m 20.482 s
3	<u>Login Functionality for OrangeHRM Website</u>	<u>UnSuccessfull Admin login with invalid or empty credentials</u>	4	0	1	3	12 m 20.416 s
4	<u>Login Functionality for OrangeHRM Website</u>	<u>UnSuccessfull Admin login with invalid or empty credentials</u>	4	0	1	3	12 m 20.378 s
5	<u>Login Functionality for OrangeHRM Website</u>	<u>Admin Navigating to the Forgot Password page</u>	5	0	1	4	12 m 20.485 s
6	<u>Login Functionality for OrangeHRM Website</u>	<u>Admin User Default Login</u>	6	0	1	5	12 m 20.424 s
7	<u>Admin Actions</u>	<u>Perform Addition of new user</u>	10	0	1	9	12 m 20.491 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Admin Actions</u>	<u>Delete the Added Employee</u>	6	0	1	5	12 m 20.252 s
9	<u>Test Recruitment Section</u>	<u>Title of your scenario outline</u>	3	0	1	2	0.044 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Test Recruitment Section</u>	<u>Title of your scenario outline</u>	3	0	1	2	0.041 s
11	<u>Test Recruitment Section</u>	<u>Add new Recruit Candidate</u>	7	0	1	6	0.034 s

Login Functionality for OrangeHRM Website

FAILED	DURATION - 12 m 20.515 s	Scenarios		Steps	
/ 10:43:03.156 AM // 10:55:23.671 AM /		Total - 6		Total - 27	
		Pass - 0		Pass - 0	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 21	

UnSuccessful Admin login with invalid or empty credentials

<div>FAILED</div> <div>DURATION - 12 m 20.492 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:43:03.172 AM // 10:55:23.664 AM /				
Login Functionality for OrangeHRM Website				
@testcase				



#	Step / Hook Details	Status	Duration
1	<p>Given User on the OrangeHRM Login Page</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'L340-GAMING', ip: '127.0.0.1' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:625) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.LoginDef.user_on_the_orange_hrm_login_page(LoginDef.java:34) at ?.User on the OrangeHRM Login Page(file:///E:/m_java_ws/AutomationTesting/src/test/resources/features/login.feature:7) Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:410)</pre>	FAILED	6 m 16.153 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:366) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.LoginDef.user_on_the_orange_hrm_login_page(LoginDef.java:34) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:393) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin entered a invalid "name2" and Password "admin123"	SKIPPED	0.000 s
3	When Admin click on login button	SKIPPED	0.001 s
4	Then Admin should see an error message indicating "Invalid credentials"	SKIPPED	1.022 s
	<p>AFTER - stepDefinitions.Hooks.failTest(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'L340-GAMING', ip: '127.0.0.1' Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) </pre>	FAILED	5 m 30.872 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.Hooks.failTest(Hooks.java:39) </pre>		

UnSuccessful Admin login with invalid or empty credentials

<div>FAILED</div> <div>DURATION - 12 m 20.482 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:43:03.189 AM // 10:55:23.671 AM /				
Login Functionality for OrangeHRM Website				
@testcase				



#	Step / Hook Details	Status	Duration
1	Given User on the OrangeHRM Login Page <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'L340-GAMING', ip: '127.0.0.1' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:625) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.LoginDef.user_on_the_orange_hrm_login_page(LoginDef.java:34) at ?.User on the OrangeHRM Login Page(file:///E:/m_java_ws/AutomationTesting/src/test/resources/features/login.feature:7) Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:410) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) </pre>	FAILED	6 m 22.488 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:366) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.LoginDef.user_on_the_orange_hrm_login_page(LoginDef.java:34) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:393) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin entered a invalid "Admin" and Password "notadmin5"	SKIPPED	0.000 s
3	When Admin click on login button	SKIPPED	2.878 s
4	Then Admin should see an error message indicating "Invalid credentials"	SKIPPED	0.001 s
	<p>AFTER - stepDefinitions.Hooks.failTest(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'L340-GAMING', ip: '127.0.0.1' Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) </pre>	FAILED	5 m 30.032 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.Hooks.failTest(Hooks.java:39)		

UnSuccessful Admin login with invalid or empty credentials

<div>FAILED</div> <div>DURATION - 12 m 20.416 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:43:03.246 AM // 10:55:23.662 AM /				
Login Functionality for OrangeHRM Website				
@testcase				



#	Step / Hook Details	Status	Duration
1	Given User on the OrangeHRM Login Page org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'L340-GAMING', ip: '127.0.0.1' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:625) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.LoginDef.user_on_the_orange_hrm_login_page(LoginDef.java:34) at ?.User on the OrangeHRM Login Page(file:///E:/m_java_ws/AutomationTesting/src/test/resources/features/login.feature:7) Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:410) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:366) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:115)	FAILED	6 m 20.982 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.LoginDef.user_on_the_orange_hrm_login_page(LoginDef.java:34) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:393) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin entered a invalid "" and Password ""	SKIPPED	0.001 s
3	When Admin click on login button	SKIPPED	5.644 s
4	Then Admin should see an error message indicating "Required"	SKIPPED	1.990 s
	<p>AFTER - stepDefinitions.Hooks.failTest(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'L340-GAMING', ip: '127.0.0.1' Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) </pre>	FAILED	5 m 30.716 s

#	Step / Hook Details	Status	Duration
	at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.Hooks.failTest(Hooks.java:39)		

UnSuccessful Admin login with invalid or empty credentials



<div>FAILED</div> <div>DURATION - 12 m 20.378 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:43:03.287 AM // 10:55:23.665 AM /				
Login Functionality for OrangeHRM Website				
@testcase				

#	Step / Hook Details	Status	Duration
1	Given User on the OrangeHRM Login Page org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'L340-GAMING', ip: '127.0.0.1' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:625) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.LoginDef.user_on_the_orange_hrm_login_page(LoginDef.java:34) at ?.User on the OrangeHRM Login Page(file:///E:/m_java_ws/AutomationTesting/src/test/resources/features/login.feature:7) Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:410) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:366) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)	FAILED	6 m 20.126 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.LoginDef.user_on_the_orange_hrm_login_page(LoginDef.java:34) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:393) * Not displayable characters are replaced by '?'. </pre>		
2	Given Admin entered a invalid "name2" and Password "notadmin5"	SKIPPED	7.390 s
3	When Admin click on login button	SKIPPED	0.001 s
4	Then Admin should see an error message indicating "Invalid credentials"	SKIPPED	0.000 s
	<p>AFTER - stepDefinitions.Hooks.failTest(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'L340-GAMING', ip: '127.0.0.1' Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.Hooks.failTest(Hooks.java:39) </pre>	FAILED	5 m 30.458 s

Admin Navigating to the Forgot Password page



FAILED	DURATION - 12 m 20.485 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 10:43:03.185 AM // 10:55:23.670 AM /				
Login Functionality for OrangeHRM Website				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given User on the OrangeHRM Login Page org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'L340-GAMING', ip: '127.0.0.1' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:625) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.LoginDef.user_on_the_orange_hrm_login_page(LoginDef.java:34) at ?.User on the OrangeHRM Login Page(file:///E:/m_java_ws/AutomationTesting/src/test/resources/features/login.feature:7) Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:410) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:366) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241)	FAILED	6 m 23.433 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.LoginDef.user_on_the_orange_hrm_login_page(LoginDef.java:34) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:393) * Not displayable characters are replaced by '?'.		
2	Given Click on Forgot your password	SKIPPED	1.732 s
3	When Redirected to the password reset page	SKIPPED	0.001 s
4	And Enters Username and click on Reset password	SKIPPED	0.002 s
5	Then A Display message as "A reset password link has been sent to you via email."	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.failTest(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'L340-GAMING', ip: '127.0.0.1' Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.Hooks.failTest(Hooks.java:39)	FAILED	5 m 30.732 s

Admin User Default Login



<div>FAILED</div> <div>DURATION - 12 m 20.424 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 10:43:03.242 AM // 10:55:23.666 AM /				
Login Functionality for OrangeHRM Website				
@Smoketest				

#	Step / Hook Details	Status	Duration
1	<p>Given User on the OrangeHRM Login Page</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'L340-GAMING', ip: '127.0.0.1'</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:625) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.LoginDef.user_on_the_orange_hrm_login_page(LoginDef.java:34) at ?.User on the OrangeHRM Login Page(file:///E:/m_java_ws/AutomationTesting/src/test/resources/features/login.feature:7)</p> <p>Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.15.0', revision: '1d14b5521b'</p> <p>System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: FirefoxDriver</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:410) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:366) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168)</p>	FAILED	6 m 19.612 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.LoginDef.user_on_the_orange_hrm_login_page(LoginDef.java:34) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:393) * Not displayable characters are replaced by '?'.		
2	Given Admin entered a valid username and Password	SKIPPED	5.643 s
3	When Admin click on login button	SKIPPED	0.273 s
4	Then Login must be successful	SKIPPED	0.001 s
5	And Admin click on drop down menu	SKIPPED	0.003 s
6	And Admin click on logout	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.failTest(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'L340-GAMING', ip: '127.0.0.1' Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.Hooks.failTest(Hooks.java:39)	FAILED	5 m 28.903 s

Admin Actions

FAILED	DURATION - 12 m 20.491 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 16 Pass - 0 Fail - 2 Skip - 14	
/ 10:43:03.181 AM // 10:55:23.672 AM /					

Perform Addition of new user

<div>FAILED</div> <div>DURATION - 12 m 20.491 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 10:43:03.181 AM // 10:55:23.672 AM /				
Admin Actions				
@E2ETEST				



#	Step / Hook Details	Status	Duration
1	<p>Given Admin loggedIn on portal</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'L340-GAMING', ip: '127.0.0.1'</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:625) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.PIMDef.admin_logged_in_on_portal(PIMDef.java:32) at ?.Admin loggedIn on portal(file:///E:/m_java_ws/AutomationTesting/src/test/resources/features/pim.feature:5)</p> <p>Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.15.0', revision: '1d14b5521b'</p> <p>System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: FirefoxDriver</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:410) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p>	FAILED	6 m 22.481 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:366) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.PIMDef.admin_logged_in_on_portal(PIMDef.java:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:393) * Not displayable characters are replaced by '?'. </pre>		
2	And Click on PIM	SKIPPED	6.834 s
3	Given Admin on Personnel Information Management page	SKIPPED	1.861 s
4	And Click on Add Employee	SKIPPED	0.001 s
5	And Click on Checkbox for Creating Login Details	SKIPPED	0.001 s
6	When Admin entered "Ryan" "Jordan" "2030" "RyanJordan" "Test@123" "Test@123" "<Status>"	SKIPPED	0.000 s
7	And Click Save	SKIPPED	0.001 s
8	Then Click on PIM Tab	SKIPPED	0.000 s
9	And Validate Emp Creation by Searching Employee Information with "2030" on PIM	SKIPPED	0.001 s
10	And Perform Logout	SKIPPED	0.000 s
	<p>AFTER - stepDefinitions.Hooks.failTest(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'L340-GAMING', ip: '127.0.0.1' Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) </pre>	FAILED	5 m 30.457 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.Hooks.failTest(Hooks.java:39) </pre>		

Delete the Added Employee

<div>FAILED</div> <div>DURATION - 12 m 20.252 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 10:43:03.416 AM // 10:55:23.668 AM /				
Admin Actions				
@E2ETEST @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin loggedIn on portal <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'L340-GAMING', ip: '127.0.0.1' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:625) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.PIMDef.admin_logged_in_on_portal(PIMDef.java:32) </pre>	FAILED	6 m 19.444 s

#	Step / Hook Details	Status	Duration
	<p>at ?.Admin loggedIn on portal(file:///E:/m_java_ws/AutomationTesting/src/test/resources/features/pim.feature:5) Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: FirefoxDriver</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:410) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:366) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.PIMDef.admin_logged_in_on_portal(PIMDef.java:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:393) * Not displayable characters are replaced by '?'. </pre>		
2	And Click on PIM	SKIPPED	0.000 s
3	Given Validate Emp Creation by Searching Employee Information with "<EmployeeID>" on PIM	SKIPPED	2.877 s
4	When Click on Delete the Employee	SKIPPED	0.696 s
5	Then Admin verifies the Employee deletion with "<EmployeeID>" from system	SKIPPED	0.000 s
6	And Perform Logout	SKIPPED	0.217 s
	<p>AFTER - stepDefinitions.Hooks.failTest(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'L340-GAMING', ip: '127.0.0.1' Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) </pre>	FAILED	5 m 29.808 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at utils.TestContextSetup.DriverSetting(TestContextSetup.java:32) at stepDefinitions.Hooks.failTest(Hooks.java:39) </pre>		

Test Recruitment Section

FAILED	DURATION - 0.058 s	Scenarios		Steps	
/ 10:43:03.238 AM // 10:43:03.296 AM /		Total - 3		Total - 13	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 10	



Title of your scenario outline

FAILED	DURATION - 0.044 s		Steps	
/ 10:43:03.239 AM // 10:43:03.283 AM /			Total - 3	
Test Recruitment Section			Pass - 0	
@tag @tag2			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given I want to write a step with name1	FAILED	0.012 s
	Step undefined		



#	Step / Hook Details	Status	Duration
2	When I check for the 5 in step	SKIPPED	0.001 s
3	Then I verify the success in step	SKIPPED	0.000 s

Title of your scenario outline

<div>FAILED</div> <div>DURATION - 0.041 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 10:43:03.240 AM // 10:43:03.281 AM /				
Test Recruitment Section				
@tag @tag2				

#	Step / Hook Details	Status	Duration
1	Given I want to write a step with name2	FAILED	0.011 s
	Step undefined		
2	When I check for the 7 in step	SKIPPED	0.001 s
3	Then I verify the Fail in step	SKIPPED	0.005 s

Add new Recruit Candidate

<div>FAILED</div> <div>DURATION - 0.034 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 10:43:03.262 AM // 10:43:03.296 AM /				
Test Recruitment Section				
@tag @tag1				

#	Step / Hook Details	Status	Duration
1	Given Admin on Recruitment page	FAILED	0.001 s
	Step undefined		
2	And some other precondition	SKIPPED	0.002 s
3	When I complete action	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	And some other action	SKIPPED	0.000 s
5	And yet another action	SKIPPED	0.000 s
6	Then I validate the outcomes	SKIPPED	0.000 s
7	And check more outcomes	SKIPPED	0.001 s