

# Cucumber Report

Nov 24, 2023, 11:58:42 AM

Start : Nov 24, 11:51:12.298 AM

End : Nov 24, 11:57:48.224 AM

Duration : 6 m 35.926 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 3  
SKIPPED - 0


PASSED - 5  
FAILED - 6  
SKIPPED - 0

PASSED - 25  
FAILED - 6  
SKIPPED - 25




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test Recruitment Section</u>	0.303 s	3	0	3	0	13	0	3	10
<u>Login Functionality for OrangeHRM Website</u>	4 m 12.856 s	6	5	1	0	27	23	1	3
<u>Admin Actions</u>	2 m 22.717 s	2	0	2	0	16	2	2	12

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@tag	3	0	3	0	1	0	1	0
@tag1	1	0	1	0	1	0	1	0
@tag2	2	0	2	0	1	0	1	0
@Smoketest	1	1	0	0	1	0	1	0
@testcase	4	4	0	0	1	0	1	0
@Regression	1	0	1	0	1	0	1	0
@E2ETEST	2	0	2	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Test Recruitment Section</u>	3	0	3	0	0.303 s
2	<u>Login Functionality for OrangeHRM Website</u>	6	5	1	0	4 m 12.856 s
3	<u>Admin Actions</u>	2	0	2	0	2 m 22.717 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test Recruitment Section</u>	<u>Add new Recruit Candidate</u>	7	0	1	6	0.097 s
2	<u>Test Recruitment Section</u>	<u>Title of your scenario outline</u>	3	0	1	2	0.002 s
3	<u>Test Recruitment Section</u>	<u>Title of your scenario outline</u>	3	0	1	2	0.002 s
4	<u>Login Functionality for OrangeHRM Website</u>	<u>Admin User Default Login</u>	6	6	0	0	1 m 22.965 s
5	<u>Login Functionality for OrangeHRM Website</u>	<u>UnSuccessfull Admin login with invalid or empty credentials</u>	4	4	0	0	34.261 s
6	<u>Login Functionality for OrangeHRM Website</u>	<u>UnSuccessfull Admin login with invalid or empty credentials</u>	4	4	0	0	31.555 s
7	<u>Login Functionality for OrangeHRM Website</u>	<u>UnSuccessfull Admin login with invalid or empty credentials</u>	4	4	0	0	32.574 s
8	<u>Login Functionality for OrangeHRM Website</u>	<u>UnSuccessfull Admin login with invalid or empty credentials</u>	4	4	0	0	32.588 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Login Functionality for OrangeHRM Website</u>	<u>Admin Navigating to the Forgot Password page</u>	5	1	1	3	38.853 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Admin Actions</u>	<u>Perform Addition of new user</u>	10	1	1	8	1 m 4.972 s
11	<u>Admin Actions</u>	<u>Delete the Added Employee</u>	6	1	1	4	1 m 17.733 s

Test Recruitment Section

FAILED	DURATION - 0.303 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 13 Pass - 0 Fail - 3 Skip - 10	
/ 11:51:12.298 AM // 11:51:12.601 AM /					

Add new Recruit Candidate

FAILED	DURATION - 0.097 s		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6				
/ 11:51:12.392 AM // 11:51:12.489 AM /							
Test Recruitment Section							
@tag @tag1							

#	Step / Hook Details	Status	Duration
1	Given Admin on Recruitment page	FAILED	0.002 s
	Step undefined		
2	And some other precondition	SKIPPED	0.000 s
3	When I complete action	SKIPPED	0.001 s
4	And some other action	SKIPPED	0.000 s
5	And yet another action	SKIPPED	0.000 s
6	Then I validate the outcomes	SKIPPED	0.000 s
7	And check more outcomes	SKIPPED	0.000 s

Title of your scenario outline



<b>FAILED</b>	DURATION - 0.002 s		<b>Steps</b> Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 11:51:12.567 AM // 11:51:12.569 AM /				
Test Recruitment Section				
@tag @tag2				



#	Step / Hook Details	Status	Duration
1	Given I want to write a step with name1	FAILED	0.001 s
	Step undefined		
2	When I check for the 5 in step	SKIPPED	0.000 s
3	Then I verify the success in step	SKIPPED	0.000 s

### Title of your scenario outline



<b>FAILED</b>	DURATION - 0.002 s		<b>Steps</b> Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 11:51:12.599 AM // 11:51:12.601 AM /				
Test Recruitment Section				
@tag @tag2				

#	Step / Hook Details	Status	Duration
1	Given I want to write a step with name2	FAILED	0.001 s
	Step undefined		
2	When I check for the 7 in step	SKIPPED	0.000 s
3	Then I verify the Fail in step	SKIPPED	0.000 s

### Login Functionality for OrangeHRM Website



<b>FAILED</b>	DURATION - 4 m 12.856 s	Scenarios Total - 6 Pass - 5 Fail - 1 Skip - 0		Steps Total - 27 Pass - 23 Fail - 1 Skip - 3	
/ 11:51:12.636 AM // 11:55:25.492 AM /					

### Admin User Default Login

<b>PASSED</b>	DURATION - 1 m 22.965 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 11:51:12.636 AM // 11:52:35.601 AM /				
Login Functionality for OrangeHRM Website				
@Smoketest				



#	Step / Hook Details	Status	Duration
1	Given User on the OrangeHRM Login Page	PASSED	1 m 13.610 s
2	Given Admin entered a valid username and Password	PASSED	2.453 s
3	When Admin click on login button	PASSED	2.876 s
4	Then Login must be successful	PASSED	0.012 s
5	And Admin click on drop down menu	PASSED	1.490 s
6	And Admin click on logout	PASSED	2.522 s

### UnSuccessfull Admin login with invalid or empty credentials

<b>PASSED</b>	DURATION - 34.261 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:52:35.617 AM // 11:53:09.878 AM /				
Login Functionality for OrangeHRM Website				
@testcase				



#	Step / Hook Details	Status	Duration
1	Given User on the OrangeHRM Login Page	PASSED	30.396 s
2	Given Admin entered a invalid "Admin" and Password "notadmin5"	PASSED	1.401 s
3	When Admin click on login button	PASSED	2.464 s
4	Then Admin should see an error message indicating "Invalid credentials"	PASSED	0.000 s

### UnSuccessfull Admin login with invalid or empty credentials

PASSED	DURATION - 31.555 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:53:09.886 AM // 11:53:41.441 AM /				
Login Functionality for OrangeHRM Website				
@testcase				

#	Step / Hook Details	Status	Duration
1	Given User on the OrangeHRM Login Page	PASSED	28.484 s
2	Given Admin entered a invalid "name2" and Password "admin123"	PASSED	1.448 s
3	When Admin click on login button	PASSED	1.615 s
4	Then Admin should see an error message indicating "Invalid credentials"	PASSED	0.000 s



### UnSuccessfull Admin login with invalid or empty credentials

PASSED		DURATION - 32.574 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0		
/ 11:53:41.449 AM // 11:54:14.023 AM /							
Login Functionality for OrangeHRM Website							
@testcase							

#	Step / Hook Details	Status	Duration
1	Given User on the OrangeHRM Login Page	PASSED	28.116 s
2	Given Admin entered a invalid "name2" and Password "notadmin5"	PASSED	2.362 s



#	Step / Hook Details	Status	Duration
3	When Admin click on login button	PASSED	2.092 s
4	Then Admin should see an error message indicating "Invalid credentials"	PASSED	0.000 s

### UnSuccessfull Admin login with invalid or empty credentials


<div>PASSED</div>	<div>DURATION - 32.588 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:54:14.035 AM // 11:54:46.623 AM /</div>				
<div>Login Functionality for OrangeHRM Website</div>				
<div>@testcase</div>				

#	Step / Hook Details	Status	Duration
1	Given User on the OrangeHRM Login Page	PASSED	30.163 s
2	Given Admin entered a invalid "" and Password ""	PASSED	1.801 s
3	When Admin click on login button	PASSED	0.624 s
4	Then Admin should see an error message indicating "Required"	PASSED	0.000 s



### Admin Navigating to the Forgot Password page

<div>FAILED</div> <div>DURATION - 38.853 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 11:54:46.639 AM // 11:55:25.492 AM /</div>				
<div>Login Functionality for OrangeHRM Website</div>				
<div>@Regression</div>				



#	Step / Hook Details	Status	Duration
1	Given User on the OrangeHRM Login Page	PASSED	33.250 s
2	Given Click on Forgot your password	FAILED	2.191 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //p[text()='Forgot your password?'] For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium		

#	Step / Hook Details	Status	Duration
	<p>selenium.firefox.FirefoxDriver Command: [65482678-74d8-4880-9a2d-791eef8bb5d5, findElement {using=xpath, value=//p[text()='Forgot your password? ']] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 119.0.1, moz:accessibilityChecks: false, moz:buildID: 20231106151204, moz:debuggerAddress: 127.0.0.1:32438, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 12680, moz:profile: C:\Users\LENOVO\AppData\Loc..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:32438/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 65482678-74d8-4880-9a2d-791eef8bb5d5</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at pom.loginObjects.clickForgotYourPassword(loginObjects.java:60)  at stepDefinitions.LoginDef.admin_click_on_forgot_your_password(LoginDef.java:87)  at ?.Click on Forgot your password(file:///E:/m_java_ws/AutomationTesting/src/test/resources/features/login.feature:33)</p> <p>* Not displayable characters are replaced by '?'.  </p>		
3	When Redirected to the password reset page	SKIPPED	0.000 s
4	And Enters Username and click on Reset password	SKIPPED	0.000 s
5	Then A Display message as "A reset password link has been sent to you via email."	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.failTest(io.cucumber.java.Scenario)	PASSED	3.412 s
	Admin_Navigating_to_the_Forgot_Password_page		
			


## Admin Actions

<b>FAILED</b>	<b>DURATION - 2 m 22.717 s</b>	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 16 Pass - 2 Fail - 2 Skip - 12	
/ 11:55:25.507 AM // 11:57:48.224 AM /					



### Perform Addition of new user

<div>FAILED</div> <div>DURATION - 1 m 4.972 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 11:55:25.507 AM // 11:56:30.479 AM /				
Admin Actions				
@E2ETEST				

#	Step / Hook Details	Status	Duration
1	Given Admin loggedIn on portal	PASSED	56.036 s
2	And Click on PIM	FAILED	5.054 s
	<p>org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[text()='PIM'] For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [dd595a96-c39b-477d-bc11-162dd26d837c, findElement {using=xpath, value=//span[text()='PIM']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 119.0.1, moz:accessibilityChecks: false, moz:buildID: 20231106151204, moz:debuggerAddress: 127.0.0.1:15141, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 5716, moz:profile: C:\Users\LENOVO\AppData\Loc..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:15141/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: dd595a96-c39b-477d-bc11-162dd26d837c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at pom.pimObjects.clickPimTab(pimObjects.java:45) at stepDefinitions.PIMDef.click_on_pim(PIMDef.java:55) at ?.Click on PIM(file:///E:/m_java_ws/AutomationTesting/src/test/resources/features/pim.feature:6) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
3	Given Admin on Personnel Information Management page	SKIPPED	0.000 s
4	And Click on Add Employee	SKIPPED	0.000 s
5	And Click on Checkbox for Creating Login Details	SKIPPED	0.000 s
6	When Admin entered "Ryan" "Jordan" "2030" "RyanJordan" "Test@123" "Test@123" "<Status>"	SKIPPED	0.000 s
7	And Click Save	SKIPPED	0.000 s
8	Then Click on PIM Tab	SKIPPED	0.000 s
9	And Validate Emp Creation by Searching Employee Information with "2030" on PIM	SKIPPED	0.000 s
10	And Perform Logout	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.failTest(io.cucumber.java.Scenario)	PASSED	3.875 s
	Perform_Addition_of_new_user		
			

## Delete the Added Employee

FAILED		DURATION - 1 m 17.733 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 11:56:30.491 AM // 11:57:48.224 AM /						
Admin Actions						
@E2ETEST						

#	Step / Hook Details	Status	Duration
1	Given Admin loggedIn on portal	PASSED	1 m 9.414 s
2	And Click on PIM  org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[text()='PIM'] For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [958528af-8b47-4979-bd6d-d8a7c93fd57e, findElement {using=xpath, value=//span[text()='PIM']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 119.0.1, moz:accessibilityChecks: false, moz:buildID: 20231106151204, moz:debuggerAddress: 127.0.0.1:5555, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8520, moz:profile: C:\Users\LENOVO\AppData\Loc..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:5555/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 958528af-8b47-4979-bd6d-d8a7c93fd57e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at pom.pimObjects.clickPimTab(pimObjects.java:45) at stepDefinitions.PIMDef.click_on_pim(PIMDef.java:55) at ?.Click on PIM(file:///E:/m_java_ws/AutomationTesting/src/test/resources/features/pim.feature:6) * Not displayable characters are replaced by '?'.  	FAILED	5.565 s
3	Given Validate Emp Creation by Searching Employee Information with "<EmployeeID>" on PIM	SKIPPED	0.000 s
4	When Click on Delete the Employee	SKIPPED	0.000 s
5	Then Admin verifies the Employee deletion with "<EmployeeID>" from system	SKIPPED	0.000 s
6	And Perform Logout	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.failTest(io.cucumber.java.Scenario)	PASSED	2.754 s
	Delete_the_Added_Employee		



#	Step / Hook Details	Status	Duration
			