ShopEase – Test Execution Report

1. Report Overview

This document is intended to record the results of manual testing performed on the login functionality of ShopEase, a fictional e-commerce application developed as an SQA portfolio case study.

The report will summarize test execution results, including passed, failed, blocked, and not-run test cases. It will also document confirmed defects and outstanding testing limitations.

Current Execution Status: Not Started

Current Test Environment: Not Available

Reporting Note: The test cases have been documented, but execution has not started. No pass/fail results or confirmed defects are available at this stage.

2. Test Execution Summary

2.1 Execution Statistics

The following statistics will be updated after test execution begins.

- Total Test Cases: 10
- Executed: 0
- Passed: 0
- Failed: 0
- Blocked: 0
- Not Run: 10

2.2 Current Status

Test execution has not started because a working ShopEase application or mock testing environment is not yet available. All 10 documented test cases remain Not Run.

The statistics above represent the current documented project status and will be updated based on actual execution results.

3. Test Execution Details

Each test case will be executed according to the steps documented in the ShopEase Test Cases sheet.

For every test case, the following information will be recorded:

- **Test Case ID:** Unique identifier for the test case.
- **Execution Status:** Pass, Fail, Blocked, or Not Run.
- **Actual Result:** The behaviour observed during execution.
- **Defect Reference:** The related bug ID, if a defect is confirmed.
- **Comments:** Additional observations or execution notes, where applicable.

Execution Status Definitions

- **Pass:** The actual result matches the expected result.
- **Fail:** The actual result does not match the expected result.
- **Blocked:** The test cannot be executed because a required condition or dependency is unavailable.
- **Not Run:** The test has not yet been executed.

Current Execution Status

No individual test case has been executed. All 10 test cases currently remain Not Run.

4. Defect Reporting

Any defect identified during test execution will be documented in the ShopEase Bug Reports sheet.

A defect report will include:

- Bug ID
- Related Test Case ID
- Bug Title
- Steps to Reproduce
- Expected Result
- Actual Result
- Severity
- Priority
- Status

A defect will be reported only when actual application behaviour has been observed and differs from the expected result.

Defect Tracking Process

1. Execute the relevant test case.
2. Compare the actual result with the expected result.
3. Record the observed issue if a defect is identified.
4. Assign a unique Bug ID.
5. Document the severity and priority based on the impact and urgency of the issue.
6. Track the defect status until it is resolved or otherwise closed.

Current Defect Status

No defects have been confirmed because test execution has not started.

5. Conclusion

The ShopEase manual testing portfolio currently contains 10 documented login test cases, a requirements sheet, a bug reporting template, a test plan, and this test execution report.

Test execution has not started because a working application or mock testing environment has not yet been established. Therefore, no pass/fail results or confirmed defects are available.

The next phase will focus on establishing a suitable test environment, executing the documented test cases, recording actual results, and reporting any confirmed defects.

The final testing conclusion will be updated after test execution is completed and the results have been reviewed.