

Signhify Hunter — Frontend PRD-TRD

Codename: HUNTER · Version: 1.0 · Date: 07 Aug 2026 Scope: Dashboard web app. Companions:

01_PRD.md , 02_TRD.md , 03_IMPLEMENTATION_PLAN.md

1. Product Requirements (Frontend)

1.1 Goals

- 1. Founder sees the entire acquisition funnel in one cinematic dashboard — sourced → verified → qualified → sent → replied → booked.
- 2. Campaigns, sources, inbox, and approvals usable on a phone in under 3 taps.
- 3. Feels like a Signhify product (same design language as signhify.dpdns.org) — not like a generic CRM.
- 4. Every AI action is visible and reversible (audit trail, preview before send, human gates).

1.2 Pages & Routes

Route	Page	Key features
/	Dashboard	KPI row (leads this week, meetings booked, positive replies, cost/meeting), funnel visualization, live agent activity feed, deliverability health strip
/leads	Leads	Table + filters (tier, source, channel, verification, status), search, bulk actions (re-tier, add to campaign), lead drawer (detail: enrichment, score reason, events timeline, email preview)
/sources	Sources	Source cards (channel, config, status, last run, counts), enable/disable, run-now, config editor (keywords, geo, limits)
/campaigns	Campaigns	List w/ status; campaign wizard: audience → sequence steps (channel/delay/window) → template editor (A/B, {{lead.*}} slots) → AI sample preview → Review & Launch gate
/campaigns/{id}	Campaign detail	Step pipeline view, per-step stats, sent/replied lists, pause/resume, budget consumed
/inbox	Inbox	Thread list w/ unread (Realtime badge), category chips (positive/question/...), thread view: conversation, AI suggestion card (copy / edit / approve-send), book-meeting action, unsubscribe indicator

Route	Page	Key features
/analytics	Analytics	Funnel by channel/campaign/time; reply-rate trend; deliverability (inbox%, bounce%, complaint%, blacklist); export CSV
/settings	Settings	Sending domains + DNS check status, warmup status, ICP rules editor, integrations (booking link, Stripe), team, compliance (DSAR requests, suppression export)
/usage	Usage & billing	Metered usage, plan, upgrade (Stripe checkout)
/compliance/unsubscribe	Unsubscribe (public)	One-click, no auth, token-validated
/compliance/dsar	DSAR form (public)	Request data export/erasure

1.3 User Flows (top 5)

1. **Launch a campaign:** Sources → Leads → filter Tier-A → New Campaign → wizard → AI preview 5 samples → Review & Launch → queue status live.
2. **Handle a reply:** Inbox badge (1) → thread → AI suggestion → Edit or Approve → sent; if positive → Book meeting → lead → meeting .
3. **Check health:** Dashboard strip shows inbox % + complaints; warning state when complaints > 0.1%.
4. **Add a source:** Sources → New → pick channel → paste config → Test run → results visible → enable.
5. **Privacy action:** any email → unsubscribe link → confirm screen → suppression confirmed (data deleted per retention).

1.4 UI/UX Requirements

Area	Requirement
Design language	Signhify brand system: obsidian #0D0D14 , electric orange #FF6B00 , amber #F59E0B , glassmorphism cards, Space Grotesk display / Inter body
Density	Dashboard = cinematic & sparse; tables = dense but readable; inbox = mail-client standard
Motion	Framer Motion: page transitions, funnel bar animations, agent activity stream, subtle glow pulses on live indicators (matches studio aesthetic)
Live updates	Supabase Realtime for inbox unread, agent activity feed, campaign progress
Empty states	Cinematic + instructive (no dead grey boxes): each page has a "first run" guided empty state
Responsive	Desktop-first; critical flows (approve reply, campaign pause, KPI glance) usable on mobile
Accessibility	WCAG AA: contrast on orange-on-dark, keyboard nav for inbox/campaign wizard, focus rings
Loading	Skeleton glass panels (not spinners) on data pages

Area	Requirement
States	Every action has optimistic UI + revert; errors as inline glass toasts

2. Technical Requirements (Frontend)

2.1 Stack

- TanStack Start (v1) + React 19 + TypeScript strict
- Tailwind v4 (CSS-first config, Signhify tokens below) + shadcn/ui + Framer Motion
- TanStack Query (server state) + TanStack Router (file-based)
- Supabase JS (auth + Realtime)
- Recharts (funnel/charts) — already studio standard

2.2 Design tokens (shared, mirrors signhify.dpdns.org)

```
:root {
  --bg-obsidian: #0D0D14;    /* near-black base */
  --bg-panel: rgba(255,255,255,0.03);    /* frosted glass */
  --bg-panel-strong: rgba(255,255,255,0.06);
  --border-glass: rgba(255,255,255,0.08);
  --accent-electric: #FF6B00;    /* electric orange */
  --accent-amber: #F59E0B;    /* gold/amber highlight */
  --text-primary: #E2E8F0;    /* slate-200 */
  --text-muted: #94A3B8;    /* slate-400 */
  --success: #34D399; --danger: #F87171; --info: #38BDF8;
  --font-display: "Space Grotesk", sans-serif;
  --font-body: "Inter", sans-serif;
  --glow-orange: 0 0 24px rgba(255,107,0,0.25);
}
```

2.3 Component architecture

```
apps/web/src
  routes/          # file-based router: index, leads, sources, campaigns, inbox, analytics, s
  components/
    layout/        # AppShell (sidebar: logo, nav, live-pulse, usage meter), TopBar
    dashboard/     # KpiCard, Funnel, ActivityFeed, DeliverabilityStrip
    leads/         # LeadsTable, LeadDrawer, LeadTimeline, TierBadge
    campaigns/     # CampaignWizard (3 steps), StepPipeline, TemplateEditor, SamplePreview
    inbox/         # ThreadList, ThreadView, SuggestionCard, ReplyComposer
    sources/       # SourceCard, SourceConfigForm, RunStatusPill
    shared/        # GlassCard, StatusPill, EmptyState, ConfirmDialog, Toast, Skeleton
```

```
lib/          # api client (typed), query hooks, auth guard, format utils
styles/       # tailwind v4 tokens + global glass utilities
```

2.4 Data fetching

- All `/api/*` calls via typed client generated from OpenAPI (`orval / openapi-typescript`); TanStack Query keys: `['leads', {filters}]`, `['campaigns', id]`, `['inbox', {status}]`, `['analytics', {range}]`.
- Realtime subscriptions: `inbox_unread` (workspace), `agent_events` (workspace, recent 50), `campaign:{id}:progress`.
- Optimistic updates only for human-owned actions (re-tier, approve reply); AI-owned state always refetched.

2.5 Key screens — spec detail

Dashboard - KPI cards (glass, glow on hover): `Leads this week`, `Meetings booked`, `Positive replies`, `Cost per meeting` — 24h/7d/30d toggle. - Funnel: horizontal bars, orange gradient, stage-to-stage conversion % inline. - Agent activity feed: streaming console of agent events (`[12:04:12]` `Scout: 40` `leads from HN...`) — same pattern as Signhify AI `/ai` live console. - Deliverability strip: inbox %, bounce %, complaint % with red/green state.

Campaign wizard (3 steps) 1. Audience: saved query builder (source, tier, filters) + live count. 2. Sequence: add steps (channel, delay, send window, A/B toggle). 3. Template + samples: editor w/ `{{lead.*}}` autocomplete; **Generate 5 AI samples** button; Review & Launch gate listing exact send count + first-send time.

Inbox thread - Left: thread list (unread dot, category chip). Right: conversation; sticky suggestion card: `AI: [reply]` — `Edit` · `Approve & Send` · `Reject` ; positive → `Book meeting` button (opens Cal.com link creation + lead → meeting).

Analytics - Funnel by channel (stacked), reply-rate trend line, deliverability health, CSV export; date range presets.

2.6 Error & edge handling

- 401 → session refresh → login redirect; 403 → locked state with support link.
- Empty data → guided empty states with primary action.
- Realtime disconnect → badge `reconnecting` + refetch on reconnect.
- Approve-send conflicts (thread already replied) → inline stale-warning, block double-send.
- All destructive actions (stop campaign, delete source) → `ConfirmDialog`; campaign stop shows sent-pending count.

2.7 Acceptance criteria (frontend)

1. Full funnel renders live with Realtime updates; KPI toggles work.
2. Campaign wizard: create → samples → launch in < 5 min; gate blocks empty templates.
3. Inbox: reply → suggestion → approve → sent, end-to-end, with optimistic UI.
4. Mobile: approve reply + pause campaign work on 390px viewport.
5. WCAG AA automated checks pass (axe in CI); keyboard navigable inbox.
6. No console errors/warnings in production build; p95 route load < 2s.