

GENESIS 2.5: opt-in OpenCL and CUDA acceleration for the GENESIS/PGENESIS compartmental neural simulator

Karol Chlasta^{a,*}, Grzegorz Marcin Wójcik^b

^a*Kozminski University, ul. Jagiellońska 57/59, 03-301 Warsaw, Poland; WarsawIQ, Al. Jana Pawła II 43A/37B, 01-001 Warsaw, Poland*

^b*Maria Curie-Skłodowska University, ul. Akademicka 9, 20-033 Lublin, Poland*

Abstract

GENESIS is a long-established compartmental neural simulator. We release GENESIS 2.5, adding opt-in OpenCL and CUDA backends for the Hodgkin–Huxley channel-update path and `hines_tree_eliminate`, a GPU Hines tree-elimination kernel for dendritic trees, leaving every existing model, script and MPI workflow unchanged. On cluster hardware it reaches $57\times$ end-to-end speedup on a 160 000-compartment population, matching the fp64 CPU to $\sim 10^{-7}$ V. On CPU it runs the Vogels–Abbott COBAHH benchmark $1.63 \pm 0.07\times$ faster than CoreNEURON, and on GPU it overtakes the GPU-native Arbor beyond 64 ms of simulated time; on spiking networks, which it cannot yet accelerate, CoreNEURON’s GPU stays $1.74\times$ ahead. It also fixes seven defects, three of them in the solver GENESIS 2.4 ships, and makes $O(n^2)$ model construction linear.

Keywords: GENESIS, PGENESIS, OpenCL, CUDA, GPU acceleration, compartmental neural simulation, Hines solver

Required Metadata

Current code version

Main text

1. Motivation and significance

*Corresponding author.

Email addresses: `karol@chlasta.pl` (Karol Chlasta), `gmwojcik@umcs.edu.pl` (Grzegorz Marcin Wójcik)

Nr.	Code metadata description	Please fill in this column
C1	Current code version	v2.5 (2026-07-25; OpenCL + CUDA-validated, multi-compartment GPU Hines solve)
C2	Permanent GitHub link to code/repository used for this code version	https://github.com/WarsawIQ/genesis-2.5 (archived release: https://doi.org/10.5281/zenodo.21658389)
C3	Legal Code License	GNU General Public License v2 or later (program); GNU Lesser General Public License v2.1 or later (library portions) – see LICENSE
C4	Code versioning system used	git
C5	Software code languages, tools, and services used	C, OpenCL C, CUDA C++ (accelerator backends), MPI (PGENESIS), Python (benchmark analysis/plotting)
C6	Compilation requirements, operating environments & dependencies	Linux x86_64, GCC, GNU make, an OpenCL 1.2+ runtime (tested: ROCm 6.3.1 and Mesa rusticl) or a CUDA 12.x toolkit (tested: CUDA 12.8, sm_80 NVIDIA A100 and sm_86 NVIDIA A40 on the UMCS cluster) for the GPU backends, an MPI implementation for PGENESIS (MPICH/HYDRA or Open MPI tested on the UMCS cluster)
C7	If available Link to developer documentation/manual	README.md and paper/docs/REPLICATION.md in the repository
C8	Support email for questions	karol@chlasta.pl

Table 1: Code metadata (mandatory)

Compartmental simulators remain essential where channel kinetics and dendritic geometry cannot be abstracted away. GENESIS [1] is among the longest-maintained simulators in this class, with PGENESIS ex-

tending it to MPI; both are still used in production workflows, scripted in SLI, independent of newer ecosystems.

Modern workstations ship capable integrated GPUs, but GENESIS has no accelerator backend: every channel-kinetics update runs on the CPU whatever hardware is present. A GENESIS or PGENESIS user has no path to accelerator support that does not begin with abandoning their models and scripts.

Existing accelerated simulators, and what they ask of a user.

Compartmental simulation on GPUs is not new, and the alternatives are mature. NEURON [11] is the most widely used simulator in this class; CoreNEURON [8] is its optimized compute engine, which strips the interpreter and runs the same models on GPUs through OpenACC, reaching large speedups on multi-rank and multi-GPU systems. Arbor [7] was written from scratch for many-core and GPU hardware, with a performance-portable back end and its own model description. For network models of point neurons rather than detailed morphologies, NEST [12] targets large-scale distributed simulation, and Brian 2 [13] generates code from equations, with GPU execution available through GeNN [14].

Each of these is a strong choice for a new model. None is a path for an existing GENESIS model. CoreNEURON accelerates NEURON’s models, not GENESIS’s; Arbor and Brian 2 require the model to be re-expressed in their own descriptions; and a GENESIS user’s investment is typically in SLI scripts, .p cell files and channel prototypes accumulated over years. Porting is not a mechanical translation — as this work found, two implementations of the same published benchmark differ enough in channel kinetics and connectivity construction that establishing their equivalence is itself experimental work (Section 3). The gap GENESIS 2.5 addresses is therefore not “fastest simulator” but “acceleration without migration”: the same models and scripts, unchanged, on the hardware the user already has.

Contributions. This work contributes:

- 1.1 Opt-in OpenCL and CUDA backends for the `hsolve` channel-update path, behind one entry point, leaving every existing CPU, MPI, model and SLI-script workflow unchanged.
- 1.2 `hines_tree_eliminate`, a GPU tridiagonal (Hines [10]) elimination kernel extending acceleration from isopotential cells to axially-coupled dendritic trees, running the identical elimination the CPU solver does.
- 1.3 Seven correctness fixes to released code, none of which requires a user to change a model. Three are in the Hines solver GEN-

ESIS 2.4 distributes and reach every multi-neuron `hsolve`, accelerator or not: `inject`-driven voltage transients were silently suppressed for all but the first neuron. Four are in the accelerator as first released, where a model using synaptic channels, a `spike` element, GHK or concentration pools could be dispatched to the GPU and returned wrong voltages with no error raised; such models are now detected at `SETUP` and computed on the CPU. A published network model is what brought these to light, where the synthetic benchmarks had not.

- 1.4 A latent $O(n^2)$ model-construction bottleneck, unrelated to accelerator support, reduced to linear.
- 1.5 A head-to-head evaluation against NEURON, CoreNEURON and Arbor, on a published network model and on a multi-compartment population, with the competing simulators' GPU backends included and the equivalence of the independent implementations verified rather than assumed.

Why a GPU helps here is specific to the workload. In a Hodgkin–Huxley model the per-compartment gating integration dominates the cost and is embarrassingly parallel: each compartment advances from its own voltage and its own table lookups, uncoupled from every other within the step. The state is small and the arithmetic intensity low, so the work maps onto thousands of lightweight threads. That makes the channel-update path the natural first target, ahead of the tridiagonal solve.

We provide both backends because they buy different things. OpenCL is vendor-neutral and runs on the integrated GPUs shipped with ordinary workstations, including devices without double precision, which is why the kernel is fp32 throughout. CUDA targets the datacenter cards where most cluster time is available and the profiling tools are standard. Both sit behind one entry point, so the choice is a build flag and neither the model nor its SLI script changes.

We name this release “2.5” rather than “3.0” deliberately: “GENESIS 3” [2] produced independent successor lines (Neurospaces/Heccer [3], MOOSE) evolving into the CBI federation [4, 5, 6], not a single artifact comparable to GENESIS 2.4. This release is not a re-architecture.

2. Software description

2.1 Software architecture

GENESIS 2.5 leaves the existing architecture (SLI interpreter, `hsolve` solver, PGENESIS MPI partitioning) unmodified and adds one component: an OpenCL backend invoked from `hsolve` when

an attached element uses `chanmode=4` (or 5) with real ion-channel state. Two dispatch modes are implemented:

- *Per-step dispatch* (`ocl_chip_update`): one `clEnqueueNDRangeKernel` call per simulation step, with channel state uploaded and downloaded every step.
- *Multiloop dispatch* (`chip_channel_multiloop`, via `GENESIS_OCL_MULTILOOP=<K>`): a single kernel dispatch runs all K steps in an inner GPU-side loop, amortizing the per-step PCIe transfer cost that otherwise dominates wall time (Section 3).

Every accelerator run emits a non-empty profiling summary, which guards against two silent failures: an `hsolve` with no attached channels never reaching the kernel, and a kernel that fails to build falling back to CPU unnoticed. The kernel is fp32 throughout, so it runs on runtimes without double-precision support; the rest of `hsolve` stays `double`, converting only at the buffer boundary.

Both dispatch modes update each compartment independently, exact only for single-compartment (isopotential) neurons: a real dendritic tree’s compartments are coupled through axial resistance, solved on the CPU by `hsolve` as a compiled bytecode program performing a bottom-up/top-down Gaussian elimination over the tree’s tridiagonal system once per step. We add a third kernel, `hines_tree_eliminate` (`ocl_channel.cl`; CUDA port in `cuda/cuda_channel.cuh`), executing this identical bytecode on the GPU, one thread per disconnected tree (neuron), operating on the same flat opcode/coefficient arrays the CPU solver already builds at `SETUP` time. Because independent trees never reference each other’s rows (the combined program is block-diagonal), threads need no synchronization. The channel and elimination kernels dispatch back to back on the same queue/stream, so the K -step batch still uploads and downloads state once. `ocl_hsolve.c/cuda_hsolve.c` select this path whenever the `hsolve` contains a multi-compartment tree, leaving the original kernel for single-compartment networks.

One boundary follows from the architecture rather than from the kernels: `GENESIS` gives each `hsolve` a single spike generator, so a synaptically coupled spiking network is built as one solver per cell, and per-dispatch cost then dominates. Such models run correctly, on the CPU, and Section 3 measures what that costs against a simulator that does accelerate them.

2.2 Software functionalities

- Unmodified serial (`genesis`), headless (`nxgenesis`), and MPI (PGENESIS) execution paths.
- OpenCL channel-update kernel for Hodgkin–Huxley-style `tabchannel` gating ($\text{Na } X^3Y^1$, $\text{K } X^4$), dispatched per-step or batched via multiloop.
- A CUDA backend at the same call site (`genesis/src/hines/cuda/`): a line-for-line fp32 port behind an identical entry point, so one model and harness drive either backend.
- Device-side dispatch confirmation distinguishing a genuine GPU run from CPU fallback.
- A driven-spiking benchmark (`hh_spiking_benchmark.g`) exercising the repaired `inject` path.
- Three corrected Hines-solver defects (forward-elimination fast-path guard, backward-elimination root handling, `SET_DIAG/SKIP_DIAG` row selection), independent of GPU support.
- `hines_tree_eliminate`, a GPU tridiagonal elimination kernel in both backends, extending acceleration to axially-coupled dendritic trees (Section 3).
- Five corrected $O(n^2)$ model-construction defects, restoring linear-time construction independent of GPU support (Section 3).

The tridiagonal kernel decides whether any of this reaches realistic morphologies. Accelerating channel updates alone leaves the axial coupling on the CPU, where the solve becomes the bottleneck as soon as the channel work is taken out of it. Moving it to the device is what lifts acceleration from isopotential point-neuron networks to populations of real dendritic trees, the regime Section 3 measures.

3. Illustrative examples

Reproducing the CPU baseline. `nxgenesis` on the bundled `Cal8.g` and `Cal7difshell.g` models gives stable, low-variance timings (CV $\approx 1\%$, 30 replicates), confirming ordinary workflows are unaffected.

Reproducing the GPU multiloop result. `genesis/Scripts/benchmark/hh_spiking_benchmark.g` builds N driven Hodgkin–Huxley neurons under one `hsolve` (`chanmode=4`); `GENESIS_CUDA_MULTILOOP=K` dispatches all K steps in one GPU call. Both arms are wall-clocked identically at $K = 50\,000$ on the A40 and A100.

Table 2 reports both backends after the scheduler and solver fixes. Speedup grows with N throughout, reaching $21.0 \pm 0.3\times$ (CUDA) and $19.2\times$ (OpenCL) on the A40 and $21.9 \pm 0.3\times$ and $20.4\times$ on the A100 at $N = 50\,000$.

Numerical fidelity of the fp32 accelerator. `genesis/Scripts/benchmark/hh1952_ap_verify.g` compares the classic 1952 squid AP across CPU fp64, GPU per-step, and GPU multiloop paths: fp32 agrees with fp64 to $\sim 2 \times 10^{-7}$ V over a single AP, all N neurons identical to $< 10^{-6}$ V (Fig. 1). Over long spiking runs, fp32/fp64 traces drift in spike *phase* but preserve waveform and firing rate, why timing uses driven neurons while correctness uses a single-AP window.




Figure 1: fp32 accelerator vs. fp64 CPU: absolute membrane-voltage difference for a single neuron as a function of simulated steps, for both the per-step and multiloop GPU paths.

CUDA backend on NVIDIA hardware. The CUDA backend builds from the same source (`make USE_CUDA=1`) against the identical harness, and reproduces the fp64 CPU action potential to 7×10^{-8} V, confirming parity with both the CPU and OpenCL paths. Table 2 reports a 10-replicate sweep on the two UMCS cluster GPUs.

These are *end-to-end* speedups, and every figure in this paper uses that one definition. Timing the two arms by different clocks inflates the ratio by an order of magnitude and can invent differences between cards; measured consistently the A40 and A100 are indistinguishable here ($21.0 \pm 0.3\times$ vs. $21.9 \pm 0.3\times$).

At $N = 500$ the accelerator barely pays for itself: at that size the fixed costs of construction and transfer dominate a run the CPU finishes in under a second.

Multi-compartment GPU acceleration. The multiloop kernel above is exact only for single-compartment (isopotential) neurons: for

N	NVIDIA A40		NVIDIA A100	
	CUDA	OpenCL	CUDA	OpenCL
500	$1.5 \pm 0.1\times$	$1.5\times$	$1.8 \pm 0.3\times$	$1.7\times$
5 000	$8.7 \pm 0.3\times$	$7.5\times$	$9.7 \pm 0.4\times$	$8.7\times$
50 000	$21.0 \pm 0.3\times$	$19.2\times$	$21.9 \pm 0.3\times$	$20.4\times$

Table 2: Both accelerator backends (fp32) against the fp64 CPU solver, single-compartment multiloop kernel (`hh_spiking_benchmark.g`, $K = 50\,000$ steps) on the UMCS cluster. End-to-end speedups: both arms of every ratio are wall-clocked around the whole process, so construction, transfers and per-step host work are inside each figure. CUDA is the mean of 10 replicates with propagated uncertainties; OpenCL is the mean of 3. The two cards are close at every size, and OpenCL trails CUDA by roughly 8%, about what a faithful port of the same kernels costs. The OpenCL arm agrees with the fp64 CPU to 3.1×10^{-8} V. Raw data: `cluster_bringup/logs/`.

a real dendritic tree it silently drops all axial coupling. `hines_tree_eliminate` (Section 2.1) performs this elimination on-device, dispatched whenever the `hsolve` contains a multi-compartment tree.

Correctness. Linear-chain and branching benchmarks compare GPU against fp64 CPU across $\text{NCOMP} = 1\text{--}32$ and up to $N = 10\,000$ neurons: agreement is $\sim 10^{-7}$ V, matching single-compartment fidelity. One topology is not handled: a single-compartment branch off a branch point, which violates the kernel bootstrap’s seed-row assumption. Both backends detect it at initialisation and compute that `hsolve` on the CPU, so it costs speed rather than accuracy.

Speed. Table 3 and Fig. 2 report speedup (mean $\pm$ std, 10 replicates) on the two UMCS cards, sweeping $N = 100\text{--}50\,000$ at $\text{NCOMP} = 16$, a range unreachable before the model-construction fix (Impact): $N = 50\,000$ took 23.8 ± 0.3 s to build there, versus not finishing before. Branching topology gives statistically indistinguishable speedups and is omitted from the figure. Dispatch uses $K = 200$ steps ($K = 100$ for $N \geq 5000$), smaller than the single-compartment sweeps’ $K = 50\,000$.

Two figures per card answer different questions. The *step-phase* speedup times the simulation loop alone and measures what the kernel can do: both cards are slower than CPU at $N \leq 500$, pull ahead past $N \approx 500\text{--}1000$, and reach $37.3 \pm 0.1\times$ (A40) and $80.8 \pm 1.0\times$ (A100) at $N = 50\,000$, neither plateaued. The *end-to-end* speedup wall-clocks the whole process, which is what a user waits for: it is far lower, $3.62 \pm 0.05\times$ (A40) and $3.90 \pm 0.07\times$ (A100) at $N = 50\,000$. The gap is not a kernel deficiency but Amdahl’s law applied to a short run — at $K = 200$ steps the unaccelerated construction phase dominates, and the end-to-end figure climbs toward the step-phase ceiling as K

grows. Quoting only the step-phase number would overstate what the accelerator delivers in practice.

The cards nearly coincide end-to-end despite the A100 leading by more than $2\times$ on the step phase — consistent with an fp32 kernel using no tensor cores, the GPU phases taking 7.83s (A40) against 8.06s (A100) at $N = 50\,000$. Raw data: `cluster_bringup/logs/weekend_campaign*_20260816_clean.csv` and `..._multicomp_walltime_createmap*_clean.csv`.

Parallelization granularity. `hines_tree_eliminate` assigns one GPU thread per tree, so speedup comes from spreading many neurons across threads, not from parallelizing elimination *within* a tree. For a single detailed morphology alone ($N = 1$), only one thread is active: measured directly, the kernel is $\sim 20\text{--}21\times$ *slower* than the CPU at $\text{NCOMP} = 2000$ and 8000 , stable with tree size as expected for a single-thread bottleneck. The kernel therefore accelerates population-scale simulation (Table 3), not the single-detailed-cell regime.

		step-phase		end-to-end	
N	total comps	A40	A100	A40	A100
100	1 600	0.2 ± 0.02	0.3 ± 0.02	0.43 ± 0.05	0.61 ± 0.02
500	8 000	1.1 ± 0.03	1.7 ± 0.11	0.77 ± 0.02	1.04 ± 0.03
1 000	16 000	2.0 ± 0.08	3.1 ± 0.07	1.10 ± 0.08	1.46 ± 0.04
2 000	32 000	4.5 ± 0.39	6.4 ± 0.18	1.37 ± 0.06	1.57 ± 0.05
3 000	48 000	6.7 ± 0.03	12.0 ± 0.37	1.87 ± 0.07	1.89 ± 0.04
5 000	80 000	6.9 ± 0.04	14.5 ± 0.47	2.60 ± 0.06	2.66 ± 0.03
7 000	112 000	9.8 ± 0.05	22.0 ± 0.43	2.92 ± 0.05	3.08 ± 0.03
10 000	160 000	13.7 ± 0.06	30.6 ± 0.68	3.01 ± 0.04	3.23 ± 0.04
15 000	240 000	20.3 ± 0.12	42.3 ± 0.77	3.27 ± 0.05	3.52 ± 0.03
20 000	320 000	25.3 ± 0.12	51.6 ± 1.16	3.39 ± 0.04	3.71 ± 0.04
30 000	480 000	31.9 ± 0.13	66.1 ± 1.12	3.53 ± 0.05	3.87 ± 0.05
40 000	640 000	35.2 ± 0.13	75.5 ± 0.96	3.56 ± 0.04	3.90 ± 0.04
50 000	800 000	37.3 ± 0.07	80.8 ± 1.01	3.62 ± 0.05	3.90 ± 0.07

Table 3: Multi-compartment GPU tree-elimination (fp32) vs. CPU (fp64), UMCS A40/A100, $\text{NCOMP} = 16$, linear-chain, batched multiloop ($K = 200$, $K = 100$ for $N \geq 5000$); mean $\pm$ std over 10 replicates. *Step-phase* times the simulation loop alone and measures kernel capability; *end-to-end* wall-clocks the whole process, including model construction. The two arms of the end-to-end measurement are timed identically – see `cluster_bringup/54_multicomp_walltime.sh`. The end-to-end runs build the population with a single `createmap` from a prototype, as network models do, rather than the explicit SLI loop of the original benchmark; the step-phase figures are unaffected by that choice, since they exclude construction. “–” = not measured. Raw data: `cluster_bringup/logs/`.




Figure 2: Multi-compartment GPU tree-elimination speedup vs. CPU (mean $\pm$ std, 10 replicates; log-log), UMCS A40/A100, sweeping N at $\text{NCOMP} = 16$ (linear-chain). Colour identifies the card, line style the metric: solid = step-phase (simulation loop only), dashed = end-to-end (whole process, including model construction). Both cards start below CPU parity and cross it near $N \approx 500$ – 1000 . The step-phase curves keep climbing to $80.8\times$ (A100) and $37.3\times$ (A40) without plateauing, but the end-to-end curves flatten near $3.9\times$ and $3.6\times$: at $K = 200$ steps the unaccelerated construction phase bounds the achievable speedup, and only the step-phase curves measure the kernel itself. The two cards nearly coincide end-to-end despite the A100’s large step-phase lead, as expected for an fp32 kernel using no tensor cores.

Population-scale model construction was $O(n^2)$; now $O(n)$. Pushing toward the $\sim 31\,000$ -neuron Blue Brain Project scale [9] exposed a defect independent of GPU support: 527 000 compartments did not finish building within 900 s. Profiling gave a fitted exponent of 2.31, traced to five pre-existing linear-scan-per-element patterns in element creation, path resolution and `hsolve` SETUP, none GPU-specific — each rescanning siblings, paths or compartments where hashing or amortized growth would do. Fixing all five (Table 4, Fig. 3) gives an exponent of 0.99: that population now builds in 14.6 ± 0.2 s, and 1.7 million compartments in 51.5 ± 0.6 s. Output is byte-identical on every validation script, confirming a pure performance fix; full diagnosis

in `genesis/src/hines/GPU_HINES_SOLVE_DESIGN.md`.

N	total comps	before (s)	after: mean $\pm$ std (s)	CV
1 000	17 000	0.82	0.57 ± 0.08	13.2%
2 000	34 000	2.03	0.93 ± 0.003	0.3%
4 000	68 000	8.24	1.83 ± 0.04	1.9%
8 000	136 000	105.45	4.08 ± 0.03	0.7%
16 000	272 000	did not finish (60 s+)	7.54 ± 0.02	0.2%
31 000	527 000	did not finish (900 s+)	14.57 ± 0.18	1.2%
50 000	850 000	—	23.80 ± 0.32	1.3%
70 000	1 190 000	—	34.25 ± 0.44	1.3%
100 000	1 700 000	—	51.48 ± 0.61	1.2%

Table 4: Model-construction wall time (construction + `hsolve SETUP` + one step), `hh_branching_multicompartment_benchmark.g`, local machine, before vs. after the five fixes. “After”: mean $\pm$ std, 3 replicates; “before”: single replicate, not re-measured beyond $N = 8000$ (“—” = never attempted). Fitted exponent: 2.31 before, 0.99 after. Raw data: `experiments/data/construction_scaling_before_after.csv`.




Figure 3: Model-construction wall time vs. N , log-log, before (single replicate) and after (mean $\pm$ std, 3 replicates) the five $O(n^2)$ fixes, extended to $N = 100\,000$. The “before” series stops at $N = 8000$: larger N did not finish within the tested budget.

The multi-compartment figures are a floor set by the benchmark, not a ceiling set by the kernel. The sweeps above use $K = 200$ ($K = 100$ for $N \geq 5000$), which at $dt = 50\,\mu\text{s}$ is 5–10 ms of

simulated activity, short enough that fixed costs dominate both arms. Repeating the measurement at $N = 10\,000$ over a range of K (Table 5) separates them: end-to-end speedup rises from $4.3\times$ at $K = 200$ to $57.0 \pm 0.9\times$ at $K = 5000$, and step-phase from $13.7\times$ to $116.2\times$. Both grow because the one-time costs they contain are amortized over more steps: model construction for the end-to-end figure, buffer setup and the single batched dispatch for the step-phase figure.

Fitting fixed and marginal costs separates them: construction takes $\approx 1.3\text{s}$ on both arms, while one step costs $2.31 \times 10^{-2}\text{s}$ on the CPU against $1.42 \times 10^{-4}\text{s}$ on the GPU, a ratio of $163\times$. At $K = 5000$ the GPU still reproduces the CPU voltages to $\sim 10^{-7}\text{V}$, so this is amortization, not skipped work. Table 3 reports the short- K figures because they are what the standing benchmark measures, but a 250 ms simulation of this population already reaches $57\times$ end-to-end.

K steps	CPU (s)	GPU (s)	End-to-end
200	5.86	1.37	4.28 ± 0.12
500	13.00	1.42	9.18 ± 0.25
1 000	24.87	1.49	16.73 ± 0.36
2 000	48.03	1.63	29.48 ± 0.91
5 000	116.75	2.05	57.01 ± 0.88

Table 5: End-to-end wall clock against simulation length, $N = 10\,000$ neurons $\times$ 16 compartments (160 000 compartments), UMCS A40, mean $\pm$ std over 5 replicates, both arms timed identically. The fixed cost each arm carries, $\approx 1.3\text{s}$ of model construction, is unchanged across the sweep, so the speedup rises as K grows: at $K = 200$ construction is most of the GPU run, at $K = 5000$ it is under a tenth of it. Re-measured on the same node after the model corrections of Fig. 6 (3 replicates): GPU 2.06s against 2.05s and CPU 113.9s against 116.8s, giving $55.4\times$. The difference sits in the CPU arm, which those corrections cannot change the operation count of, and the figure reported here is the fuller 5-replicate campaign. Raw data: `cluster_bringup/logs/multicomp_ksweep_inf02_A40_20260816.csv`, produced by `cluster_bringup/55_multicomp_ksweep.sh`.

Reproducing the PGENESIS scaling result. The existing MPI path is unaffected: a strong-scaling sweep ($N = 2400$ HH neurons, $P = 1\text{--}24$ ranks) gives $E_P = 0.95$ at $P = 2$, an efficiency knee near $P \approx 5$, and $3.1\text{--}4.0\times$ at $P = 4\text{--}8$.

Head-to-head against NEURON and CoreNEURON. The speedups above are internal (GPU vs. CPU within GENESIS) and say nothing about how GENESIS compares with other simulators. We therefore ran the Vogels–Abbott COBAHH network [15, 16] in GENESIS (`Scripts/VAnet2`) and in the reference NEURON implementation (ModelDB 83319, `NEURON/cobahh`) on the same cluster node, all arms

single-threaded on CPU (Table 6, Fig. 4). GENESIS 2.5 completes the 5.0 s simulation in 46.9 ± 2.1 s, $1.63 \pm 0.07\times$ faster than CoreNEURON and $2.04 \pm 0.09\times$ faster than NEURON 9.0.2. GENESIS sustains 8.5×10^6 neuron-steps/s against 5.2×10^6 for CoreNEURON and 4.2×10^6 for NEURON.

CoreNEURON exists to make NEURON models faster, discarding the interpreter and rebuilding the data layout for vectorisation, while the GENESIS arm here uses no accelerator at all. CoreNEURON is in turn $1.25\times$ faster than NEURON 9.0.2, the expected ordering, which suggests that arm is configured correctly.

Because these are independent implementations, we verified their equivalence: both have 4000 single-compartment cells with 80 synapses each, both are driven externally for the first 50 ms only, both use $dt = 0.05$ ms for 5.0 s, and both settle into the same regime (26.8 against 27.9 Hz), so neither does materially less synaptic work. Obtaining the GENESIS rate required instrumenting every spikegen: the benchmark records three cells, two of them underconnected grid-edge cells.

The stock benchmark cannot run under CoreNEURON at all, since its channels are ChannelBuilder objects rebuilt inside the interpreter. We transcribed them into NMODL, reproducing the published COBAHH rates, after which CoreNEURON yields a spike train byte-identical to NEURON’s. Harness and mechanisms: `cluster_bringup/coreneuron/`.

CoreNEURON on the GPU. Leaving CoreNEURON on the CPU, where it was never meant to stay, would flatter us. Building its OpenACC backend with NVHPC left NEURON itself unable to start, so we ran CoreNEURON on its own: NEURON writes the model out with `nrncore_write`, and `special-core` reads those files and simulates without it, which keeps NEURON on its working GCC build. On one A100 CoreNEURON completes the same network in 27.0 ± 0.1 s — $2.83\times$ faster than its own CPU arm, and $1.74\times$ faster than GENESIS. Its spike count differs from the CPU arms by 6% (592 865 against 558 824) and from GENESIS by 10%: CoreNEURON’s GPU path requires cell permutation, which reorders synaptic delivery, and the network is chaotic, so counts diverge while the regime does not. This is a throughput comparison in a common regime, not a claim of identical trajectories.

This is the boundary of what the present release offers. On a spiking network of single-compartment cells GENESIS 2.5 cannot use its accelerator at all, because VAnet2 places one spikegen per `hsolve` (Section 2.1), so CoreNEURON on a GPU is $1.74\times$ faster than our CPU solver, reversing the $1.63\times$ we hold when both run on CPU. Remov-

ing that restriction is the main piece of work left (Section 5). Where the accelerator does apply — multi-compartment populations — the comparison below is GPU on both sides.

Simulator	Channels	Wall (s)	Spikes
CoreNEURON 9.0.2, GPU	compiled NMODL	27.0 $\pm$ 0.1	592 865
GENESIS 2.5 (VAnet2)	tabulated	46.9 $\pm$ 2.1	536 600
CoreNEURON 9.0.2	compiled NMODL	76.5 $\pm$ 0.3	558 824
NEURON 9.0.2	compiled NMODL	95.8 $\pm$ 0.2	558 824
NEURON 9.0.2	ChannelBuilder	123.3	574 138
NEURON 8.0.2	ChannelBuilder	76.5	—

Table 6: Vogels–Abbott COBAHH network, 4000 single-compartment cells, 80 synapses per cell, $dt = 0.05$ ms, 5.0 s simulated, UMCS node inf03. All arms are single-threaded CPU except the first, which runs on one A100. Mean $\pm$ std over 3 replicates for the top four rows; the two ChannelBuilder rows are single runs, shown for reference only. GENESIS 2.5 is $1.63 \pm 0.07\times$ faster than CoreNEURON on CPU, and $1.74\times$ slower than CoreNEURON on GPU — on this benchmark GENESIS has no accelerator path (Section 2.1). The two simulators reach the same activity regime (26.8 vs. 27.9 Hz), so the wall times reflect comparable work. All NEURON and CoreNEURON replicates returned an identical spike count, confirming the runs are deterministic. NEURON 8.0.2 is included because its pip distribution ships the CoreNEURON Python interface but not the engine, so the CoreNEURON arm requires NEURON 9. Harness: `cluster_bringup/coreneuron/`.

Do the three integrate the same model? Measured rather than assumed (Fig. 6): NEURON and Arbor agree to 0.02 mV at the action-potential peak and to 0.01% on firing rate, while GENESIS peaks 4.6 mV lower and fires faster, its Hodgkin–Huxley rates being written about -70 mV where NEURON’s use -65 . Timing is unaffected: with no synapses and no events, switching the injection off moves no arm by 2%.

GPU against a GPU-native simulator. In the comparison above only the competitor could use a GPU, because the Vogels–Abbott network is spiking and our accelerator declines it (Section 2.1). To test the accelerator itself across simulators we used a model it supports — $N = 10\,000$ neurons, each a chain of 16 compartments, HH channels, current injection, no synapses — reimplemented in NEURON and in Arbor [7], which was written from scratch for GPU hardware.

Which simulator is faster depends on run length, and the crossover is measurable. Over $K = 5000$ steps on one node (Table 7) Arbor finishes in 1.56 ± 0.03 s against our 1.59 ± 0.01 s; over $K = 50\,000$ the order reverses, 4.56 ± 0.01 s against Arbor’s 5.95 ± 0.02 s. Both are linear in K . Fitted over six run lengths from $K = 1000$ to 50 000, GENESIS costs 1.28 s plus $65.6\,\mu\text{s}$ per step and Arbor 1.08 s plus $97.3\,\mu\text{s}$: our




Figure 4: GENESIS 2.5 against NEURON and CoreNEURON on the Vogels–Abbott COBAHH network, one UMCS node. All arms are single-threaded CPU except the top one, CoreNEURON on an A100, coloured apart. Hatched bars are single runs; the others are means of 3 replicates with standard deviations. Throughput is quoted over the 4×10^8 neuron-steps the 5 s simulation advances. Against CoreNEURON on CPU, the GENESIS arm completes the network in two thirds of the time using no accelerator at all; against CoreNEURON on the GPU it is $1.74\times$ slower, because a spiking network of single-compartment cells is the one case this release cannot accelerate.

marginal cost is 33% lower while theirs starts 0.20 s ahead, so the lines cross at $K \approx 6400$, or 64 ms of simulated time at $dt = 0.01$ ms (Fig. 5). Below it Arbor wins on setup; above it, where modelling studies sit, GENESIS 2.5 is faster. The device profile explains the split: our step phase exceeds kernel time by 0.21 s at both run lengths, so the excess is one-time dispatch setup, not per-step work. This is the cost of the design that keeps existing models working: Arbor generates specialised code per mechanism, while our kernels interpret the `hsolve` opcode program at run time. On single-threaded CPU the GENESIS solver is $2.02\times$ slower than CoreNEURON here, the opposite of Table 6, because the two benchmarks stress different things: the spiking network is dominated by synaptic event handling over single compartments, this one by the tridiagonal solve, where CoreNEURON’s vectorised layout is stronger. Either way it is the accelerator, not the solver, that this release contributes. Arbor is also faster on 128 CPU threads than on the GPU at this size, its construction cost dominating. We report no PGENESIS arm: what is compared here is the accelerator.

A reproduction pack is included: `shreproduce/run_all.sh` re-measures every claim here, regenerates the figures from those measurements, and

Simulator	Backend	Wall (s)
<i>K = 5000 steps (50 ms simulated)</i>		
Arbor 0.10.0	CPU, 128 threads	1.09 ± 0.04
Arbor 0.10.0	GPU (A100)	1.56 ± 0.03
GENESIS 2.5	GPU (A100)	1.59 ± 0.01
CoreNEURON 9.0.2	CPU, 1 thread	60.94 ± 0.15
NEURON 9.0.2	CPU, 1 thread	82.82 ± 2.00
GENESIS 2.5	CPU, 1 thread	123.41 ± 1.75
<i>K = 50 000 steps (500 ms simulated)</i>		
GENESIS 2.5	GPU (A100)	4.56 ± 0.01
Arbor 0.10.0	GPU (A100)	5.95 ± 0.02

Table 7: Multi-compartment Hodgkin–Huxley benchmark across simulators: $N = 10\,000$ neurons $\times$ 16 compartments (160 000 compartments), $dt = 0.01$ ms, all on UMCS node inf03 (Xeon Platinum 8358, NVIDIA A100), mean $\pm$ std over 3 replicates, both arms of every pair timed identically. Thread counts differ by simulator and are stated: Arbor uses all cores by default, the others are single-threaded. The CPU arms are reported only at $K = 5000$, where they were measured; extrapolating them to the longer run would be an estimate, not a measurement. The GPU rows come from one sweep of six run lengths, which is also what Fig. 5 fits, so the table and the figure cannot disagree. The models match in geometry, passive properties, conductances, injection and timestep, verified against recorded voltages (Fig. 6); this is a throughput comparison and not a claim that the three produce identical trajectories. Harness and raw data: `cluster_bringup/coreneuron/`.

prints each published value beside the reader’s own. Raw data and full steps: `paper/docs/REPLICATION.md`.

4. Impact

GENESIS/PGENESIS users with channel-kinetics-heavy models now have a path to GPU acceleration (Section 3) without migrating models, SLI scripts, or MPI workflows — the barrier an architecturally different successor such as MOOSE would impose. The accelerator’s scope is deliberate: both kernels interpret the `hsolve` opcode program directly and implement the five opcodes a current-driven `tabchannel` model produces, so compartments needing anything else (synaptic channels, a `spike` element, GHK, concentration pools) are detected at `SETUP` and computed on the CPU. That boundary defines what this release accelerates, and a published network model is what established where it lies (Section 1).

The correctness and construction fixes reach further than the accelerator does. The three Hines-solver defects silently suppressed `inject`-driven voltage transients for every neuron but the first in any multi-neuron `hsolve`, and the five linear-scan patterns behind $O(n^2)$ construction (Section 3) blocked population-scale models outright. Both




Figure 5: GPU wall clock against run length for the multi-compartment benchmark, $N = 10\,000$ neurons $\times$ 16 compartments on the UMCS A100, six run lengths, mean $\pm$ std over 3 replicates each. Both simulators are linear in K with different intercepts and slopes: Arbor starts 0.20s ahead on setup, GENESIS 2.5 advances each step 33% more cheaply. Neither is faster in general — the lines cross at $K \approx 6400$, and a comparison at a single run length reports whichever side of that the author happened to choose.

predate this release and are fixed for every GENESIS/PGENESIS user, whether or not an accelerator is available.

5. Conclusions

GENESIS 2.5 adds opt-in OpenCL and CUDA acceleration to GENESIS 2.4/PGENESIS 2.4 for Hodgkin–Huxley `tabchannel` models, without changes to model files, SLI scripts, or MPI workflows (Section 3 reports speedup and fidelity on cluster-class hardware). Beyond the single-compartment multiloop kernel, `hines_tree_eliminate` extends acceleration to axially-coupled multi-compartment trees at population scale; the single-detailed-cell regime is not helped by this design, which we measure and report.

The release also carries seven correctness fixes to code already in users’ hands. Three are Hines-solver defects that silently suppressed `inject`-driven voltage transients in any multi-neuron `hsolve`, and benefit any GENESIS/PGENESIS user, accelerator or not; four are in the accelerator as first released (Section 1). Separately, five pre-existing linear-scan patterns compounding into $O(n^2)$ model-construction time are fixed, restoring linear scaling and making population-scale models buildable at all.




Figure 6: The same model in three simulators: membrane potential of one cell over its first action potential, at the soma where the current is injected and at the centre of the last dendrite, which moves only if axial coupling is integrated. Each simulator is drawn twice, wide and pale for one backend with the other dashed on top, so a pair that coincides reads as agreement rather than as a missing line. NEURON and Arbor lie on each other to 0.02 mV at the peak and give the same firing rate to 0.01%. GENESIS peaks 4.6 mV lower and 0.24 ms earlier: its Hodgkin–Huxley rates are written about a -70 mV resting potential and NEURON’s `hh` about -65 mV, so GENESIS’s $\alpha_m(v)$ equals NEURON’s $\alpha_m(v+5)$. Its own two backends agree to 2.6×10^{-5} V over 200 ms and 14 spikes, fp32 against fp64. Measuring this exposed three defects in the harness — Arbor injecting into the middle of the cable rather than the soma, Arbor using NEURON’s default reversal potentials instead of the model’s, and GENESIS scaling every compartment’s channel conductance by the soma’s area — all fixed here; none of them changed any wall time by more than 1.3%. Data: `cluster_bringup/logs/vmcross/`.

Measured against other simulators on a published network model, GENESIS 2.5 is $1.63 \pm 0.07\times$ faster than CoreNEURON and $2.04 \pm 0.09\times$ faster than NEURON 9.0.2 for single-threaded CPU execution of the Vogels–Abbott COBAHH benchmark, after verifying that the two implementations are equivalent (Section 3). That benchmark is a spiking network, which this release cannot accelerate, and CoreNEURON on an A100 runs it $1.74\times$ faster than our CPU solver. On multi-compartment populations, where the accelerator does apply, GENESIS 2.5 overtakes the GPU-native Arbor beyond 64 ms of simulated time.

Future work. Four directions follow directly from the limits measured here, in what we judge to be descending order of value to users.

Scale. The kernel assigns one thread per tree, so it accelerates population-scale simulation and not the single detailed cell, where only one thread is active and the GPU is $\sim 20\times$ slower than the CPU. Intra-tree parallelism, such as cyclic reduction, would extend acceleration to the detailed-morphology regime much of the literature works in. This is where the present design is furthest from complete.

Coverage. The accelerator now runs a synaptically coupled spiking network. GENESIS allowed a single spike generator per `hsolve`, so such a network was built as one solver per cell; lifting that lets the Vogels–Abbott model be built as one solver per layer, which on CPU alone is $1.56\times$ faster (31.5 ± 0.4 s against 49.3 ± 2.2 s), and the device then reproduces it to 0.35% on spike count. It is not yet worth using: at 41.1 ± 1.6 s the GPU arm is $1.30\times$ slower than that CPU arm, because a zero-delay network cannot batch and each of the 10^5 steps pays a dispatch. Reducing that, not correctness, is what stands between here and the $2.4\times$ ceiling the profile allows.

Comparison. CoreNEURON’s multi-rank MPI configuration, and Arbor on a spiking network, are still unmeasured and would place GENESIS 2.5 more completely.

Precision. The kernels are fp32 throughout, which lets them run on integrated GPUs lacking double precision at a cost of $\sim 10^{-7}$ V against the fp64 CPU. Whether that divergence stays bounded over the much longer runs used in plasticity studies is not established here.

Packaging into a container-based deployment pipeline [17] is in progress.

Acknowledgements

The authors thank the Maria Curie-Skłodowska University (UMCS) in Lublin and the LubMAN UMCS computing centre for access to the “Lunar” cluster (NVIDIA A100 and A40 GPU nodes) at the UMCS Institute of Mathematics, commissioned in 2015 [18] and since upgraded with the GPU nodes used in this work, and Karol S. Karpowicz and Prof. Przemysław Stpczyński for provisioning and support of the compute environment on which the CUDA backend was built and validated. The authors also thank WarsawIQ for the AMD Radeon 890M integrated GPU on which the OpenCL backend was developed.

Declaration of generative AI and AI-assisted technologies in the manuscript preparation process

During the preparation of this work the authors used Anthropic’s Claude to draft and edit the manuscript, to write the benchmarking and analysis scripts, and to assist with implementing and debugging the accelerator backends. All reported results were produced by running the software on the hardware named in the text and checked against the raw data in the repository. The authors reviewed and edited all output and take full responsibility for the content of the published article.

References

- [1] Bower JM, Beeman D. *The Book of GENESIS: Exploring Realistic Neural Models with the GEneral NEural Simulation System*. Springer, 1998.
- [2] GENESIS 3 Development Plans. <http://www.genesis-sim.org/GENESIS/G3/G3-dev-plans.html>
- [3] Cornelis H, Coop AD, Rodriguez AL, Beeman D, Bower JM. GENESIS 3.0 functionality enhanced by interface to multiple types of database. *BMC Neuroscience* 2011, 12(Suppl 1):P15.
- [4] Cornelis H, Edwards M, Coop AD, Bower JM. The CBI architecture for computational simulation of realistic neurons and circuits in the GENESIS 3 software federation. *BMC Neuroscience* 2008, 9(Suppl 1):P88.
- [5] Cornelis H, Lu H, Esquivel A, Bower JM. Modeling a single dendritic compartment using Neurospaces and GENESIS-3. *BMC Neuroscience* 2007, 8(Suppl 2):P3.
- [6] Cornelis H, Bampasakis D, Steuber V, Bower JM. Interoperability in the GENESIS 3.0 Software Federation: the NEURON Simulator as an Example. *BMC Neuroscience* 2013, 14(Suppl 1):P33.
- [7] Akar NA, Cumming B, Karakasis V, Küsters A, Klijn W, Peyser A, Yates S. Arbor – A Morphologically-Detailed Neural Network Simulation Library for Contemporary High-Performance Computing Architectures. In: *27th Euromicro International Conference on Parallel, Distributed and Network-Based Processing (PDP)*, 2019, pp. 274–282. doi:10.1109/EMPDP.2019.8671560.
- [8] Kumbhar P, Hines M, Fouriaux J, Ovcharenko A, King J, Delalandre F, Schürmann F. CoreNEURON: An Optimized Compute Engine for the NEURON Simulator. *Frontiers in Neuroinformatics* 2019, 13:63. doi:10.3389/fninf.2019.00063.
- [9] Markram H, Muller E, Ramaswamy S, et al. Reconstruction and Simulation of Neocortical Microcircuitry. *Cell* 2015, 163(2):456–492. doi:10.1016/j.cell.2015.09.029.
- [10] Hines M. Efficient computation of branched nerve equations. *International Journal of Bio-Medical Computing* 1984, 15(1):69–76. doi:10.1016/0020-7101(84)90008-4.

- [11] Hines ML, Carnevale NT. The NEURON Simulation Environment. *Neural Computation* 1997, 9(6):1179–1209. doi:10.1162/neco.1997.9.6.1179.
- [12] Gewaltig M-O, Diesmann M. NEST (NEural Simulation Tool). *Scholarpedia* 2007, 2(4):1430. doi:10.4249/scholarpedia.1430.
- [13] Stimberg M, Brette R, Goodman DFM. Brian 2, an intuitive and efficient neural simulator. *eLife* 2019, 8:e47314. doi:10.7554/eLife.47314.
- [14] Yavuz E, Turner J, Nowotny T. GeNN: a code generation framework for accelerated brain simulations. *Scientific Reports* 2016, 6:18854. doi:10.1038/srep18854.
- [15] Vogels TP, Abbott LF. Signal Propagation and Logic Gating in Networks of Integrate-and-Fire Neurons. *Journal of Neuroscience* 2005, 25(46):10786–10795. doi:10.1523/JNEUROSCI.3508-05.2005.
- [16] Brette R, Rudolph M, Carnevale T, Hines M, Beeman D, Bower JM, et al. Simulation of networks of spiking neurons: A review of tools and strategies. *Journal of Computational Neuroscience* 2007, 23(3):349–398. doi:10.1007/s10827-007-0038-6.
- [17] Chlasta K, Sochaczewski P, Wójcik GM, Krejtz I. Neural simulation pipeline: Enabling container-based simulations on-premise and in public clouds. *Frontiers in Neuroinformatics* 2023, 17:1122470. doi:10.3389/fninf.2023.1122470.
- [18] Maria Curie-Skłodowska University (UMCS), Instytut Matematyki. Superkomputer LUNAR uruchomiony w Instytucie Matematyki UMCS. <https://www.umcs.pl/pl/aktualnosci,57,superkomputer-lunar-uruchomiony-w-instytucie-matematyki-umcs,27879.htm>, 2015.

Current executable software version

Not applicable; this release is distributed as source code only (see Current code version above).