

Github task 2

1) install git

Git —version (to check git downloaded)

```
waseemakram@waseem myproject.git % git --version  
git version 2.51.2  
waseemakram@waseem myproject.git %
```

2) Create a repo in github with README.md and .ignore file.

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1 General

Owner *

 Waseema761 ▾

Repository name *

git-practice

✓ git-practice is available.

Great repository names are short and memorable. How about **fluffy-octo-succotash**?

Description

0 / 350 characters

2 Configuration

Choose visibility *

Choose who can see and commit to this repository

 Public ▾

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

On ☒

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore ▾


Add license

Licenses explain how others can use your code. [About licenses](#)

No license ▾

Create repository

—> Given name **git-practice** as repository name
—> add README ON
—> no .gitignore



3) Clone the created repo to local.

Copy the repository link

And

Use git clone (paste the url) it will create a clone of your repository

```
waseemakram@waseem ~ % cd myproject.git
[waseemakram@waseem myproject.git % git clone git@github.com:Waseema761/git-practice.git
Cloning into 'git-practice'...
[Enter passphrase for key '/Users/waseemakram/.ssh/id_ed25519':
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
[waseemakram@waseem myproject.git % ls
git-practice
waseemakram@waseem myproject.git %
```

Now check the clone directory and Ls you will find same data of repository

```
[waseemakram@waseem myproject.git % ls
git-practice
[waseemakram@waseem myproject.git % cd git-practice
[waseemakram@waseem git-practice % ls
README.md
waseemakram@waseem git-practice %
```

- 4) Create two files in local repo.
- 5) Commit two files and push to central Repository.

Created two files and
Git add . For adding all files in repo
Git commit -m for committing changes

```
file1      file2      README.md
[waseemakram@waseem git-practice % git add .
[waseemakram@waseem git-practice % git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   file1
        new file:   file2

[waseemakram@waseem git-practice % git commit -m " added two files "
[main eb21d47] added two files
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file1
 create mode 100644 file2
[waseemakram@waseem git-practice % git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
```

Git push -u origin main will push that file to central repo

```
file1      file2      README.md
waseemakram@waseem git-practice % git push -u origin main
Enter passphrase for key '/Users/waseemakram/.ssh/id_ed25519':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 283 bytes | 283.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:Waseema761/git-practice.git
   5c484c4..eb21d47  main -> main
branch 'main' set up to track 'origin/main'.
waseemakram@waseem git-practice %
```

Files are now available in central repository

The screenshot shows a GitHub repository page for 'git-practice' by user 'Waseema761'. The repository is public and has 1 branch (main) and 0 tags. The commit history shows two commits: 'Initial commit' (11 minutes ago) and 'added two files' (4 minutes ago). The README file is visible, titled 'git-practice'. The right sidebar shows the repository's statistics: 0 stars, 0 forks, and 0 watchers. The footer of the page includes the GitHub logo and copyright information: '© 2025 GitHub, Inc. Terms Privacy Security Status Community Docs Contact Manage cookies Do not share my personal information'.

6) Create a branch in local and create a sample file and push to central.

```
[waseemakram@waseem git-practice % git branch release
[waseemakram@waseem git-practice % git branch --list
* main
  release
[waseemakram@waseem git-practice % ls
file1      file2      README.md
[waseemakram@waseem git-practice % git checkout release
Switched to branch 'release'
[waseemakram@waseem git-practice % ls
file1      file2      README.md
```

—> git branch release

This command will create a branch name release

—> git branch —list

This command is used for checking branch list

—> git checkout release

This command will switch to the release named branch

* when we move to other other branch it will default save the files of previous branch as we can see we are having files of main in release branch

We created a file name world in release branch

And we pushed that branch using

—> Git push -u origin release

```
[waseemakram@waseem git-practice % vi world
[waseemakram@waseem git-practice % git status
On branch release
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    world

nothing added to commit but untracked files present (use "git add" to track)
[waseemakram@waseem git-practice % git add .
[waseemakram@waseem git-practice % git status
On branch release
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   world

[waseemakram@waseem git-practice % git commit -m "added file world"
[release 3266632] added file world
 1 file changed, 1 insertion(+)
 create mode 100644 world
[waseemakram@waseem git-practice % git status
On branch release
nothing to commit, working tree clean
```

```
[waseemakram@waseem git-practice % git push -u origin release
[Enter passphrase for key '/Users/waseemakram/.ssh/id_ed25519':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
```

We pushed the branch to central repo

We can see release named branch is available in central repo

 **git-practice** Public

 Pin  Watch 0

 **release** had recent pushes 1 minute ago Compare & pull request

 **main**  **2 Branches**  **0 Tags**

t Add file <> Code

Switch branches/tags

Branches

Tags

✓ main default

release

[View all branches](#)

eb21d47 · 16 hours ago  **2 Commits**

Initial commit17 hours ago

added two files16 hours ago

added two files16 hours ago

git-practice

