

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: testjava

Limit to 50 rows

SCHEMAS

Filter objects

- carro
- dbagenda
 - Tables
 - Views
 - Stored Procedures
 - Functions
- mydb
- noco
- trabalhowashington
- usuarios

Administration Schemas

Information

No object selected

```
1
2 • drop table carros;
3 • drop table ipva;
4
5
6 • CREATE TABLE carros (
7   id INT(8) NOT null auto_increment,
8   modelo VARCHAR(120) NOT NULL,
9   ano INT(8) not null,
10  PRIMARY KEY (id)
11 );
12
13
14 • CREATE TABLE ipva (
15   id INT(8) NOT null auto_increment,
16   ano INT(8) not null,
17   PRIMARY KEY (id)
18 );
19
20
21 • select * from carros;
22 • select * from ipva;
23 • INSERT INTO ipva VALUES(1,2015)
24
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	21:56:26	select * from ipva LIMIT 0, 50	1 row(s) returned	0.000 sec / 0.000 sec
6	23:29:55	drop table carros	0 row(s) affected	0.047 sec
7	23:29:59	drop table ipva	0 row(s) affected	0.062 sec
8	23:30:02	drop table carros	Error Code: 1051. Unknown table 'dbagenda.carros'	0.000 sec
9	23:30:06	CREATE TABLE carros (id INT(8) NOT null auto_increment, modelo VARCHAR(120) NOT NULL, ano INT(8) not null, PRIMARY KEY (id))	0 row(s) affected, 2 warning(s): 1681 Integer display width is deprecated and will be removed in a future release. 1681 Integer display width is deprecate...	0.063 sec
10	23:30:10	CREATE TABLE ipva (id INT(8) NOT null auto_increment, ano INT(8) not null, PRIMARY KEY (id))	0 row(s) affected, 2 warning(s): 1681 Integer display width is deprecated and will be removed in a future release. 1681 Integer display width is deprecate...	0.047 sec

Object Info Session

Context Help Snippets

19°C Pred. nublado 23:30 11/02/2022

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: testjava

Limit to 50 rows

SCHEMAS

Filter objects

- carro
- dbagenda
 - Tables
 - Views
 - Stored Procedures
 - Functions
- mydb
- noco
- trabalhowashington
- usuarios

Administration Schemas

Information

No object selected

```
1
2 • drop table carros;
3 • drop table ipva;
4
5
6 • CREATE TABLE carros (
7     id INT(8) NOT null auto_increment,
8     modelo VARCHAR(120) NOT NULL,
9     ano INT(8) not null,
10    PRIMARY KEY (id)
11 );
12
13
14 • CREATE TABLE ipva (
15     id INT(8) NOT null auto_increment,
16     ano INT(8) not null,
17    PRIMARY KEY (id)
18 );
19
20
21 • select * from carros;
22 • select * from ipva;
23 • INSERT INTO ipva VALUES(1,2015)
24
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	21:56:26	select * from ipva LIMIT 0, 50	1 row(s) returned	0.000 sec / 0.000 sec
6	23:29:55	drop table carros	0 row(s) affected	0.047 sec
7	23:29:59	drop table ipva	0 row(s) affected	0.062 sec
8	23:30:02	drop table carros	Error Code: 1051. Unknown table 'dbagenda.carros'	0.000 sec
9	23:30:06	CREATE TABLE carros (id INT(8) NOT null auto_increment, modelo VARCHAR(120) NOT NULL, ano INT(8) not null, PRIMARY KEY (id))	0 row(s) affected, 2 warning(s): 1681 Integer display width is deprecated and will be removed in a future release. 1681 Integer display width is deprecate...	0.063 sec
10	23:30:10	CREATE TABLE ipva (id INT(8) NOT null auto_increment, ano INT(8) not null, PRIMARY KEY (id))	0 row(s) affected, 2 warning(s): 1681 Integer display width is deprecated and will be removed in a future release. 1681 Integer display width is deprecate...	0.047 sec

Object Info Session

Context Help Snippets

19°C Pred. nublado 23:30 11/02/2022

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: testjava

SCHEMAS

Filter objects

- carro
- dbagenda**
 - Tables
 - Views
 - Stored Procedures
 - Functions
- mydb
- noco
- trabalhowashington
- usuarios

Administration Schemas Information

No object selected

```
1
2 drop table carros;
3 drop table ipva;
4
5
6 CREATE TABLE carros (
7     id INT(8) NOT null auto_increment,
8     modelo VARCHAR(120) NOT NULL,
9     ano INT(8) not null,
10    PRIMARY KEY (id)
11 );
12
13
14 CREATE TABLE ipva (
15     id INT(8) NOT null auto_increment,
16     ano INT(8) not null,
17     PRIMARY KEY (id)
18 );
19
20
21 select * from carros;
22 select * from ipva;
23 INSERT INTO ipva VALUES(1,2015)
24
```

Result Grid

	id	ano
1	1	2015

ipva 5

Output

#	Time	Action	Message	Duration / Fetch
8	23:30:02	drop table carros	Error Code: 1051. Unknown table 'dbagenda.carros'	0.000 sec
9	23:30:06	CREATE TABLE carros (id INT(8) NOT null auto_increment, modelo VARCHAR(120) NOT NULL, ano INT(8) not null, PRIMARY KEY (id))	0 row(s) affected, 2 warning(s): 1681 Integer display width is deprecated and will be removed in a future release. 1681 Integer display width is deprecate...	0.063 sec
10	23:30:10	CREATE TABLE ipva (id INT(8) NOT null auto_increment, ano INT(8) not null, PRIMARY KEY (id))	0 row(s) affected, 2 warning(s): 1681 Integer display width is deprecated and will be removed in a future release. 1681 Integer display width is deprecate...	0.047 sec
11	23:30:52	select * from carros LIMIT 0, 50	0 row(s) returned	0.032 sec / 0.000 sec
12	23:31:12	INSERT INTO ipva VALUES(1,2015)	1 row(s) affected	0.016 sec
13	23:31:15	select * from ipva LIMIT 0, 50	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

19°C Pred. nublado 23:31 11/02/2022

Trabalho Final WJP

Lista de Veiculos

Adicionar Veiculo Atualizar Página

Id	Modelo	Ano	Ipva	Ações
Tabelas IPVA		Quantidade	Ano Base :	Alterar
Com ipva				
Sem Ipva				
Total de Carros		0		

Trabalho Final WJP

Cadastrar Veiculo

Modelo:

Ano:

Salvar

Trabalho Final WJP

Lista de Veiculos

Adicionar Veiculo Atualizar Página

Id	Modelo	Ano	Ipva	Ações
1	bugate	2020	Com Ipva	Alterar delete

Tabelas IPVA	Quantidade	Ano Base : 2015	Alterar
Com ipva	1		
Sem Ipva			
Total de Carros	1		

Trabalho Final WJP

Cadastrar Veiculo

Modelo:

Ano:

Salvar

Trabalho Final WJP

Lista de Veiculos

Adicionar Veiculo Atualizar Página

Id	Modelo	Ano	Ipva	Ações
1	bugate	2020	Com Ipva	Alterar delete
2	ferrari	2022	Com Ipva	Alterar delete

Tabelas IPVA	Quantidade	Ano Base : 2015	Alterar
Com ipva	2		
Sem Ipva			
Total de Carros	2		

Trabalho Final WJP

Cadastrar Veiculo

Modelo:

Ano:

Salvar

Trabalho Final WJP

Lista de Veiculos

Adicionar Veiculo Atualizar Página

Id	Modelo	Ano	Ipva	Ações
1	bugate	2020	Com Ipva	Alterar delete
2	ferrari	2022	Com Ipva	Alterar delete
3	lamborghini do gava	2019	Com Ipva	Alterar delete

Tabelas IPVA	Quantidade	Ano Base : 2015	Alterar
Com ipva	3		
Sem Ipva			
Total de Carros	3		

Trabalho Final WJP

Cadastrar Veiculo

Modelo:

Ano:

Salvar

Trabalho Final WJP

Cadastrar Veiculo

Modelo:

Ano:

Salvar

Adicionar Veículo

Atualizar Página

Tabelas IPVA	Quantidade	Ano Base : 2015	Alterar
Com ipva	3		
Sem Ipva	2		
Total de Carros	5		

Trabalho Final WJP

Cadastrar Veiculo

Modelo:

Ano:

Salvar

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: testgava

SCHEMAS

Filter objects

- carro
- dbagenda
 - Tables
 - Views
 - Stored Procedures
 - Functions
- mydb
- noco
- trabalhowashington
- usuarios

Administration Schemas Information

No object selected

```
1
2 • drop table carros;
3 • drop table ipva;
4
5
6 • CREATE TABLE carros (
7   id INT(8) NOT null auto_increment,
8   modelo VARCHAR(120) NOT NULL,
9   ano INT(8) not null,
10  PRIMARY KEY (id)
11 );
12
13
14 • CREATE TABLE ipva (
15   id INT(8) NOT null auto_increment,
16   ano INT(8) not null,
17   PRIMARY KEY (id)
18 );
19
20
21 • select * from carros;
22 • select * from ipva;
23 • INSERT INTO ipva VALUES(1,2015)
24
```

Limit to 50 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

	id	modelo	ano
1	1	bugate	2020
2	2	ferrari	2022
3	3	lamborghini do gava	2019
4	4	fusca	1999
5	5	carro do washington	2009
6	6	ferrari 689	2021
7	NULL	NULL	NULL

carros 6

Output

Action Output

Time Action Message Duration / Fetch

9 23:30:06 CREATE TABLE carros (id INT(8) NOT null auto_increment, modelo VARCHAR(120) NOT NULL, ano INT(8) not null, PRIMARY KEY (id)) 0 row(s) affected, 2 warning(s): 1681 Integer display width is deprecated and will be removed in a future release. 1681 Integer display width is deprecate... 0.063 sec

Object Info Session

19°C Pred. nublado 23:38 11/02/2022

Adicionar Veículo Atualizar Página

Tabelas IPVA	Quantidade	Ano Base : 2015	Alterar
Com ipva	3		
Sem Ipva	2		
Total de Carros	5		

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: testgava

SCHEMAS

Filter objects

- carro
- dbagenda
 - Tables
 - Views
 - Stored Procedures
 - Functions
- mydb
- noco
- trabalhowashington
- usuarios

Administration Schemas Information

No object selected

```
1
2 • drop table carros;
3 • drop table ipva;
4
5
6 • CREATE TABLE carros (
7     id INT(8) NOT null auto_increment,
8     modelo VARCHAR(120) NOT NULL,
9     ano INT(8) not null,
10    PRIMARY KEY (id)
11 );
12
13
14 • CREATE TABLE ipva (
15     id INT(8) NOT null auto_increment,
16     ano INT(8) not null,
17     PRIMARY KEY (id)
18 );
19
20
21 • select * from carros;
22 • select * from ipva;
23 • INSERT INTO ipva VALUES(1,2015)
24
```

Result Grid

	id	modelo	ano
1			
2		ferrari	2022
3		lamborghini do gava	2019
4		fusca	1999
5		carro do washington	2009
6		ferrari 689	2021
7	NULL	NULL	NULL

carros 7

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	23:38:24	select * from carros LIMIT 0, 50	6 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

19°C Pred. nublado 23:39 11/02/2022

Trabalho Final WJP

Lista de Veiculos

Adicionar Veiculo Atualizar Página

Id	Modelo	Ano	Ipva	Ações
2	ferrari	2022	Com Ipva	Alterar delete
3	lamborghini do gava	2019	Com Ipva	Alterar delete
4	fusca	1999	Sem Ipva	Alterar delete
6	ferrari 689	2021	Com Ipva	Alterar delete

Tabelas IPVA	Quantidade	Ano Base : 2015	Alterar
Com ipva	3		
Sem Ipva	1		
Total de Carros	4		

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: testgava

SCHEMAS

Filter objects

- carro
- dbagenda
 - Tables
 - Views
 - Stored Procedures
 - Functions
- mydb
- noco
- trabalhowashington
- usuarios

Administration Schemas

Information

No object selected

```
1
2 • drop table carros;
3 • drop table ipva;
4
5
6 • CREATE TABLE carros (
7   id INT(8) NOT null auto_increment,
8   modelo VARCHAR(120) NOT NULL,
9   ano INT(8) not null,
10  PRIMARY KEY (id)
11 );
12
13
14 • CREATE TABLE ipva (
15   id INT(8) NOT null auto_increment,
16   ano INT(8) not null,
17   PRIMARY KEY (id)
18 );
19
20
21 • select * from carros;
22 • select * from ipva;
23 • INSERT INTO ipva VALUES(1,2015)
24
```

Result Grid

	id	modelo	ano
2		ferrari	2022
3		lamborghini do gava	2019
4		fusca	1999
6		ferrari 689	2021
*	NULL	NULL	NULL

carros 8

Output

Action Output

#	Time	Action	Message	Duration / Fetch
15	23:39:27	select * from carros LIMIT 0, 50	5 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Trabalho Final WJP

Cadastrar Veiculo

Modelo:

Ano:

Atualizar

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: testgava

SCHEMAS

Filter objects

- carro
- dbagenda
 - Tables
 - Views
 - Stored Procedures
 - Functions
- mydb
- noco
- trabalhowashington
- usuarios

Administration Schemas

Information

No object selected

```
1
2 • drop table carros;
3 • drop table ipva;
4
5
6 • CREATE TABLE carros (
7   id INT(8) NOT null auto_increment,
8   modelo VARCHAR(120) NOT NULL,
9   ano INT(8) not null,
10  PRIMARY KEY (id)
11 );
12
13
14 • CREATE TABLE ipva (
15   id INT(8) NOT null auto_increment,
16   ano INT(8) not null,
17   PRIMARY KEY (id)
18 );
19
20
21 • select * from carros;
22 • select * from ipva;
23 • INSERT INTO ipva VALUES(1,2015)
24
```

Result Grid

	id	modelo	ano
2		ferrari	1980
3		lamborghini do gava	2019
4		fusca	1999
6		ferrari 689	2021
*	NULL	NULL	NULL

carros 9

Output

Action Output

#	Time	Action	Message	Duration / Fetch
16	23:40:00	select * from carros LIMIT 0, 50	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

19°C Pred. nublado 23:41 11/02/2022

Trabalho Final WJP

Lista de Veiculos

Adicionar Veiculo Atualizar Página

Id	Modelo	Ano	Ipva	Ações
2	ferrari	1980	Sem Ipva	Alterar delete
3	lamborghini do gava	2019	Com Ipva	Alterar delete
4	fusca	1999	Sem Ipva	Alterar delete
6	ferrari 689	2021	Com Ipva	Alterar delete

Tabelas IPVA	Quantidade	Ano Base : 2015	Alterar
Com ipva	2		
Sem Ipva	2		
Total de Carros	4		