

Prefix	Verb	URI	Pattern
			Controller#Action
rails_admin		/admin-console	
			RailsAdmin::Engine
home_index	GET	/home/index(..format)	home#index
dashboard	GET	/dashboard(..format)	dashboard#index
new_user_session	GET	/users/sign_in(..format)	devise/sessions#new
user_session	POST	/users/sign_in(..format)	devise/sessions#create
destroy_user_session	DELETE	/users/sign_out(..format)	devise/sessions#destroy
new_user_password	GET	/users/password/new(..format)	devise/passwords#new
edit_user_password	GET	/users/password/edit(..format)	devise/passwords#edit
user_password	PATCH	/users/password(..format)	devise/passwords#update
	PUT	/users/password(..format)	devise/passwords#update
	POST	/users/password(..format)	devise/passwords#create
cancel_user_registration	GET	/users/cancel(..format)	devise/registrations#cancel
new_user_registration	GET	/users/sign_up(..format)	devise/registrations#new
edit_user_registration	GET	/users/edit(..format)	devise/registrations#edit
user_registration	PATCH	/users(..format)	devise/registrations#update
	PUT	/users(..format)	devise/registrations#update
	DELETE	/users(..format)	devise/registrations#destroy
	POST	/users(..format)	devise/registrations#create
root	GET	/	
			dashboard#index
edit_profile	GET	/profile/edit(..format)	profiles#edit
profile	GET	/profile(..format)	profiles#show
	PATCH	/profile(..format)	profiles#update
	PUT	/profile(..format)	profiles#update
results	GET	/results(..format)	results#index
my_courses_courses	GET	/courses/my_courses(..format)	courses#my_courses
courses	GET	/courses(..format)	courses#index
	POST	/courses(..format)	courses#create
new_course	GET	/courses/new(..format)	courses#new
edit_course	GET	/courses/:id/edit(..format)	courses#edit
course	GET	/courses/:id(..format)	courses#show
	PATCH	/courses/:id(..format)	

		courses#update
	PUT	/courses/:id(.:format)
		courses#update
	DELETE	/courses/:id(.:format)
		courses#destroy
enrollments	GET	/enrollments(.:format)
		enrollments#index
	POST	/enrollments(.:format)
		enrollments#create
enrollment	PATCH	/enrollments/:id(.:format)
		enrollments#update
	PUT	/enrollments/:id(.:format)
		enrollments#update
teacher_results	POST	/teacher/results(.:format)
		teacher/results#create
new_teacher_result	GET	/teacher/results/new(.:format)
		teacher/results#new
approve_admin_user	PATCH	/admin/users/:id/approve(.:format)
		admin/users#approve
update_role_admin_user	PATCH	/admin/users/:id/update_role(.:format)
		admin/users#update_role
admin_users	GET	/admin/users(.:format)
		admin/users#index
	POST	/admin/users(.:format)
		admin/users#create
new_admin_user	GET	/admin/users/new(.:format)
		admin/users#new
edit_admin_user	GET	/admin/users/:id/edit(.:format)
		admin/users#edit
admin_user	GET	/admin/users/:id(.:format)
		admin/users#show
	PATCH	/admin/users/:id(.:format)
		admin/users#update
	PUT	/admin/users/:id(.:format)
		admin/users#update
	DELETE	/admin/users/:id(.:format)
		admin/users#destroy
approve_admin_enrollment	PATCH	/admin/enrollments/:id/approve(.:format)
		admin/enrollments#approve
admin_enrollments	GET	/admin/enrollments(.:format)
		admin/enrollments#index
admin_enrollment	PATCH	/admin/enrollments/:id(.:format)
		admin/enrollments#update
	PUT	/admin/enrollments/:id(.:format)
		admin/enrollments#update
approve_admin_result	PATCH	/admin/results/:id/approve(.:format)
		admin/results#approve
admin_results	GET	/admin/results(.:format)
		admin/results#index
admin_result	PATCH	/admin/results/:id(.:format)
		admin/results#update
	PUT	/admin/results/:id(.:format)
		admin/results#update
success_payments	POST	/payments/success(.:format)
		payments#success
fail_payments	POST	/payments/fail(.:format)
		payments#fail
cancel_payments	POST	/payments/cancel(.:format)
		payments#cancel
payments	POST	/payments(.:format)
		payments#create
download_pdf_results	GET	/results/download_pdf(.:format)
		results#download_pdf

```

GET      /results(.:format)
          results#index
POST     /results(.:format)
          results#create
new_result GET  /results/new(.:format)
          results#new
edit_result GET /results/:id/edit(.:format)
          results#edit
result   GET    /results/:id(.:format)
          results#show
PATCH   /results/:id(.:format)
          results#update
PUT      /results/:id(.:format)
          results#update
DELETE   /results/:id(.:format)
          results#destroy
POST     /teacher/results(.:format)
          teacher/results#create
GET      /teacher/results/new(.:format)
          teacher/results#new
teacher_bulk_marks_uploads GET /teacher/bulk_marks_uploads(.:format)
          teacher/bulk_marks_uploads#index
POST     /teacher/bulk_marks_uploads(.:format)
          teacher/bulk_marks_uploads#create
new_teacher_bulk_marks_upload GET /teacher/bulk_marks_uploads/new(.:format)
          teacher/bulk_marks_uploads#new
reject_admin_result PATCH /admin/results/:id/reject(.:format)
          admin/results#reject
GET      /admin/results(.:format)
          admin/results#index
PATCH   /admin/results/:id(.:format)
          admin/results#update
PUT      /admin/results/:id(.:format)
          admin/results#update
approve_admin_bulk_marks_upload PATCH /admin/bulk_marks_uploads/:id/approve(.:format)
          admin/bulk_marks_uploads#approve
reject_admin_bulk_marks_upload PATCH /admin/bulk_marks_uploads/:id/reject(.:format)
          admin/bulk_marks_uploads#reject
admin_bulk_marks_uploads GET /admin/bulk_marks_uploads(.:format)
          admin/bulk_marks_uploads#index
admin_bulk_marks_upload GET /admin/bulk_marks_uploads/:id(.:format)
          admin/bulk_marks_uploads#show
admin_course_catalogue GET /admin/course_catalogue(.:format)
          admin/course_catalogue#index
admin_course_coupons GET /admin/courses/:course_id/coupons(.:format)
          admin/coupons#index
POST     /admin/courses/:course_id/coupons(.:format)
          admin/coupons#create
new_admin_course_coupon GET /admin/courses/:course_id/coupons/new(.:format)
          admin/coupons#new
edit_admin_course_coupon GET /admin/courses/:course_id/coupons/:id/edit(.:format)
          admin/coupons#edit
admin_course_coupon GET /admin/courses/:course_id/coupons/:id(.:format)
          admin/coupons#show
PATCH   /admin/courses/:course_id/coupons/:id(.:format)
          admin/coupons#update
PUT      /admin/courses/:course_id/coupons/:id(.:format)
          admin/coupons#update
DELETE   /admin/courses/:course_id/coupons/:id(.:format)
          admin/coupons#destroy
admin_courses GET /admin/courses(.:format)
          admin/courses#index
POST     /admin/courses(.:format)

```

		admin/courses#create
new_admin_course	GET	/admin/courses/new(.:format)
		admin/courses#new
edit_admin_course	GET	/admin/courses/:id/edit(.:format)
		admin/courses#edit
admin_course	GET	/admin/courses/:id(.:format)
		admin/courses#show
	PATCH	/admin/courses/:id(.:format)
		admin/courses#update
	PUT	/admin/courses/:id(.:format)
		admin/courses#update
	DELETE	/admin/courses/:id(.:format)
		admin/courses#destroy
rails_health_check	GET	/up(.:format)
		rails/health#show
turbo_recede_historical_location	GET	/recede_historical_location(.:format)
		turbo/native/navigation#recede
turbo_resume_historical_location	GET	/resume_historical_location(.:format)
		turbo/native/navigation#resume
turbo_refresh_historical_location	GET	/refresh_historical_location(.:format)
		turbo/native/navigation#refresh
rails_postmark_inbound_emails	POST	/rails/action_mailbox/postmark/inbound_emails(
.:format)		action_mailbox/ingresses/postmark/inbound_
emails#create		
rails_relay_inbound_emails	POST	/rails/action_mailbox/relay/inbound_emails(.:f
ormat)		action_mailbox/ingresses/relay/inbound_ema
ils#create		
rails_sendgrid_inbound_emails	POST	/rails/action_mailbox/sendgrid/inbound_emails(
.:format)		action_mailbox/ingresses/sendgrid/inbound_
emails#create		
rails_mandrill_inbound_health_check	GET	/rails/action_mailbox/mandrill/inbound_emails(
.:format)		action_mailbox/ingresses/mandrill/inbound_
emails#health_check		
rails_mandrill_inbound_emails	POST	/rails/action_mailbox/mandrill/inbound_emails(
.:format)		action_mailbox/ingresses/mandrill/inbound_
emails#create		
rails_mailgun_inbound_emails	POST	/rails/action_mailbox/mailgun/inbound_emails/m
ime(.:format)		action_mailbox/ingresses/mailgun/inbound_e
mails#create		
rails_conductor_inbound_emails	GET	/rails/conductor/action_mailbox/inbound_emails
(.:format)		rails/conductor/action_mailbox/inbound_ema
ils#index		
	POST	/rails/conductor/action_mailbox/inbound_emails
(.:format)		rails/conductor/action_mailbox/inbound_ema
ils#create		
new_rails_conductor_inbound_email	GET	/rails/conductor/action_mailbox/inbound_emails
/new(.:format)		rails/conductor/action_mailbox/inbound_ema
ils#new		
rails_conductor_inbound_email	GET	/rails/conductor/action_mailbox/inbound_emails
/:id(.:format)		rails/conductor/action_mailbox/inbound_ema
ils#show		
new_rails_conductor_inbound_email_source	GET	/rails/conductor/action_mailbox/inbound_emails
/sources/new(.:format)		rails/conductor/action_mailbox/inbound_ema
ils/sources#new		
rails_conductor_inbound_email_sources	POST	/rails/conductor/action_mailbox/inbound_emails
/sources(.:format)		rails/conductor/action_mailbox/inbound_ema
ils/sources#create		
rails_conductor_inbound_email_reroute	POST	/rails/conductor/action_mailbox/:inbound_email
_id/reroute(.:format)		rails/conductor/action_mailbox/reroutes#cr
reate		
rails_conductor_inbound_email_incinerate	POST	/rails/conductor/action_mailbox/:inbound_email
_id/incinerate(.:format)		rails/conductor/action_mailbox/incinerates
#create		

```

rails_service_blob GET /rails/active_storage/blobs/redirect/:signed_id/*filename(.:format)
rails_service_blob_proxy GET /rails/active_storage/blobs/proxy/:signed_id/*filename(.:format)
GET /rails/active_storage/blobs/:signed_id/*filename(.:format)
rails_blob_representation GET /rails/active_storage/representations/redirect/:signed_blob_id/:variation_key/*filename(.:format)
rails_blob_representation_proxy GET /rails/active_storage/representations/proxy/:signed_blob_id/:variation_key/*filename(.:format)
GET /rails/active_storage/representations/:signed_blob_id/:variation_key/*filename(.:format)
rails_disk_service GET /rails/active_storage/disk/:encoded_key/*filename(.:format)
update_rails_disk_service PUT /rails/active_storage/disk/:encoded_token(.:format)
rails_direct_uploads POST /rails/active_storage/direct_uploads(.:format)

```

Routes for RailsAdmin::Engine:

```

dashboard GET / rails_admin/main#dashboard
index GET|POST /:model_name(.:format) rails_admin/main#index
new GET|POST /:model_name/new(.:format) rails_admin/main#new
export GET|POST /:model_name/export(.:format) rails_admin/main#export
bulk_delete POST|DELETE /:model_name/bulk_delete(.:format) rails_admin/main#bulk_delete
history_index GET /:model_name/history(.:format) rails_admin/main#history_index
bulk_action POST /:model_name/bulk_action(.:format) rails_admin/main#bulk_action
show GET /:model_name/:id(.:format) rails_admin/main#show
edit GET|PUT /:model_name/:id/edit(.:format) rails_admin/main#edit
delete GET|DELETE /:model_name/:id/delete(.:format) rails_admin/main#delete
history_show GET /:model_name/:id/history(.:format) rails_admin/main#history_show
show_in_app GET /:model_name/:id/show_in_app(.:format) rails_admin/main#show_in_app

```