Create a folder called learn_git:



Change directory into the learn_git folder:

```
MINGW64:/c/Users/wassim.mourali/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHu

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Format
ion GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project
$ mkdir learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Format
ion GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project
$ cd learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOIN
T/Checkpoint Git & GitHub Project/learn_git
$
```

Create a file called third.txt:

```
MINGW64:/c/Users/wassim.mourali/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Format
ion GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project
$ mkdir learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Format
ion GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project
$ cd learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOIN
T/Checkpoint Git & GitHub Project/learn_git
$ cd learn_git
bash: cd: learn_git: No such file or directory

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_
$ touch third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_
$
```

Initialize an empty git repository:

```
MINGW64:/c/Users/wassim.mourali/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Format
ion GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project
$ mkdir learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Format
ion GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project
$ cd learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOIN
T/Checkpoint Git & GitHub Project/learn_git
$ cd learn_git
bash: cd: learn_git: No such file or directory

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ touch third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ git init
Initialized empty Git repository in C:/Users/wassim.mourali/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git/.git/

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$
```

Add third.txt to the staging area:

```
MINGW64:/c/Users/wassim.mourali/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Format
ion GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project
$ mkdir learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Format
ion GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project
$ cd learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOIN
T/Checkpoint Git & GitHub Project/learn_git
$ cd learn_git
bash: cd: learn_git: No such file or directory

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ touch third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ git init
Initialized empty Git repository in C:/Users/wassim.mourali/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git/.git/

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git add third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$
```

Commit with the message "adding third.txt":

```
MINGW64:/c/Users/wassim.mourali/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Format
ion GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project
$ mkdir learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Format
ion GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project
$ cd learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOIN
T/Checkpoint Git & GitHub Project/learn_git
$ cd learn_git
bash: cd: learn_git: No such file or directory

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ touch third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ git init
Initialized empty Git repository in C:/Users/wassim.mourali/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/le

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git add third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git commit -m "adding third.txt"
[master (root-commit) 58c6e9e] adding third.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$
```

Check out your commit with git log:

```
MINGW64:/c/Users/wassim.mourali/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Format
ion GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project
$ mkdir learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Format
ion GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project
$ cd learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOIN
T/Checkpoint Git & GitHub Project/learn_git
$ cd learn_git
bash: cd: learn_git: No such file or directory

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ touch third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ git init
Initialized empty Git repository in C:/Users/wassim.mourali/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git/.g

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git add third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git commit -m "adding third.txt"
[master (root-commit) 58c6e9e] adding third.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git log
commit 58c6e9ee37753b183b276398d814afcab0f5ca8e (HEAD -> master)
Author: wassim mourali <wassim.mourali@rose-blanche.com>
Date:   Sat Apr 6 10:41:44 2024 +0100

    adding third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$
```

Create another file called fourth.txt:




```
Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ cd learn_git
bash: cd: learn_git: No such file or directory

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ touch third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ git init
Initialized empty Git repository in C:/Users/wassim.mourali/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git/.git/

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ git add third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ git commit -m "adding third.txt"
[master (root-commit) 58c6e9e] adding third.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ git log
commit 58c6e9ee37753b183b276398d814afcab0f5ca8e (HEAD -> master)
Author: wassim mourali <wassim.mourali@rose-blanche.com>
Date:   Sat Apr 6 10:41:44 2024 +0100

    adding third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ touch fourth.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$
```

Add fourth.txt to the staging area:

```
MINGW64:/c/Users/wassim.mourali/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Format
ion GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project
$ mkdir learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Format
ion GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project
$ cd learn_git

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOIN
T/Checkpoint Git & GitHub Project/learn_git
$ cd learn_git
bash: cd: learn_git: No such file or directory

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ touch third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git
$ git init
Initialized empty Git repository in C:/Users/wassim.mourali/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git/.

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git add third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git commit -m "adding third.txt"
[master (root-commit) 58c6e9e] adding third.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git log
commit 58c6e9ee37753b183b276398d814afcab0f5ca8e (HEAD -> master)
Author: wassim mourali <wassim.mourali@rose-blanche.com>
Date:   Sat Apr 6 10:41:44 2024 +0100

    adding third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ touch fourth.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git add fourth.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOIN
T/Checkpoint Git & GitHub Project/learn_git (master)
$
```

Commit with the message "adding fourth.txt":

```
Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_
$ git commit -m "adding third.txt"
[master (root-commit) 58c6e9e] adding third.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_
$ git log
commit 58c6e9ee37753b183b276398d814afcab0f5ca8e (HEAD -> master)
Author: wassim mourali <wassim.mourali@rose-blanche.com>
Date:   Sat Apr 6 10:41:44 2024 +0100

    adding third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_
$ touch fourth.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_
$ git add fourth.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOIN
T/Checkpoint Git & GitHub Project/learn_git (master)
$ git commit -m "adding fourth.txt"
[master f353e59] adding fourth.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 fourth.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_
$
```

Remove the third.txt file:




```
Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose
T/Checkpoint Git & GitHub Project/learn_git
$ cd learn_git
bash: cd: learn_git: No such file or directory

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose
$ touch third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose
$ git init
Initialized empty Git repository in C:/Users/wassim.mourali/

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose
$ git add third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose
$ git commit -m "adding third.txt"
[master (root-commit) 58c6e9e] adding third.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose
$ git log
commit 58c6e9ee37753b183b276398d814afcab0f5ca8e (HEAD -> mas
Author: wassim mourali <wassim.mourali@rose-blanche.com>
Date:   Sat Apr 6 10:41:44 2024 +0100

    adding third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose
$ touch fourth.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose
$ git add fourth.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose
T/Checkpoint Git & GitHub Project/learn_git (master)
$ git commit -m "adding fourth.txt"
[master f353e59] adding fourth.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 fourth.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose
$ rm third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose
$
```

Add this change to the staging area (Using the command "git add . "):

```
Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git commit -m "adding third.txt"
[master (root-commit) 58c6e9e] adding third.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git log
commit 58c6e9ee37753b183b276398d814afcab0f5ca8e (HEAD -> master)
Author: wassim mourali <wassim.mourali@rose-blanche.com>
Date:   Sat Apr 6 10:41:44 2024 +0100

    adding third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ touch fourth.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git add fourth.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOIN
T/Checkpoint Git & GitHub Project/learn_git (master)
$ git commit -m "adding fourth.txt"
[master f353e59] adding fourth.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 fourth.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ rm third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git add .

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$
```

Commit with the message "removing third.txt":

```
Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git log
commit 58c6e9ee37753b183b276398d814afcab0f5ca8e (HEAD -> master)
Author: wassim mourali <wassim.mourali@rose-blanche.com>
Date:   Sat Apr 6 10:41:44 2024 +0100

    adding third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ touch fourth.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git add fourth.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOIN
T/Checkpoint Git & GitHub Project/learn_git (master)
$ git commit -m "adding fourth.txt"
[master f353e59] adding fourth.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 fourth.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ rm third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git add .

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git commit -m "removing third.txt"
[master 61396a8] removing third.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 delete mode 100644 third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$
```

Check out your commits using git log:

```
Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git add .

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git commit -m "removing third.txt"
[master 61396a8] removing third.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 delete mode 100644 third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub Project/learn_git (master)
$ git log
commit 61396a86a67f829cc43c0234a2a3ed04c609f7c5 (HEAD -> master)
Author: wassim mourali <wassim.mourali@rose-blanche.com>
Date:   Sat Apr 6 10:48:13 2024 +0100

    removing third.txt

commit f353e591c5c77865055b7dc7dcdc7e9ceb78d421
Author: wassim mourali <wassim.mourali@rose-blanche.com>
Date:   Sat Apr 6 10:45:26 2024 +0100

    adding fourth.txt

commit 58c6e9ee37753b183b276398d814afcab0f5ca8e
Author: wassim mourali <wassim.mourali@rose-blanche.com>
Date:   Sat Apr 6 10:41:44 2024 +0100

    adding third.txt
```

To change the global settings to core.pager=cat, use the following command:

```
commit 58c6e9ee37753b183b276398d814afcab0f5ca8e
Author: wassim mourali <wassim.mourali@rose-blanche.com>
Date:   Sat Apr 6 10:41:44 2024 +0100

    adding third.txt

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git &
$ git config --global core.pager cat

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git &
$
```

Write the appropriate command to list all the global configurations for git on your machine.

```
Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub
$ git config --global core.pager cat

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub
$ git config --global --list
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
user.name=wassim mourali
user.email=wassim.mourali@rose-blanche.com
core.editor=code --wait
core.pager=cat

Wassim.Mourali@SOPAT-BASC-WASSIM MINGW64 ~/OneDrive - Rose Blanche/Bureau/Formation GoMyCode/GOMYCODE/CHECKPOINT/Checkpoint Git & GitHub
$
```