

WARSAW UNIVERSITY OF TECHNOLOGY

# Rejection Option in Pattern Recognition Problem - Selected Issues

by

Piotr Waszkiewicz

A thesis submitted in partial fulfillment for the  
degree of Master of Computer Science

in the  
Faculty of Mathematics and Information Science

January 2017

# Declaration of Authorship

I, Piotr Waszkiewicz, declare that this thesis titled, ‘Rejection Option in Pattern Recognition Problem - Selected Issues’ and the work presented in it are my own. I confirm that:

- This work was done wholly or mainly while in candidature for a research degree at this University.
- Where any part of this thesis has previously been submitted for a degree or any other qualification at this University or any other institution, this has been clearly stated.
- Where I have consulted the published work of others, this is always clearly attributed.
- Where I have quoted from the work of others, the source is always given. With the exception of such quotations, this thesis is entirely my own work.
- I have acknowledged all main sources of help.
- Where the thesis is based on work done by myself jointly with others, I have made clear exactly what was done by others and what I have contributed myself.

Signed:

---

Date:

---

WARSAW UNIVERSITY OF TECHNOLOGY

# *Abstract*

Faculty of Mathematics and Information Science

Master of Computer Science

by Piotr Waszkiewicz

An analysis of the presented study seeks solution to a common problem in a classification issue, which is detecting and rejecting data not suited for classification. Contaminated data that emerges from noisy environment can lead to a situation in which even well trained models yield bad results. This is a serious problem for processes that rely on a classifiers' efficiency in which rejecting received data is more acceptable than classifying it wrongly, e.g. tumor detection algorithm should refuse to make medical evaluation of provided image if it is too blurry rather than trying to guess patient's health condition.

Although artificial intelligence gained much importance and is used in many aspects of humans life (even outside of pure scientific fields), there's still a need for newer approaches and methods. Commonly used algorithms and models change very frequently as new problems arise. Study presented in this thesis introduces modifications to some of the oldest and well known techniques and tries to combine them in order to create tools with much higher capabilities.

# *Acknowledgements*

The acknowledgements and the people to thank go here, don't forget to include your project advisor...

# Contents

<b>Declaration of Authorship</b>	<b>i</b>
<b>Abstract</b>	<b>ii</b>
<b>Acknowledgements</b>	<b>iii</b>
<b>List of Figures</b>	<b>vi</b>
<b>List of Tables</b>	<b>vii</b>
<b>Abbreviations</b>	<b>viii</b>
<b>Physical Constants</b>	<b>ix</b>
<b>Symbols</b>	<b>x</b>
<b>1 Introduction</b>	<b>1</b>
1.1 A Section . . . . .	1
1.1.1 A Subsection . . . . .	1
1.2 Another Section . . . . .	2
<b>2 Common Classifiers</b>	<b>3</b>
2.1 SVM . . . . .	3
2.2 kNN . . . . .	4
2.3 RF . . . . .	4
<b>3 Classifier Trees</b>	<b>5</b>
3.1 Balanced Tree . . . . .	5
3.1.1 Description . . . . .	5
3.1.2 Implementation details . . . . .	6
3.2 Slanting Tree . . . . .	7
<b>A An Appendix</b>	<b>8</b>

**Bibliography**

**10**

# List of Figures

# List of Tables



# Abbreviations

**LAH** List Abbreviations **Here**

# Physical Constants

Speed of Light  $c = 2.997\,924\,58 \times 10^8 \text{ ms}^{-\text{s}}$  (exact)

# Symbols

$a$	distance	m
$P$	power	W ( $\text{Js}^{-1}$ )
$\omega$	angular frequency	$\text{rads}^{-1}$

*For/Dedicated to/To my...*

# Chapter 1

## Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vivamus at pulvinar nisi. Phasellus hendrerit, diam placerat interdum iaculis, mauris justo cursus risus, in viverra purus eros at ligula. Ut metus justo, consequat a tristique posuere, laoreet nec nibh. Etiam et scelerisque mauris. Phasellus vel massa magna. Ut non neque id tortor pharetra bibendum vitae sit amet nisi. Duis nec quam quam, sed euismod justo. Pellentesque eu tellus vitae ante tempus malesuada. Nunc accumsan, quam in congue consequat, lectus lectus dapibus erat, id aliquet urna neque at massa. Nulla facilisi. Morbi ullamcorper eleifend posuere. Donec libero leo, faucibus nec bibendum at, mattis et urna. Proin consectetur, nunc ut imperdiet lobortis, magna neque tincidunt lectus, id iaculis nisi justo id nibh. Pellentesque vel sem in erat vulputate faucibus molestie ut lorem.

### 1.1 A Section

Quisque tristique urna in lorem laoreet at laoreet quam congue. Donec dolor turpis, blandit non imperdiet aliquet, blandit et felis. In lorem nisi, pretium sit amet vestibulum sed, tempus et sem. Proin non ante turpis. Nulla imperdiet fringilla convallis. Vivamus vel bibendum nisl. Pellentesque justo lectus, molestie vel luctus sed, lobortis in libero. Nulla facilisi. Aliquam erat volutpat. Suspendisse vitae nunc nunc. Sed aliquet est suscipit sapien rhoncus non adipiscing nibh consequat. Aliquam metus urna, faucibus eu vulputate non, luctus eu justo.

#### 1.1.1 A Subsection

Donec urna leo, vulputate vitae porta eu, vehicula blandit libero. Phasellus eget massa et leo condimentum mollis. Nullam molestie, justo at pellentesque vulputate, sapien

velit ornare diam, nec gravida lacus augue non diam. Integer mattis lacus id libero ultrices sit amet mollis neque molestie. Integer ut leo eget mi volutpat congue. Vivamus sodales, turpis id venenatis placerat, tellus purus adipiscing magna, eu aliquam nibh dolor id nibh. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Sed cursus convallis quam nec vehicula. Sed vulputate neque eget odio fringilla ac sodales urna feugiat.

## 1.2 Another Section

Phasellus nisi quam, volutpat non ullamcorper eget, congue fringilla leo. Cras et erat et nibh placerat commodo id ornare est. Nulla facilisi. Aenean pulvinar scelerisque eros eget interdum. Nunc pulvinar magna ut felis varius in hendrerit dolor accumsan. Nunc pellentesque magna quis magna bibendum non laoreet erat tincidunt. Nulla facilisi.

Duis eget massa sem, gravida interdum ipsum. Nulla nunc nisl, hendrerit sit amet commodo vel, varius id tellus. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc ac dolor est. Suspendisse ultrices tincidunt metus eget accumsan. Nullam facilisis, justo vitae convallis sollicitudin, eros augue malesuada metus, nec sagittis diam nibh ut sapien. Duis blandit lectus vitae lorem aliquam nec euismod nisi volutpat. Vestibulum ornare dictum tortor, at faucibus justo tempor non. Nulla facilisi. Cras non massa nunc, eget euismod purus. Nunc metus ipsum, euismod a consectetur vel, hendrerit nec nunc.

## Chapter 2

# Common Classifiers

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vivamus at pulvinar nisi. Phasellus hendrerit, diam placerat interdum iaculis, mauris justo cursus risus, in viverra purus eros at ligula. Ut metus justo, consequat a tristique posuere, laoreet nec nibh. Etiam et scelerisque mauris. Phasellus vel massa magna. Ut non neque id tortor pharetra bibendum vitae sit amet nisi. Duis nec quam quam, sed euismod justo. Pellentesque eu tellus vitae ante tempus malesuada. Nunc accumsan, quam in congue consequat, lectus lectus dapibus erat, id aliquet urna neque at massa. Nulla facilisi. Morbi ullamcorper eleifend posuere. Donec libero leo, faucibus nec bibendum at, mattis et urna. Proin consectetur, nunc ut imperdiet lobortis, magna neque tincidunt lectus, id iaculis nisi justo id nibh. Pellentesque vel sem in erat vulputate faucibus molestie ut lorem.

### 2.1 SVM

Quisque tristique urna in lorem laoreet at laoreet quam congue. Donec dolor turpis, blandit non imperdiet aliquet, blandit et felis. In lorem nisi, pretium sit amet vestibulum sed, tempus et sem. Proin non ante turpis. Nulla imperdiet fringilla convallis. Vivamus vel bibendum nisl. Pellentesque justo lectus, molestie vel luctus sed, lobortis in libero. Nulla facilisi. Aliquam erat volutpat. Suspendisse vitae nunc nunc. Sed aliquet est suscipit sapien rhoncus non adipiscing nibh consequat. Aliquam metus urna, faucibus eu vulputate non, luctus eu justo.

## 2.2 kNN

Donec urna leo, vulputate vitae porta eu, vehicula blandit libero. Phasellus eget massa et leo condimentum mollis. Nullam molestie, justo at pellentesque vulputate, sapien velit ornare diam, nec gravida lacus augue non diam. Integer mattis lacus id libero ultrices sit amet mollis neque molestie. Integer ut leo eget mi volutpat congue. Vivamus sodales, turpis id venenatis placerat, tellus purus adipiscing magna, eu aliquam nibh dolor id nibh. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Sed cursus convallis quam nec vehicula. Sed vulputate neque eget odio fringilla ac sodales urna feugiat.

## 2.3 RF

Phasellus nisi quam, volutpat non ullamcorper eget, congue fringilla leo. Cras et erat et nibh placerat commodo id ornare est. Nulla facilisi. Aenean pulvinar scelerisque eros eget interdum. Nunc pulvinar magna ut felis varius in hendrerit dolor accumsan. Nunc pellentesque magna quis magna bibendum non laoreet erat tincidunt. Nulla facilisi.

Duis eget massa sem, gravida interdum ipsum. Nulla nunc nisl, hendrerit sit amet commodo vel, varius id tellus. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc ac dolor est. Suspendisse ultrices tincidunt metus eget accumsan. Nullam facilisis, justo vitae convallis sollicitudin, eros augue malesuada metus, nec sagittis diam nibh ut sapien. Duis blandit lectus vitae lorem aliquam nec euismod nisi volutpat. Vestibulum ornare dictum tortor, at faucibus justo tempor non. Nulla facilisi. Cras non massa nunc, eget euismod purus. Nunc metus ipsum, euismod a consectetur vel, hendrerit nec nunc.



## Chapter 3

# Classifier Trees

Classifiers described in this paper return results in form of a class label that provided pattern was classified to. Such approach leaves no room for estimating class-belonging probabilities which, in return, results in inability to reject provided data. By combining those classifiers and organising them in a complex structures it is possible to create objects with unique rejection capabilities in exchange for slightly increased pattern-processing time. This chapter describes classifier structures in form of binary trees.

### 3.1 Balanced Tree

#### 3.1.1 Description

Balanced Tree structure utilises clustering algorithms for its creation. It is usually shaped as a balanced binary tree, thus the name, with classifier in each of its nodes. Each node represents a set of classes that are currently taken into consideration as native ones for provided pattern. By traversing down the tree certain classes get rejected and the pattern is moved forward to the next node that represents only remaining classes. Decision as to which classes should be put in each of the child nodes is made by clustering algorithm that divides set of remaining classes from parent node into two and assigns each part for each child node. If there's only one remaining class, tree leaf is created instead. Each node, except for leafs, contains binary classifier trained on data that is based on clustering algorithm results. What it mean is that patterns from training data set, that belong to classes dedicated for left child node, are joined together and are treated as one big class '0'. The same goes for patterns that belong to the right child node, except for the class number which is '1'. By having two, new data sets that represent two different classes, the parent node can finally create binary classifier.

During classification procedure, after receiving new, unknown pattern each node uses its classifier to assign either '0' or '1' label to this pattern, which is then used to send it to left or right child accordingly for further classification. Balanced Tree leafs also utilize their classifiers but those are created in a different way. Because of the fact that each leaf represents one class, and has no children there's no way to create data set for classifier using algorithm for non-leaf node. To overcome this problem each leaf is treated as a node with left child representing the same class as the leaf, and the right child representing all remaining classes. That way classifier is trained on two-class data and can be viewed as 'one-vs-rest' classifier. When it comes to classifying new, unknown pattern leaf uses its classifier to determine pattern's label. In case of '0' (meaning it should be sent to left child) the pattern is treated as an element from class represented by leaf. If the resulting label is '1' the pattern gets rejected and treated as a foreign one.

### 3.1.2 Implementation details

Creation of Balanced Tree structure starts from tree root and is done recursively. Each node, that is not a tree leaf, is assigned certain set of classes which is a subset of all classes in a tree (root node is assigned all). The next step involves clustering method dividing node's class set into two disjoint sets. This procedure is done on 'class central points' which are average points of all elements in each class. Clustering algorithm divides those points thus providing two new sets for both child nodes. After that node trains its classifier on data set consisting of two classes created by taking all elements from training data for left and right child nodes' classes sets. The node-creation procedure is then applied for both node's children. The leaf creation algorithm is slightly different as it does not need usage of clustering. Classifier is trained on data set created from combining elements from training data that belongs to the same class the leaf node represents (those points' new class is labelled '0') and elements from every other class (which are labelled '1'). To ensure that both '0' and '1' classes have the same number of entries the '1' class set must be trimmed. This is done at its creation step by taking less elements from each class in order to have the same number (or nearly identical) of elements overall in the whole set, e.g. having training data set consisting of ten classes labelled from '0' to '9', with total of 10,000 elements, set '0' for leaf representing class '2' will have 1,000 entries of elements from class '2' taken from training data and set '1' will have 999 elements in total but will consist of elements from classes '0', '1', '3', '4', '5', '6', '7', '8', '9' taken from training data with 111 elements from each class.

## 3.2 Slanting Tree

Donec urna leo, vulputate vitae porta eu, vehicula blandit libero. Phasellus eget massa et leo condimentum mollis. Nullam molestie, justo at pellentesque vulputate, sapien velit ornare diam, nec gravida lacus augue non diam. Integer mattis lacus id libero ultrices sit amet mollis neque molestie. Integer ut leo eget mi volutpat congue. Vivamus sodales, turpis id venenatis placerat, tellus purus adipiscing magna, eu aliquam nibh dolor id nibh. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Sed cursus convallis quam nec vehicula. Sed vulputate neque eget odio fringilla ac sodales urna feugiat.

## Appendix A

# An Appendix

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vivamus at pulvinar nisi. Phasellus hendrerit, diam placerat interdum iaculis, mauris justo cursus risus, in viverra purus eros at ligula. Ut metus justo, consequat a tristique posuere, laoreet nec nibh. Etiam et scelerisque mauris. Phasellus vel massa magna. Ut non neque id tortor pharetra bibendum vitae sit amet nisi. Duis nec quam quam, sed euismod justo. Pellentesque eu tellus vitae ante tempus malesuada. Nunc accumsan, quam in congue consequat, lectus lectus dapibus erat, id aliquet urna neque at massa. Nulla facilisi. Morbi ullamcorper eleifend posuere. Donec libero leo, faucibus nec bibendum at, mattis et urna. Proin consectetur, nunc ut imperdiet lobortis, magna neque tincidunt lectus, id iaculis nisi justo id nibh. Pellentesque vel sem in erat vulputate faucibus molestie ut lorem.

Quisque tristique urna in lorem laoreet at laoreet quam congue. Donec dolor turpis, blandit non imperdiet aliquet, blandit et felis. In lorem nisi, pretium sit amet vestibulum sed, tempus et sem. Proin non ante turpis. Nulla imperdiet fringilla convallis. Vivamus vel bibendum nisl. Pellentesque justo lectus, molestie vel luctus sed, lobortis in libero. Nulla facilisi. Aliquam erat volutpat. Suspendisse vitae nunc nunc. Sed aliquet est suscipit sapien rhoncus non adipiscing nibh consequat. Aliquam metus urna, faucibus eu vulputate non, luctus eu justo.

Donec urna leo, vulputate vitae porta eu, vehicula blandit libero. Phasellus eget massa et leo condimentum mollis. Nullam molestie, justo at pellentesque vulputate, sapien velit ornare diam, nec gravida lacus augue non diam. Integer mattis lacus id libero ultrices sit amet mollis neque molestie. Integer ut leo eget mi volutpat congue. Vivamus sodales, turpis id venenatis placerat, tellus purus adipiscing magna, eu aliquam nibh dolor id nibh. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Sed cursus convallis quam nec vehicula. Sed vulputate neque eget odio fringilla ac sodales urna feugiat.

Phasellus nisi quam, volutpat non ullamcorper eget, congue fringilla leo. Cras et erat et nibh placerat commodo id ornare est. Nulla facilisi. Aenean pulvinar scelerisque eros eget interdum. Nunc pulvinar magna ut felis varius in hendrerit dolor accumsan. Nunc pellentesque magna quis magna bibendum non laoreet erat tincidunt. Nulla facilisi.

Duis eget massa sem, gravida interdum ipsum. Nulla nunc nisl, hendrerit sit amet commodo vel, varius id tellus. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc ac dolor est. Suspendisse ultrices tincidunt metus eget accumsan. Nullam facilisis, justo vitae convallis sollicitudin, eros augue malesuada metus, nec sagittis diam nibh ut sapien. Duis blandit lectus vitae lorem aliquam nec euismod nisi volutpat. Vestibulum ornare dictum tortor, at faucibus justo tempor non. Nulla facilisi. Cras non massa nunc, eget euismod purus. Nunc metus ipsum, euismod a consectetur vel, hendrerit nec nunc.

# Bibliography