



Отчет по лабораторным работам




...

Выполнил курсант 331г
Янковский Егор


Для начала устанавливаем программы для работы



Далее выполняем первую работу в eclipse



Далее идёт первая работа в netbeans



Далее создаем калькулятор

```
/*
 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
 * Click nbfs://nbhost/SystemFileSystem/Templates/Classes/Main.java to edit this template
 */
package calculator;
import java.util.Scanner;

public class Calculator {

    public static void main(String[] args) {
        System.out.println("Введите операцию: ");
        System.out.println("1. Сложение");
        System.out.println("2. Вычитание");
        System.out.println("3. Умножение");
        System.out.println("4. Деление");
        //Микушина Надежда Эдуардовна
        Scanner scanner = new Scanner(System.in);
        int operation = scanner.nextInt();


        System.out.println("Введите первое число: ");
        int x = scanner.nextInt();
        System.out.println("Введите второе число: ");
        int y = scanner.nextInt();

        int result = 0;

        if (operation == 1)
            result = x + y;
        else if (operation == 2)
            result = x - y;
        else if (operation == 3)
            result = x * y;
        else if (operation == 4)
            result = x / y;

        System.out.println("Результат = " + result);
        System.out.println("Чепен");
    }
}
```



Последним этапом реализуем 2 программы




```
Game.java x
Source History
1 import java.awt.Graphics;
2 import javax.swing.JFrame;
3 import javax.swing.JPanel;
4 import javax.swing.WindowConstants;
5
6 public class Game extends JFrame {
7
8     private static Game game_game;
9
10    public static void main(String[] args) {
11        game_game = new Game();
12        game_game.setDefaultCloseOperation(WindowConstants.EXIT_ON_CLOSE);
13        game_game.setLocation(200, 50);
14        game_game.setSize(900, 600);
15        game_game.setResizable(false);
16        GameField game_field = new GameField();
17        game_game.add(game_field);
18        game_game.setVisible(true);
19    }
20
21    public static void onRepaint(Graphics g) {
22        g.fillOval(10, 10, 200, 100);
23    }
24
25    public static class GameField extends JPanel {
26        @Override
27        protected void paintComponent(Graphics g) {
28            super.paintComponent(g);
29            onRepaint(g);
30        }
31    }
32
33 }
```

И вторая

```
Game.java
Source History
4 import java.awt.event.MouseEvent;
5 import java.io.IOException;
6 import javax.imageio.ImageIO;
7 import javax.swing.JFrame;
8 import javax.swing.JPanel;
9 import javax.swing.WindowConstants;
10
11 public class Game extends JFrame {
12
13     private static Game game_game;
14     private static long last_frame_time;
15     private static Image papich;
16     private static Image nuts;
17     private static Image end;
18     private static float drop_left = 200;
19     private static float drop_top = -100;
20     private static float drop_v = 200;
21     private static int score = 0;
22
23     public static void main(String[] args) throws IOException {
24         papich = ImageIO.read(Game.class.getResourceAsStream("papich.png"));
25         nuts = ImageIO.read(Game.class.getResourceAsStream("nuts.png"));
26         end = ImageIO.read(Game.class.getResourceAsStream("end.png"));
27         game_game = new Game();
28         game_game.setDefaultCloseOperation(WindowConstants.EXIT_ON_CLOSE);
29         game_game.setLocation(200, 50);
30         game_game.setSize(1200, 800);
31         game_game.setResizable(false);
32         last_frame_time = System.nanoTime();
33         GameField game_field = new GameField();
34         game_field.addMouseListener(new MouseAdapter() {
35             @Override
36             public void mousePressed(MouseEvent e) {
37                 int x = e.getX();
38                 int y = e.getY();
39                 float drop_right = drop_left + end.getWidth(null);
40                 float drop_bottom = drop_top + end.getHeight(null);
41                 boolean is_drop = x >= drop_left && x <= drop_right && y >= drop_top && y <= drop_bottom;
42
43                 if (is_drop) {
44                     drop_top = -100;
45                     drop_left = (int) (Math.random() * (game_field.getWidth() - end.getWidth(null)));
46                     drop_v = drop_v + 10;
47                     score++;
48                     game_game.setTitle("Score: " + score);
49                 }
50             }
51         });
52     }
53 }
```



В качестве завершающего шага создаем git



```
Командная строка
Microsoft Windows [Version 10.0.26200.8246]
(c) Корпорация Майкрософт (Microsoft Corporation). Все права защищены.

C:\Users\TheIW>cd C:\Users\TheIW\Desktop\Лаб 1-6

C:\Users\TheIW\Desktop\Лаб 1-6>git init
Initialized empty Git repository in C:/Users/TheIW/Desktop/Лаб 1-6/.git/

C:\Users\TheIW\Desktop\Лаб 1-6>
```